Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR
- · UFI: VX3J-6MHD-460E-8DQR
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Car care product
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GentleMonkeys GmbH

Münchner Str. 87a

85774 Unterföhring/München Tel.: +49 (0)89 379 58 007

sayhello@gentlemonkeys.com

- · Further information obtainable from: sayhello@gentlemonkeys.com
- · 1.4 Emergency telephone number:

Giftnotruf München 49 (0)89 192 40

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information:

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

EU

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	≥2.5-<10%
CAS: 75718-16-0	Siloxane und Silikone, {3-[(2-Amino-ethyl)amino]propyl} methyl-, Dimethyl-, hydroxyterminiert Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥1-<2.5%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	≥0-≤2.5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
CAS: 3811-73-2 EINECS: 223-296-5 Index number: 613-344-00-7 Reg.nr.: 01-2119493385-28	pyridine-2-thiol 1-oxide, sodium salt Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 ATE: LD50 oral: 500 mg/kg LD50 dermal: 790 mg/kg LC50/4 h inhalative: 0.5 mg/l	≥0.0025-<0.025%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

preservation agents (BENZISOTHIAZOLINONE, LAURYLAMINE DIPROPYLENEDIAMINE, SODIUM PYRITHIONE)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

 $\cdot \textit{4.2 Most important symptoms and effects, both acute and delayed} \ \textit{No further relevant information available}.$

(Contd. on page 3)

Version number 1 Revision: 17.08.2023 Printing date 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from frost.

Keep container tightly sealed.

- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

IOELV Short-term value: 101.2 mg/m³, 15 ppm

Long-term value: 67.5 mg/m³, 10 ppm

(Contd. on page 4)

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

DATE			(Contd. of p
DNELs			
67-63-0 pr			
Oral	Long term - systemic effects, general po	pulation	
Dermal	Long-term - systemic effects, worker		888 mg/kg bw/day (worker)
		pulation	319 mg/kg bw/day (general population)
Inhalative	Long-term - systemic effects, worker		500 mg/m3 (worker)
	Long term - systemic effects, general po	pulation	89 mg/m3 (general population)
	2-(2-butoxyethoxy)ethanol		
Oral	Long term - systemic effects, general po	pulation	
Dermal	Long-term - systemic effects, worker		83 mg/kg bw/day (worker)
	Long term - systemic effects, general po	pulation	
Inhalative	Acute - local effects, worker		101.2 mg/m3 (worker)
	Long-term - systemic effects, worker		67.5 mg/m3 (worker)
	Long-term - local effects, worker		67.5 mg/m3 (worker)
	Acute - local effects, general population		60.7 mg/m3 (general population)
	Long term - systemic effects, general po	pulation	40.5 mg/m3 (general population)
	Long term - local effects, general popul	ation	40.5 mg/m3 (general population)
PNECs			
67-63-0 pr	opan-2-ol		
Aquatic co	mpartment - freshwater	140.9 m	g/l (Sweet Water / Süsswasser)
Aquatic co	mpartment - marine water	140.9 m	g/l (marine water)
Aquatic co	mpartment - water, intermittent releases	140.9 m	g/l (intermittent release water)
Aquatic co	mpartment - sediment in freshwater	552 mg/	/kg sed dw (sediment fresh water)
Aquatic co	mpartment - sediment in marine water	552 mg/	/kg sed dw (sediment marine water)
Terrestrial	compartment - soil	28 mg/k	eg dw (soil)
sewage tre	atment plant	2,251 mg/l (sewage treatment plant)	
Oral secondary poisoning		160 mg/kg food (food sec poisoning)	
<i>112-34-5 2</i>	?-(2-butoxyethoxy)ethanol		
Aquatic compartment - freshwater		1.1 mg/l (freshwater)	
Aquatic compartment - marine water		0.11 mg	t/l (marine water)
Aquatic compartment - water, intermittent releases		11 mg/l	(intermittent release water)
Aquatic compartment - sediment in freshwater		4.4 mg/l	kg sed dw (freshwater)
Aquatic compartment - sediment in marine water		0.44 mg/kg sed dw (sediment marine water)	
Terrestrial compartment - soil		0.32 mg	r/kg dw (soil)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

- · Respiratory protection: Not required.
- · Hand protection Not required.

(Contd. on page 5)

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

(Contd. of page 4)

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Ddour:
Eluid
Light yellow
Characteristic

• Odour threshold:
• Melting point/freezing point:

No further relevant information available.

No further relevant information available.

· Boiling point or initial boiling point and boiling

range No further relevant information available.

Flammability

Lower and upper explosion limit
 Lower: No further relevant information available.
 Upper: No further relevant information available.

Not applicable.

Flash point:
 Auto-ignition temperature:
 Decomposition temperature:
 No further relevant information available.
 No further relevant information available.

• pH at 20 °C 4.5 (DIN 19268)

· Viscosity:

Kinematic viscosity
 Dynamic:
 No further relevant information available.
 No further relevant information available.

· Solubility

• water: Fully miscible.

· Partition coefficient n-octanol/water (log value) Does not apply to mixtures.

• Vapour pressure: No further relevant information available.

· Density and/or relative density

• **Density at 20 °C:** 0.99 g/cm³ (DIN 51757)

Relative density
 Vapour density
 No further relevant information available.
 No further relevant information available.

· 9.2 Other information

· Appearance:

· Form: Fluid
· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent separation test:

· VOC (EC) 4.23 %

· Change in condition

· Softening point/range

• Oxidising properties No further relevant information available.

· Information with regard to physical hazard classes

Explosives Void
 Flammable gases Void

Void
• Aerosols Void

Aerosols Void Void

(Contd. on page 6)

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

		(Contd. of page
Oxidising gases	Void	(comunici puga
8.8	Void	
Gases under pressure	Void	
1	Void	
Flammable liquids	Void	
1	Void	
Flammable solids	Void	
	Void	
Self-reactive substances and mixtures	Void	
3	Void	
Pyrophoric liquids	Void	
<i>y</i> 1 1	Void	
Pyrophoric solids	Void	
v 1	Void	
Self-heating substances and mixtures	Void	
,	Void	
Substances and mixtures, which emit flamme	able	
gases in contact with water	Void	
	Void	
Oxidising liquids	Void	
3 1	Void	
Oxidising solids	Void	
o de la companya de	Void	
Organic peroxides	Void	
	Void	
Corrosive to metals	Void	
	Void	
Desensitised explosives	Void	
4	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:	
67-63-0 pr	67-63-0 propan-2-ol	
Oral	LD50	5,840 mg/kg (rat) (OECD 401)
Dermal	LD50	13,900 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/4 h	>25 mg/l (rat) (OECD 403)

(Contd. on page 7)

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

0 1		terminiert
Oral	LD50	>2,000 mg/kg (rat) (Analogie)
112-34-5 2	2-(2-butoxy	yethoxy)ethanol
Oral	LD50	2,410-5,530 mg/kg (mouse)
		5,660 mg/kg (rat)
Dermal	LD50	2,764 mg/kg (rat)
		>2,000 mg/kg (rabbit) (OECD 402)
2634-33-5	1,2-benzis	othiazol-3(2H)-one
Oral	LD50	1,193 mg/kg (rat)
Dermal	LD50	4,115 mg/kg (rat)
3811-73-2	pyridine-2	2-thiol 1-oxide, sodium salt
Oral	LD50	500 mg/kg (ATE)
		1,208 mg/kg (rat)
Dermal	LD50	790 mg/kg (ATE)
		1,800 mg/kg (rabbit)
Inhalative	LC50/4 h	1.08 mg/l (rat)
Specific sy	mptoms in	p biological assay:
67-63-0 pi	opan-2-ol	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties		
556-67-2	octamethylcyclotetrasiloxane	List II; III
541-02-6	Decamethylcyclopentasiloxane	List II
540-97-6	Dodecamethylcyclohexasiloxane	List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicit	y:
67-63-0 propan-2-ol	
LC50/48 h	>100 mg/l (Leuciscus idus)
EC50	>100 mg/l (Bacteria)
EC50/48 h	>100 mg/l (Daphnia magna)

(Contd. on page 8)

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

	(Contd. of page
EC50/72 h	>100 mg/l (Scenedesmus subspicatus)
	xane und Silikone, {3-[(2-Amino-ethyl)amino]propyl}methyl-, Dimethyl-oxyterminiert
EC50	>10-100 mg/l (Daphnia magna) (OECD 202)
112-34-5 2-(2-b	utoxyethoxy)ethanol
NOEC 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC 48 h	>100 mg/l (_) (OECD 202)
EC10/30 min	>1,995 mg/l (bel) (DEV - L2 OECD 209)
LC50/96 h (stati	c) 1,300 mg/l (Lepomis macrochirus) (OECD 203)
EC50	4,950 mg/l (Daphnia magna) 48 h
EC50/24 h	2,850 mg/l (Daphnia magna)
EC50/48 h (stati	c) >100 mg/l (Daphnia magna) (OECD 202)
EC50/96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
EC50/72 h (stati	c) >100 mg/l (Desmodesmus subspicatus) (OECD 201)
2634-33-5 1,2-b	enzisothiazol-3(2H)-one
NOEC 72 h	0.027 mg/l (Skeletonema costatum) (OECD 201)
EC20	3.3 mg/l (bel) (OECD 209)
	3 h
ErC50/72 h	0.11 mg/l (Pseudokrichneriella subcapitata) (OECD 201)
LC50/96 h	2.18 mg/l (Oncorhynchus mykiss) (OECD 203)
EC50/48 h	2.94 mg/l (Daphnia magna) (OECD 202)
3811-73-2 pyrid	ine-2-thiol 1-oxide, sodium salt
NOEC 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)
LC50/96 h	0.00767 mg/l (zeb) (OECD 203)
EC50/48 h	0.022 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	0.46 mg/l (Selenastrum capricornutum) (OECD 201)
12.2 Persistence	and degradability
	exane und Silikone, {3-[(2-Amino-ethyl)amino]propyl}methyl-, Dimethyl coxyterminiert
OECD 302 B > 28	70 % (_) 8 d 2 (Eliminierung)
	, ,

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

(Contd. of page 8)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

• 14.5 Environmental hazards: Not applicable. • 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

(Contd. of page 9)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS: Department R&D

· Contact: Department R&D

· Date of previous version: 11.05.2021

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

· Sources

(EC) No 1907/2006 (REACH) as amended.

(EC) No. 1272/2008 (CLP) in the valid version

Guidance on the compilation of safety data sheets as amended (ECHA)

Guidance on labelling and packaging according to Regulation (EC) No 1272/2008 (CLP) as amended

(Contd. on page 11)

Printing date 17.08.2023 Version number 1 Revision: 17.08.2023

Trade name: GENTLEMONKEYS CONVERTIBLE TOP IMPREGNATOR

(Contd. of page 10)

(ECHA)

Safety data sheets of the ingredients ECHA homepage - Information on chemicals