

Craft HQ
INSPIRING YOUR CREATIVITY

Issue date: 07/02/2023

Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: MELON & MUGUET 035(Contains:2,4-Dimethylcyclohex-3-ene-1-carbalehyde, 2-

Benzylideneheptanal, Ethyl 2,3-epoxy-3-phenylbutyrate, [1a(E),2b]-1-(2,6,6-trimethylcyclohex-

3-en-1-yl)but-2-en-1-one)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Wired Retail Group T/A Craft HQ

Company address: Unit 7 Boss Hall Road

Ipswich, Suffolk

IP1 5BN, United Kingdom

Contact: Tamar Mayne

E-Mail address: contact@crafthq.co.uk
Company phone: +44 (0)1473 855411

Responsible Person: Tamar Mayne

Address: Unit 7 Boss Hall Road

Ipswich, Suffolk

IP1 5BN, United Kingdom

Phone: +44 (0)1473 855411

1.4 Emergency telephone number

Emergency phone: +44 (0)7939 547096

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Skin Corrosion / Irritation Category 2

danger: Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains (R)-p-mentha-1,8-diene, 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one, 3-p-cumenyl-2-methylpropionaldehyde, 4-hydroxy-2,5-dimethylfuran-2(3H)-one, 7-(methylethyl)-2H,4H-benzo[b]1,4-dioxepin-3-one, Citral, Reaction mass of Benzenepropanal, 4-ethyl-a,a-dimethyl- and 3-(2-ethylphenyl)-2,2-dimethylpropanal, reaction mass of: (1RS, 2RS, 3SR, 6RS, 9SR)-9-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0(2,6)]decane-4-carbaldehyde. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: None





Issue date: 07/02/2023 Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
2-tert-butylcyclohexyl acetate	88-41-5	201-828-7		10-<20%	Aquatic Chronic 2; H411,-	oral: ATE = 4600 mg/kg bw
Benzyl benzoate	120-51-4	204-402-9		5-<10%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400- H411,-	dermal: ATE = 4000 mg/kg bw-oral: ATE = 1500 mg/kg bw
3a,4,5,6,7,7a- Hexahydro-4,7- methano-1H-inden-6-yl propionate	17511-60-3, 68912-13-0	241-514-7	01-2119969447-21-XXXX	5-<10%	Aquatic Chronic 2; H411,-	
Ethyl enantate	106-30-9	203-382-9		5-<10%	Aquatic Acute 1- Aquatic Chronic 3; H400-H412,-	
Ethyl 2,3-epoxy-3- phenylbutyrate	77-83-8	201-061-8	<1 tpa	1-<5%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	oral: ATE = 5470 mg/kg bw
Undecan-4-olide	104-67-6	203-225-4		1-<5%	Aquatic Chronic 3; H412,-	oral: ATE = 18500 mg/kg bw
4-(2,6,6- Trimethylcyclohex-1-en- 1-yl)but-3-en-2-one	14901-07-6, 79-77-6	238-969-9	01-2119449921-34-XXXX	1-<5%	Aquatic Chronic 2; H411,-	
Ethyl hexanoate	123-66-0	204-640-3		1-<5%	Flam. Liq. 3-Skin Irrit. 2;H226-H315,-	
2,4-Dimethylcyclohex-3- ene-1-carbalehyde	68039-49-6	268-264-1, 943-728-2		1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B-Aquatic Chronic 2;H315-H317- H319-H411,-	oral: ATE = 3900 mg/kg bw
Allyl hexanoate	123-68-2	204-642-4		1-<5%	Acute Tox. 3-Acute Tox. 3-Acute Tox. 3- Aquatic Acute 1- Aquatic Chronic 3; H301-H311-H331- H400-H412,-	inhalation: ATE = 3 mg/l (vapour)-dermal: ATE = 300 mg/kg bw- oral: ATE = 300 mg/kg bw
Hexyl Acetate	142-92-7	205-572-7	01-2119976337-25-XXXX	1-<5%	Flam. Liq. 3-Aquatic Chronic 2;H226-H411,-	dermal: ATE = 5000.01 mg/kg bw-oral: ATE = 36230 mg/kg bw
2-Benzylideneheptanal	122-40-7	204-541-5		1-<5%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	oral: ATE = 3730 mg/kg bw
Reaction mass of Benzenepropanal, 4- ethyl-a,a-dimethyl- and 3-(2-ethylphenyl)-2,2- dimethylpropanal	67634-15-5, 67634-14-4	916-329-6, 266-819-2, 266-818-7	01-2120758796-34-XXXX	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1- Aquatic Chronic 2; H315-H317-H400- H411,-	
2-ethyl-3-hydroxy-4- pyrone	4940-11-8	225-582-5		1-<5%	Acute Tox. 4;H302,-	oral: ATE = 1200 mg/kg bw
3-methylbutyl butyrate	106-27-4	203-380-8	01-2120762245-55-XXXX	1-<5%	Flam. Liq. 3-Skin Irrit. 2-STOT SE 3-Aquatic Chronic 3;H226-H315- H335-H412,-	
3-p-cumenyl-2- methylpropionaldehyde	103-95-7	203-161-7	01-2119970582-32-XXXX	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3; H315-H317-H412,-	oral: ATE = 3810 mg/kg bw





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

(R)-p-mentha-1,8-diene	5989-27-5	227-813-5		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-	M = 1-dermal: ATE = 5000.01 mg/kg bw-oral:
					Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	ATE = 4400 mg/kg bw
[1a(E),2b]-1-(2,6,6- trimethylcyclohex-3-en- 1-yl)but-2-en-1-one	71048-82-3	275-156-8		1-<5%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A- Aquatic Acute 1- Aquatic Chronic 1; H302-H315-H317- H410,-	oral: ATE = 1400 mg/kg bw
(Z)-hex-3-enyl acetate	3681-71-8	222-960-1		1-<5%	Flam. Liq. 3;H226,-	dermal: ATE = 5000.01 mg/kg bw-oral: ATE = 5000 mg/kg bw
Allyl heptanoate	142-19-8	205-527-1	01-2119488961-23-XXXX	1-<5%	Acute Tox. 3-Acute Tox. 3-Acute Tox. 3- Aquatic Acute 1- Aquatic Chronic 3; H301-H311-H331- H400-H412,-	M = 1-inhalation: ATE = 3 mg/l (vapour)-dermal: ATE = 810 mg/kg bw- oral: ATE = 218 mg/kg bw
B-methyl-3-(1- methylethyl)- benzenepropanal	125109-85-5	412-050-4	01-0000015936-60-XXXX	1-<5%	Aquatic Chronic 2; H411,-	
reaction mass of: (1RS, 2RS,3SR, 6RS, 9SR)-9-methoxytricyclo[5.2.1.0 (2,6)]decane-3-carbaldehyde; (1RS, 2RS, 3RS, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0 (2,6)]decane-3-carbaldehyde; (1RS, 2RS, 4SR, 6RS, 8SR)-8-methoxytricyclo[5.2.1.0 (2,6)]decane-4-carbaldehyde	101128-56-7	429-860-9	01-0000017614-70-XXXX	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	
Citral	5392-40-5	226-394-6		0.1-<1%	Skin Irrit. 2-Skin Sens. 1;H315-H317,-	dermal: ATE = 2250 mg/kg bw-oral: ATE = 4960 mg/kg bw
7-methyl-2H-benzo-1,5- dioxepin-3(4H)-one	28940-11-6	249-320-4	01-2120734453-58-XXXX	0.1-<1%	Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1-STOT SE 3;H302-H314- H336,-	oral: ATE = 500 mg/kg bw
7-(methylethyl)-2H,4H- benzo[b]1,4-dioxepin-3- one	950919-28-5	680-642-1		0.1-<1%	Skin Sens. 1B-STOT SE 3-Aquatic Chronic 3;H317-H336-H412,-	
1-(2,6,6-trimethyl-1,3- cyclohexadien-1-yl)-2- buten-1-one	23696-85-7	245-833-2	01-2120105798-49-XXXX	<0.1%	Skin Irrit. 2-Skin Sens. 1A-Aquatic Chronic 2; H315-H317-H411,-	dermal: ATE = 2900 mg/kg bw
Tridec-2-enenitrile	22629-49-8	245-142-6	<1 tpa	<0.1%	Aquatic Acute 1- Aquatic Chronic 1; H410,-	M = 10
4-hydroxy-2,5- dimethylfuran-2(3H)-one	3658-77-3	222-908-8	01-2120754473-52-XXXX	<0.1%	Eye Dam. 1-Skin Sens. 1A;H317-H318,-	oral: ATE = 2500 mg/kg bw

Substances with Community workplace exposure limits:





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
(2- methoxymethylethoxy) propanol	34590-94-8	252-104-2		0.1-<1%	-;-,-	dermal: ATE = 9510 mg/kg bw-oral: ATE = 4000.01 mg/kg bw

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.



Craft HQ
INSPIRING YOUR CREATIVITY

Issue date: 07/02/2023

Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
			Long-term exposure limit (8-hour TWA) (ppm)	50
(2-methoxymethylethoxy) propanol	34590-94-8	1252-1114-2	Long-term exposure limit (8-hour TWA) (mg/m3)	308
			Short-term exposure limit (15-minute) (ppm)	150





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:

Odour:

As standard

Odour threshold:

Melting point/freezing point:

Not determined

Not determined

Not determined

Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: 66 °C

Auto-ignition temperature:

Decomposition temperature:

Not relevant

Not determined

Not determined

Kinematic viscosity:

Not determined

Solubility:

Not determined

Not determined

Not determined

Not determined

value):

Vapour pressure:1.93808000 mmHgDensity and/or relative density:0.9250 - 1.0050Relative vapour density:Not determinedParticle characteristics:Not determined

9.2 Other information: None available



Craft HQ
INSPIRING YOUR CREATIVITY

Issue date: 07/02/2023

Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral 3247 mg/kg
Acute Toxicity Dermal >5000 mg/kg
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Aspiration hazard:

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-ethyl-3-hydroxy-4- pyrone	4940-11-8	225-582-5	1200	Not available	INot available	Not available
Allyl heptanoate	142-19-8	205-527-1	218	810	3	Vapour





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

Allyl hexanoate	123-68-2	204-642-4	300	300	3	Vapour
Benzyl benzoate	120-51-4	204-402-9	1500	4000	INOT available	Not available
Triethyl citrate	77-93-0	201-070-7	5000.01	5000.01	15.01	Vapour mg/l
[1a(E),2b]-1-(2,6,6- trimethylcyclohex-3-en- 1-yl)but-2-en-1-one	71048-82-3	275-156-8	1400	Not available	INOT available	Not available

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects:

VOC percent: 33.204%

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([1a(E), 2b]-1-(2,6,6-trimethylcyclohex-3-en-1-yl) but-2-en-1-one, 2-tert-butylcyclohexyl acetate)	9	-	III





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([1a(E), 2b]-1-(2,6,6-trimethylcyclohex-3-en-1-yl) but-2-en-1-one, 2-tert-butylcyclohexyl acetate) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([1a(E), 2b]-1-(2,6,6-trimethylcyclohex-3-en-1-yl) but-2-en-1-one, 2-tert-butylcyclohexyl acetate)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([1a(E), 2b]-1-(2,6,6-trimethylcyclohex-3-en-1-yl) but-2-en-1-one, 2-tert-butylcyclohexyl acetate)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (WGK):

This fragrance does not contain any SVHC's.

Swiss VOC Cumulative %: 2.690%

The mixture is exempt from Swiss VOC Tax as it contains less than 3% VOC.

The following Proposition 65 substances are contained in this fragrance:

beta-Myrcene CAS 123-35-3: 0.006727%

This fragrance CAN use the naturally occurring in food exemption.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=36.57% EH C3=3.56% EH C4=35.81% SCI 2=50.94% SS 1=6.

87%

Total Fractional Values: EH C2=2.73 EH C3=28.12 EH C4=2.79 SCI 2=1.96 SS 1=14.55

Key to revisions:

Not applicable

Key to abbreviations:





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 3	Acute Toxicity - Inhalation Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.





Version: 1 (07/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MELON & MUGUET 035

Version: 1

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P311	Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.