

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: PEPPER WOOD & ORRIS 1025 (Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-

tetramethyl-2-naphthalenyl)ethanone, Acetyl cedrene, d-Limonene, omega-Pentadecalactone)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrance for business user defined application and associated manufacturing only.

1.3 Details of the supplier of the safety data sheet

Company name: Wired Retail Group Ltd T/A Craft HQ

Company address:

Unit 7 Boss Hall Road

Ipswich Suffolk IP15BN

Contact: Paul Mayne

contact@crafthq.co.uk E-Mail address:

Company phone:

01473 855411

1.4 Emergency telephone number

Emergency phone: 01473 855411

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Skin Corrosion / Irritation Category 2

danger:

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 1

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H410, Very toxic to aquatic life with long lasting effects.

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

Supplemental Information:

EUH208, Contains 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-Methyl-3-(p-

isopropylphenyl)propionaldehyde, Allyl alpha-ionone, Cedrol methyl ether, Linalyl acetate, alpha-Methyl-1,3-benzodioxole-5-propionaldehyde, beta-Pinene, dl-Limonene (racemic). May

produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Other hazards:

Pictograms:

None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone	54464-57-2	259-174-3			SCI 2-SS 1B-EH C1; H315-H317-H410,-
Acetyl cedrene	32388-55-9	251-020-3		5-<10%	SS 1B-EH A1-EH C1; H317-H410,-
d-Limonene	5989-27-5	227-813-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
omega- Pentadecalactone	106-02-5	203-354-6		1-<5%	SS 1B-EH C2;H317- H411,-
alpha-Methyl-1,3- benzodioxole-5- propionaldehyde	1205-17-0	214-881-6		1-<5%	SS 1B-REP 2-EH C2; H317-H361-H411,-
1-(2-tertButyl cyclohexyloxy)-2- butanol	139504-68-0	412-300-2		1-<5%	EH C2;H411,-

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

Naturally occurring terpenes and sesqui terpenes	N/A	N/A	1-<5%	AH 1;H304,-
Cedrol methyl ether	19870-74-7	243-384-7	1-<5%	SS 1B-EH A1-EH C1; H317-H410,-
Oxacyclohexadecen-2- one	34902-57-3	422-320-3	1-<5%	EH A1-EH C2;H400- H411
dl-Limonene (racemic)	138-86-3	205-341-0	0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410
alpha-Cedrene	469-61-4	207-418-4	0.1-<1%	AH 1-EH A1-EH C1; H304-H410,-
2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde	68039-49-6	268-264-1	0.1-<1%	SCI 2-SS 1B-EH C2; H315-H317-H411,-
beta-Pinene	127-91-3	204-872-5	0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
Linalyl acetate	115-95-7	204-116-4	0.1-<1%	SCI 2-SS 1B;H315- H317,-
2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	203-161-7	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-
Allyl alpha-ionone	79-78-7	201-225-9	0.1-<1%	SS 1B-EH C2;H317- H411
beta-Cedrene	546-28-1	208-898-8	<0.1%	AH 1-EH A1-EH C1; H304-H410,-
Oxacycloheptadec-10- ene-2-one	28645-51-4	249-120-7	<0.1%	EH A1-EH C1;H410,-

Substances with Community workplace exposure limits:

Name	CAS	EC	%
Diethyl phthalate	84-66-2	201-550-6	0.1-<1%
Dipropylene Glycol Monomethyl Ether	34590-94-8	252-104-2	50-100%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA) (mg/m3)	5
			Short-term exposure limit (15-minute) (mg/m3)	10
Dipropylene Glycol Monomethyl Ether	34590-94- 8	252-104-2	Long-term exposure limit (8-hour TWA) (ppm)	50
			Long-term exposure limit (8-hour TWA) (mg/m3)	308

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Odour threshold:

PH:

Not determined

Flash point: > 70 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined **Viscosity:** Not determined **Explosive properties:** Not expected Not expected Oxidising properties:

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

Serious eye damage/irritation:Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-

(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone,

Acetyl cedrene)

14.3 Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group:

14.5 Environmental hazards: This is an environmentally hazardous substance.

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C1=97.83% EH C2=9.60% EH C3=0.95987290% EH C4=82.09% SCI

2=67.11% SS 1=8.00%

Total Fractional Values: EH C1=1.02 EH C2=10.42 EH C3=104.18 EH C4=1.22 SCI 2=1.49 SS

1=12.50

Key to revisions:

14.2. UN proper shipping name

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.

Version: 3 (11/04/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PEPPER WOOD & ORRIS 1025

Version: 3

P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P308/313	IF exposed or concerned: Get medical advice/attention.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.