

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** CHARCOAL & ROASTED OAK 1028 (Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone)

**Other identifiers:** None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrance for business user defined application and associated manufacturing only.

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Wired Retail Group Ltd T/A Craft HQ

**Company address:**  
Unit 7 Boss Hall Road  
Ipswich  
Suffolk  
IP1 5BN

**Contact:** Paul Mayne  
**E-Mail address:** [contact@crafthq.co.uk](mailto:contact@crafthq.co.uk)  
01473 855411

**Company phone:**

#### 1.4 Emergency telephone number

**Emergency phone:** 01473 855411

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Skin Corrosion / Irritation Category 2  
Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Acute Hazard Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 1  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H410, Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

**Signal word:** Warning

**Hazard statements:** H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

H410, Very toxic to aquatic life with long lasting effects.

**Supplemental Information:**

EUH208, Contains Benzyl salicylate, Eugenol, Guaiacwood acetate, Hydroxycitronellal, Methyl atrarate, Nerolidol (isomer unspecified), Oakmoss Absolute. May produce an allergic reaction.

**Precautionary statements:**

P261, Avoid breathing vapour or dust.  
 P264, Wash hands and other contacted skin thoroughly after handling.  
 P272, Contaminated work clothing should not be allowed out of the workplace.  
 P273, Avoid release to the environment.  
 P280, Wear protective gloves/eye protection/face protection.  
 P302/352, IF ON SKIN: Wash with plenty of soap and water.  
 P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
 P362, Take off contaminated clothing and wash before reuse.  
 P391, Collect spillage.  
 P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



**Other hazards:** None

## Section 3. Composition / information on ingredients

### 3.2 Mixtures

**Contains:**

| Name   | CAS        | EC                   | REACH Registration No. | %       | Classification for (CLP) 1272/2008            |
|--|------------|----------------------|------------------------|---------|---|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone | 54464-57-2 | 259-174-3            |                        | 10-<20% | SCI 2-SS 1B-EH C1; H315-H317-H410,-           |
| Naturally occurring terpenes and sesqui terpenes                         | N/A        | N/A                  |                        | 5-<10%  | AH 1;H304,-                                   |
| 6-Acetyl-1,1,2,4,4,7-hexamethyltetraline                                 | 1506-02-1  | 244-240-6, 216-133-4 |                        | 1-<5%   | ATO 4-EH A1-EH C1; H302-H410,-                |
| 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopentagamma-2-benzopyran | 1222-05-5  | 214-946-9            |                        | 1-<5%   | EH A1-EH C1;H410,-                            |
| Cedrol   | 77-53-2    | 201-035-6            |                        | 1-<5%   | EH C2;H411,-                                  |
| 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone                         | 33704-61-9 | 251-649-3            |                        | 1-<5%   | SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319-H411,- |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

|                                |                          |           |                       |         |  |
|--------------------------------|--------------------------|-----------|-----------------------|---------|--|
| alpha-Cedrene                  | 469-61-4                 | 207-418-4 |                       | 1-<5%   | AH 1-EH A1-EH C1;<br>H304-H410,-         |
| 2-tert-Butylcyclohexyl acetate | 88-41-5                  | 201-828-7 |                       | 1-<5%   | EH C2;H411,-                             |
| Benzyl salicylate              | 118-58-1                 | 204-262-9 |                       | 0.1-<1% | SS 1B-EH C3;H317-H412,-                  |
| Eugenol                        | 97-53-0                  | 202-589-1 |                       | 0.1-<1% | EDI 2-SS 1B;H317-H319,-                  |
| Methyl atrarate                | 4707-47-5                | 225-193-0 |                       | 0.1-<1% | SS 1B;H317,-                             |
| beta-Cedrene                   | 546-28-1                 | 208-898-8 |                       | 0.1-<1% | AH 1-EH A1-EH C1;<br>H304-H410,-         |
| Oakmoss Absolute               | 90028-68-5,<br>9000-50-4 | 289-861-3 | 01-2120762419-46-XXXX | 0.1-<1% | SS 1B;H317,-                             |
| Nerolidol (isomer unspecified) | 7212-44-4                | 230-597-5 |                       | 0.1-<1% | SS 1B-EH A1-EH C1;<br>H317-H410,-        |
| Hydroxycitronellal             | 107-75-5                 | 203-518-7 |                       | 0.1-<1% | EDI 2-SS 1B;H317-H319,-                  |
| Guaiacwood acetate             | 61789-17-1               | 309-448-4 |                       | 0.1-<1% | SCI 2-SS 1B-EH A1-EH C1;H315-H317-H410,- |
| Longifolene                    | 475-20-7                 | 207-491-2 |                       | <0.1%   | SS 1B-AH 1-EH A1-EH C1;H304-H317-H410,-  |

### Substances with Community workplace exposure limits:

| Name                                | CAS        | EC        | %       |
|-------------------------------------|------------|-----------|---------|
| Diethyl phthalate                   | 84-66-2    | 201-550-6 | 0.1-<1% |
| Dipropylene Glycol Monomethyl Ether | 34590-94-8 | 252-104-2 | 50-100% |

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

## 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

## 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits:

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

| Ingredient                          | CAS        | EC        | Description  | Value |
|-------------------------------------|------------|-----------|--|-------|
| Diethyl phthalate                   | 84-66-2    | 201-550-6 | Long-term exposure limit (8-hour TWA) (mg/m <sup>3</sup> ) | 5     |
|                                     |            |           | Short-term exposure limit (15-minute) (mg/m <sup>3</sup> ) | 10    |
| Dipropylene Glycol Monomethyl Ether | 34590-94-8 | 252-104-2 | Long-term exposure limit (8-hour TWA) (ppm)                | 50    |
|                                     |            |           | Long-term exposure limit (8-hour TWA) (mg/m <sup>3</sup> ) | 308   |

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|  |  |
|--|--|
| <b>Appearance:</b>                                   | Not determined                               |
| <b>Odour:</b>  | Not determined                               |
| <b>Odour threshold:</b>                              | Not determined                               |
| <b>pH:</b>   | Not determined                               |
| <b>Melting point / freezing point:</b>               | Not determined                               |
| <b>Initial boiling point / range:</b>                | Not determined                               |
| <b>Flash point:</b>                                  | > 70 °C                                      |
| <b>Evaporation rate:</b>                             | Not determined                               |
| <b>Flammability (solid, gas):</b>                    | Not determined                               |
| <b>Upper/lower flammability or explosive limits:</b> | Product does not present an explosion hazard |
| <b>Vapour pressure:</b>                              | Not determined                               |
| <b>Vapour density:</b>                               | Not determined                               |
| <b>Relative density:</b>                             | Not determined                               |
| <b>Solubility(ies):</b>                              | Not determined                               |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

**Partition coefficient: n-octanol/water:** Not determined

**Auto-ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Viscosity:** Not determined

**Explosive properties:** Not expected

**Oxidising properties:** Not expected

**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Skin Corrosion / Irritation Category 2

**Serious eye damage/irritation:** Based on available data the classification criteria are not met.

**Respiratory or skin sensitisation:** Sensitization - Skin Category 1

**Germ cell mutagenicity:** Based on available data the classification criteria are not met.

**Carcinogenicity:** Based on available data the classification criteria are not met.

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

**Reproductive toxicity:** Based on available data the classification criteria are not met.  
**STOT-single exposure:** Based on available data the classification criteria are not met.  
**STOT-repeated exposure:** Based on available data the classification criteria are not met.  
**Aspiration hazard:** Based on available data the classification criteria are not met.

## Information about hazardous ingredients in the mixture

| Ingredient                               | CAS       | EC                      | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route    |
|--|-----------|-------------------------|---------------|-----------------|---------------------|---------------|
| 6-Acetyl-1,1,2,4,4,7-hexamethyltetraline | 1506-02-1 | 244-240-6,<br>216-133-4 | 1000          | Not available   | Not available       | Not available |

Refer to Sections 2 and 3 for additional information.

## Section 12. Ecological information

### 12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

## Section 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport information

**14.1 UN number:** UN3082

**14.2 UN Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-Cedrene, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)

**14.3 Transport hazard class(es):** 9

**Sub Risk:** -

**14.4. Packing Group:** III

**14.5 Environmental hazards:** This is an environmentally hazardous substance.

**14.6 Special precautions for user:** None additional

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

## Section 16. Other information

**Concentration % Limits:** EH A1=92.73% EH C1=66.18% EH C2=6.53% EH C3=0.65253706% EH C4=57.93% SCI 2=78.13% SS 1=8.85%

**Total Fractional Values:** EH A1=1.08 EH C1=1.51 EH C2=15.32 EH C3=153.25 EH C4=1.73 SCI 2=1.28 SS 1=11.30

### Key to revisions:

14.2. UN proper shipping name

### Key to abbreviations:

| Abbreviation | Meaning  |
|--------------|--|
| AH 1         | Aspiration Hazard Category 1   |
| ATO 4        | Acute Toxicity - Oral Category 4                                       |
| EDI 2        | Eye Damage / Irritation Category 2                                     |
| EH A1        | Hazardous to the Aquatic Environment - Acute Hazard Category 1         |
| EH C1        | Hazardous to the Aquatic Environment - Long-term Hazard Category 1     |
| EH C2        | Hazardous to the Aquatic Environment - Long-term Hazard Category 2     |
| EH C3        | Hazardous to the Aquatic Environment - Long-term Hazard Category 3     |
| H302         | Harmful if swallowed.  |
| H304         | May be fatal if swallowed and enters airways.                          |
| H315         | Causes skin irritation.  |
| H317         | May cause an allergic skin reaction.                                   |
| H319         | Causes serious eye irritation.   |
| H410         | Very toxic to aquatic life with long lasting effects.                  |
| H411         | Toxic to aquatic life with long lasting effects.                       |
| H412         | Harmful to aquatic life with long lasting effects.                     |
| P261         | Avoid breathing vapour or dust.  |
| P264         | Wash hands and other contacted skin thoroughly after handling.         |
| P270         | Do not eat, drink or smoke when using this product.                    |
| P272         | Contaminated work clothing should not be allowed out of the workplace. |
| P273         | Avoid release to the environment.                                      |
| P280         | Wear protective gloves/eye protection/face protection.                 |



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHARCOAL & ROASTED OAK 1028

**Version:** 6

|              |  |
|--------------|--|
| P301/310     | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  |
| P301/312     | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.   |
| P302/352     | IF ON SKIN: Wash with plenty of soap and water.  |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P330         | Rinse mouth.   |
| P331         | Do not induce vomiting.  |
| P333/313     | If skin irritation or rash occurs: Get medical advice/attention.   |
| P337/313     | If eye irritation persists: Get medical advice/attention.  |
| P362         | Take off contaminated clothing and wash before reuse.  |
| P363         | Wash contaminated clothing before reuse.   |
| P391         | Collect spillage.  |
| P405         | Store locked up.   |
| P501         | Dispose of contents/container to approved disposal site, in accordance with local regulations.                                   |
| SCI 2        | Skin Corrosion / Irritation Category 2   |
| SS 1B        | Sensitization - Skin Category 1B   |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.