

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: TAKING A GAP YEAR 1039 (Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 4-tert-Butylcyclohexyl acetate, Isoeugenol, a-hexylcinnamaldehyde)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Wired Retail Group Ltd T/A Craft HQ

Company address:
Unit 7 Boss Hall Road
Ipswich
Suffolk
IP1 5BN

Contact: Paul Mayne

E-Mail address: contact@crafthq.co.uk

01473 855411

Company phone:

1.4 Emergency telephone number

Emergency phone: 01473 855411

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Skin Corrosion / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

Hazard statements: H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H411, Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

Supplemental Information: EUH208, Contains 1-methoxy-4-(prop-2-en-1-yl)benzene, 2,4,6-trimethyl-3-cyclohexen-1-carbaldehyde, 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-methyl-3-[4-(propan-2-yl)phenyl]propanal, 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde, Citral, Ethoxymethoxy cyclododecane, Eugenol, METHYL-2-OCTYNOATE. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9	01-2119976286-24-XXXX	14.70%	SS 1B;H317,-
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	259-174-3, 915-730-3	01-2119489989-04-XXXX	7.00%	SCI 2-SS 1B-EH C1; H315-H317-H410,-
a-hexylcinnamaldehyde	101-86-0, 165184-98-5	202-983-3, 639-566-4		4.34%	SS 1B-EH A1-EH C2; H317-H400-H411,-
para-Menth-1-en-8-yl acetate	8007-35-0	232-357-5		3.50%	EH C2;H411,-
Terpineol	8000-41-7	232-268-1		2.80%	SCI 2-EDI 2;H315-H319,-

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	68039-49-6	268-264-1, 943-728-2	01-2119982384-28-XXXX	1.40%	SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319-H411,-
2,4,6-trimethyl-3-cyclohexen-1-carbaldehyde	1335-66-6	215-638-7	<1 tpa	1.40%	EDI 2-SS 1B-EH C3; H317-H319-H412,-
Ethoxymethoxy cyclododecane	58567-11-6	261-332-1	01-2119971571-34-XXXX	1.40%	SCI 2-SS 1B-EH C2; H315-H317-H411,-
3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde	67634-15-5, 67634-14-4	916-329-6, 266-819-2, 266-818-7	01-2120758796-34-XXXX	1.40%	SCI 2-SS 1B-EH A1-EH C2;H315-H317-H400-H411,-
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	2050-08-0, 51115-63-0	218-080-2		1.40%	ATO 4-EH A1-EH C1; H302-H410,-
2-HYDROXY BENZOIC ACID, 3-HEXENYL ESTER	65405-77-8	265-745-8	01-2119987320-37-XXXX	1.40%	EH A1-EH C2;H400-H411,-
2-methyl-3-[4-(propan-2-yl)phenyl]propanal	103-95-7	203-161-7	01-2119970582-32-XXXX	1.39%	SCI 2-SS 1B-EH C3; H315-H317-H412,-
Cedrol	77-53-2	201-035-6		1.17%	EH C2;H411,-
Cedrene	11028-42-5	234-257-7		1.05%	AH 1-EH A1-EH C1; H304-H410,-
Alpha, Alpha-DIMETHYLPHENETHYL ACETATE	151-05-3	205-781-3	01-2120258394-51-XXXX	1.05%	SCI 2-EH C3;H315-H412,-
1-methoxy-4-(prop-2-en-1-yl)benzene	140-67-0	205-427-8		0.44%	ATO 4-SCI 2-SS 1B-MUT 2-CAR 2-EH C3; H302-H315-H317-H341-H351-H412,-
Citral	5392-40-5	226-394-6		0.35%	SCI 2-SS 1B;H315-H317,-
4-METHYL-3-DECEN-5-OL	81782-77-6	279-815-0	01-2119983528-21-XXXX	0.35%	EH A1-EH C2;H400-H411,-
OCTAHYDROCOUMARIN	4430-31-3	224-623-4		0.35%	EDI 1;H318,-
Eugenol	97-53-0	202-589-1		0.28%	SS 1B;H317,-
Isoeugenol	97-54-1	202-590-7		0.14%	ATO 4-ATD 4-ATI 4-SCI 2-SS 1A-STO-SE 3(RI);H302-H312-H315-H317-H332-H335,-
METHYL-2-OCTYNOATE	111-12-6	203-836-6	<1 tpa	0.01%	ATO 4-SS 1A-EH A1-EH C3;H302-H317-H400-H412,-

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
(2-methoxymethylethoxy) propanol	34590-94-8	252-104-2		42.26%	-;-,-

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
(2-methoxymethylethoxy) propanol	34590-94-8	252-104-2	Long-term exposure limit (8-hour TWA) (ppm)	50
			Long-term exposure limit (8-hour TWA) (mg/m ³)	308
			Short-term exposure limit (15-minute) (ppm)	150

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Almost colourless to pale yellow coloured liquid

Odour: As standard

Odour threshold: Not determined

pH: Not determined

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 80 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	0.9161 - 0.9961
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

Acute Toxicity Oral >5000 mg/kg
 Acute Toxicity Dermal >5000 mg/kg
 Acute Toxicity Inhalation Not Available
Skin corrosion/irritation: Skin Corrosion / Irritation Category 2
Serious eye damage/irritation: Based on available data the classification criteria are not met.
Respiratory or skin sensitisation: Sensitization - Skin Category 1
Germ cell mutagenicity: Based on available data the classification criteria are not met.
Carcinogenicity: Based on available data the classification criteria are not met.
Reproductive toxicity: Based on available data the classification criteria are not met.
STOT-single exposure: Based on available data the classification criteria are not met.
STOT-repeated exposure: Based on available data the classification criteria are not met.
Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Cedrol	77-53-2	201-035-6	500.01	5000.01	Not available	Not available
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	2050-08-0, 51115-63-0	218-080-2	2000	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects:

VOC percent: 46.673%

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedrene, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)

14.3 Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group: III

14.5 Environmental hazards: This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:
Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=12.26% EH C3=1.22% EH C4=66.90% SCI 2=60.83% SS 1=6.80%

Total Fractional Values: EH C2=8.15 EH C3=81.70 EH C4=1.49 SCI 2=1.64 SS 1=14.70

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 4	Acute Toxicity - Dermal Category 4
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
CAR 2	Carcinogenicity Category 2
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
H302	Harmful if swallowed.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects (exposure route).
H351	Suspected of causing cancer (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
MUT 2	Germ Cell Mutagenicity Category 2
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TAKING A GAP YEAR 1039

Version: 1

P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B
STO-SE 3(RI)	Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.