Page 1 (10)

Issue date: 15/12/2022

Version: 48 (14/12/2022)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: AV& REMINDERING IF (RAGIA AN): CEO 8900 ARBIN CETHAL LINALOOL,

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Craft HQ

Unit 7 Boss Hall Road Company address:

Ipswich Suffolk IP1 5BN

Contact: Tamar Mayne

contact@crafthq.co.uk E-Mail address:

Company phone:

01473 855411

1.4 Emergency telephone number

01473 855411

**Emergency phone:** 

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Eye Damage / Irritation Category 2 danger: Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

Hazard statements: H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

Page 2 (10)

Issue date: 15/12/2022

Version: 48 (14/12/2022)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, ALPHA-ISOMETHYL IONONE, AMYL CINNAMAL, CARVONE, CITRAL, CITRONELLOL, ETHYL METHYLPHENYLGLYCIDATE, GERANIOL, GERANYL ACETATE, LIMONENE, NEROL, P-

ANISYL ACETATE. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

#### 2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 0.000%

#### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

#### Contains:

| Name   | CAS       | EC        | REACH Registration No. | %       | Classification for (CLP) 1272/2008 | Specific Conc.<br>Limits, M-factors<br>and ATEs |
|--|-----------|-----------|------------------------|---------|------------------------------------|---|
| 1,3,4,6,7,8-<br>HEXAHYDRO-<br>4,6,6,7,8,8-<br>HEXAMETHYLINDENO<br>[5,6-C]PYRAN | 1222-05-5 | 214-946-9 | 01-2119488227-29-xxxx  | 10-<20% | EH A1-EH C1;H410,-                 |   |
| ETHYL VANILLIN   | 121-32-4  | 204-464-7 |                        | 5-<10%  | IEI II 7 H 3 1 U =                 | oral: ATE = 3000<br>mg/kg bw                    |

Version: 48 (14/12/2022)

#### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** 

Sweet Musk 1121

Version:

48

| BENZYL BENZOATE                                  | 120-51-4                   | 204-402-9 |                       | 5-<10%  | ATO 4-EH A1-EH C2;<br>H302-H400-H411,-                                       | dermal: ATE = 4000<br>mg/kg bw-oral: ATE =<br>1500 mg/kg bw |
|--|----------------------------|-----------|-----------------------|---------|--|---|
| LINALYL ACETATE                                  | 115-95-7                   | 204-116-4 | 01-2119454789-19-xxxx | 1-<5%   | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       |   |
| ETHYL<br>HYDROXYPYRONE                           | 4940-11-8                  | 225-582-5 |                       | 1-<5%   | ATO 4;H302,-   | oral: ATE = 1200<br>mg/kg bw                                |
| ETHYL LINALOOL                                   | 10339-55-6                 | 233-732-6 | 01-2119969272-32-xxxx | 1-<5%   | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | oral: ATE = 5000<br>mg/kg bw                                |
| VANILLIN   | 121-33-5                   | 204-465-2 |                       | 1-<5%   | EDI 2;H319,-   | dermal: ATE = 2600<br>mg/kg bw-oral: ATE =<br>3300 mg/kg bw |
| LINALOOL   | 78-70-6                    | 201-134-4 | 01-2119474016-42-xxxx | 1-<5%   | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | oral: ATE = 2790<br>mg/kg bw                                |
| COUMARIN   | 91-64-5                    | 202-086-7 |                       | 1-<5%   | ATO 4-SS 1B-EH C3;<br>H302-H317-H412,-                                       | oral: ATE = 500 mg/kg<br>bw                                 |
| P-ANISYL ACETATE                                 | 104-21-2                   | 203-185-8 |                       | 0.1-<1% | SS 1B;H317,-   |   |
| CITRAL   | 5392-40-5                  | 226-394-6 | 01-2119462829-23-xxxx | 0.1-<1% | SCI 2-EDI 2-SS 1;<br>H315-H317-H319,-  | dermal: ATE = 2250<br>mg/kg bw                              |
| AMYL CINNAMAL                                    | 122-40-7                   | 204-541-5 |                       | 0.1-<1% | SS 1B-EH C2;H317-<br>H411,-  | oral: ATE = 3730<br>mg/kg bw                                |
| OXACYCLOHEXADEC<br>EN-2-ONE                      | 34902-57-3,<br>111879-80-2 | 422-320-3 | 01-0000016883-62-xxxx | 0.1-<1% | EH A1-EH C1;H410,-   |   |
| LIMONENE   | 5989-27-5                  | 227-813-5 |                       | 0.1-<1% | FL 3-SCI 2-SS 1B-AH<br>1-EH A1-EH C3;H226-<br>H304-H315-H317-<br>H400-H412,- |   |
| ALPHA-ISOMETHYL<br>IONONE                        | 127-51-5                   | 204-846-3 |                       | 0.1-<1% | SS 1B-EH C2;H317-<br>H411,-  |   |
| GERANIOL   | 106-24-1                   | 203-377-1 | 01-2119552430-49-xxxx | 0.1-<1% | SCI 2-EDI 1-SS 1;<br>H315-H317-H318,-  | oral: ATE = 3600<br>mg/kg bw                                |
| CITRONELLOL                                      | 106-22-9                   | 203-375-0 | 01-2119453995-23-xxxx | 0.1-<1% | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | dermal: ATE = 2650<br>mg/kg bw-oral: ATE =<br>3450 mg/kg bw |
| ETHYL<br>METHYLPHENYLGLYC<br>IDATE               | 77-83-8                    | 201-061-8 |                       | 0.1-<1% | SS 1B-EH C2;H317-<br>H411,-  |   |
| GERANYL ACETATE                                  | 105-87-3                   | 203-341-5 | 01-2119973480-35-xxxx | 0.1-<1% | SCI 2-SS 1B-EH C3;<br>H315-H317-H412,-                                       |   |
| NEROL  | 106-25-2                   | 203-378-7 |                       | 0.1-<1% | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | oral: ATE = 4500<br>mg/kg bw                                |
| CARVONE  | 6485-40-1                  | 229-352-5 |                       | 0.1-<1% | SS 1B;H317,-   | dermal: ATE = 3800<br>mg/kg bw-oral: ATE =<br>2500 mg/kg bw |
| 2,4-DIMETHYL-3-<br>CYCLOHEXENE<br>CARBOXALDEHYDE | 68039-49-6                 | 268-264-1 |                       | 0.1-<1% | SCI 2-EDI 2-SS 1B-EH<br>C2;H315-H317-H319-<br>H411,-                         | oral: ATE = 3900<br>mg/kg bw                                |

#### **Substances with Community workplace exposure limits:**

| Name              | CAS     | EC        | REACH Registration No. | %       | Classification for (CLP) 1272/2008 | Specific Conc.<br>Limits, M-factors<br>and ATEs |
|-------------------|---------|-----------|------------------------|---------|------------------------------------|---|
| DIETHYL PHTHALATE | 84-66-2 | 201-550-6 | 01-2119486682-27-xxxx  | 20-<50% | -;-,-                              |   |

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Page 4 (10)

Issue date: 15/12/2022

Version: 48 (14/12/2022)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **Section 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

Version: 48 (14/12/2022)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

| Ingredient        | CAS      | EC        | Description                                      | Value    |
|-------------------|----------|-----------|--|----------|
| DIETHYL PHTHALATE | 84-66-2  | 201-550-6 | UK Long-term exposure limit (8-hour TWA) (mg/m3) | 5 mg/m³  |
| DIETRYL PRITALATE | 104-00-2 |           | UK Short-term exposure limit (15-minute) (mg/m3) | 10 mg/m³ |

#### 8.2 Exposure Controls

#### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Page 6 (10)

Issue date: 15/12/2022

Version: 48 (14/12/2022)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical State/Colour: Clear colourless to pale yellow liquid

Odour: Not determined
Odour threshold: Not determined
Melting point/freezing point: Not determined
Boiling point or initial boiling point and boiling
Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: > 100 °C

Auto-ignition temperature:

Decomposition temperature:

PH:

Not determined

value):

**Vapour pressure:** 0.01366189 mmHg

Density and/or relative density: 1.0440

Relative vapour density:

Particle characteristics:

Not determined

Not determined

**9.2 Other information:** None available

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

Version: 48 (14/12/2022)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:**Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Based on available data the classification criteria are not met.

Serious eye damage/irritation: Eye Damage / Irritation Category 2
Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

| Ingredient             | CAS       | EC        | LD50/ATE Oral | LD50/ATE<br>Dermal | LC50/ATE<br>Inhalation | LC50<br>Route    |
|------------------------|-----------|-----------|---------------|--------------------|------------------------|------------------|
| BENZYL BENZOATE        | 120-51-4  | 204-402-9 | 1500          | 4000               | Not available          | Not available    |
| COUMARIN               | 91-64-5   | 202-086-7 | 500           | Not available      | Not available          | Not available    |
| ETHYL<br>HYDROXYPYRONE | 4940-11-8 | 225-582-5 | 1200          | Not available      | Not available          | Not<br>available |

Refer to Sections 2 and 3 for additional information.

#### 11.2 Information on other hazards

Not Applicable

#### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

Version: 48 (14/12/2022)

#### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable12.7 Other adverse effects: Not available

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport information

|                         | 14.1 UN<br>number or<br>ID number: | 14.2 UN Proper Shipping Name:  | 14.3<br>Transport<br>hazard class<br>(es): | Sub Risk: | 14.4 Packing<br>Group: |
|-------------------------|------------------------------------|--|--|-----------|------------------------|
| UN Model<br>Regulations | UN3082                             | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-<br>HEXAMETHYLINDENO[5,6-C]PYRAN,<br>BENZYL BENZOATE)                     | 9  | -         | III                    |
| IMDG                    | UN3082                             | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-<br>HEXAMETHYLINDENO[5,6-C]PYRAN,<br>BENZYL BENZOATE) MARINE<br>POLLUTANT | 9  | -         | III                    |
| ADR,RID,ADN             | UN3082                             | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-<br>HEXAMETHYLINDENO[5,6-C]PYRAN,<br>BENZYL BENZOATE)                     | 9  | -         | III                    |
| ICAO TI                 | UN3082                             | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-<br>HEXAMETHYLINDENO[5,6-C]PYRAN,<br>BENZYL BENZOATE)                     | 9  | -         | III                    |

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Page 9 (10)

Issue date: 15/12/2022

Version: 48 (14/12/2022)

#### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

#### **Section 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

# 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

#### **Section 16. Other information**

**Concentration % Limits:** EH C2=17.99% EH C3=1.80% EDI 2=54.41% SS 1=25.00% EDI 2A=54.

41%

**Total Fractional Values:** EH C2=5.56 EH C3=55.67 EDI 2=1.84 SS 1=4.00 EDI 2A=1.84

Key to revisions:

SECTION 3: Composition/information on ingredients

#### Key to abbreviations:

| Abbreviation | Meaning   |
|--------------|---|
| AH 1         | Aspiration Hazard Category 1  |
| ATO 4        | Acute Toxicity - Oral Category 4                                      |
| EDI 1        | Eye Damage / Irritation Category 1                                    |
| EDI 2        | Eye Damage / Irritation Category 2                                    |
| EH A1        | Hazardous to the Aquatic Environment - Acute Hazard Category 1        |
| EH C1        | Hazardous to the Aquatic Environment - Long-term Hazard Category 1    |
| EH C2        | Hazardous to the Aquatic Environment - Long-term Hazard Category 2    |
| EH C3        | Hazardous to the Aquatic Environment - Long-term Hazard Category 3    |
| FL 3         | Flammable Liquid, Hazard Category 3                                   |
| H226         | Flammable liquid and vapour.  |
| H302         | Harmful if swallowed.   |
| H304         | May be fatal if swallowed and enters airways.                         |
| H315         | Causes skin irritation.   |
| H317         | May cause an allergic skin reaction.                                  |
| H318         | Causes serious eye damage.  |
| H319         | Causes serious eye irritation.  |
| H400         | Very toxic to aquatic life.   |
| H410         | Very toxic to aquatic life with long lasting effects.                 |
| H411         | Toxic to aquatic life with long lasting effects.                      |
| H412         | Harmful to aquatic life with long lasting effects.                    |
| P210         | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233         | Keep container tightly closed.  |
| P240         | Ground/bond container and receiving equipment.                        |
| P241         | Use explosion-proof electrical, ventilating and lighting equipment.   |
| P242         | Use only non-sparking tools.  |

Version: 48 (14/12/2022)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Sweet Musk 1121

Version: 48

| P243         | Take precautionary measures against static discharge.  |
|--------------|--|
| P261         | Avoid breathing vapour or dust.  |
| P264         | Wash hands and other contacted skin thoroughly after handling.   |
| P270         | Do not eat, drink or smoke when using this product.  |
| P272         | Contaminated work clothing should not be allowed out of the workplace.   |
| P273         | Avoid release to the environment.  |
| P280         | Wear protective gloves/eye protection/face protection.   |
| P301/310     | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  |
| P301/312     | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.   |
| P302/352     | IF ON SKIN: Wash with plenty of soap and water.  |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.                       |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310         | Immediately call a POISON CENTER or doctor/physician.  |
| P330         | Rinse mouth.   |
| P331         | Do not induce vomiting.  |
| P333/313     | If skin irritation or rash occurs: Get medical advice/attention.   |
| P337/313     | If eye irritation persists: Get medical advice/attention.  |
| P362         | Take off contaminated clothing and wash before reuse.  |
| P363         | Wash contaminated clothing before reuse.   |
| P370/378     | In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  |
| P391         | Collect spillage.  |
| P403/235     | Store in a well-ventilated place. Keep cool.   |
| P405         | Store locked up.   |
| P501         | Dispose of contents/container to approved disposal site, in accordance with local regulations.                                   |
| SCI 2        | Skin Corrosion / Irritation Category 2   |
| SS 1         | Sensitization - Skin Category 1  |
| SS 1B        | Sensitization - Skin Category 1B   |
|              |  |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.