

In accordance with REACH Regulation EC No.1907/2006

Product: FORBIDDEN FOREST 177

Version: 18

## Section 1. Identification of the substance or the mixture and of the supplier

**1.1 Product Identifier** 

Product identifier:	FORBIDDEN FOREST 177 (Contains:4-TERT-BUTYLCYCLOHEXYL ACETATE, ALPHA-ISOMETHYL IONONE, LINALOOL, TETRAMETHYL
	ACETYLOCTAHYDRONAPHTHALENES)
Other identifiers:	None

- 1.2 Relevant identified uses of the substance of mixture and uses advised against
- Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name:Wired Retail Group T/A Craft HQCompany address:Unit 7 Boss Hall RoadIpswich, SuffolkIP1 5BN, United Kingdom

Contact:	Tamar Mayne
E-Mail address:	contact@crafthq.co.uk
Company phone:	+44 (0)1473 855411

## 1.4 Emergency telephone number

Emergency phone:	+44 (0)7939 547096
------------------	--------------------

# Section 2. Hazards identification

## 2.1 Classification of the substance or mixture

#### Classification under Regulation (EC) No 1272/2008

Class and category of<br/>danger:Skin Corrosion / Irritation Category 2Sensitization - Skin Category 1Hazardous to the Aquatic Environment - Long-term Hazard Category 2H315, Causes skin irritation.H317, May cause an allergic skin reaction.H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

#### Classification under Regulation (EC) No 1272/2008

Signal word: Warning



In accordance with REACH Regulation EC No.1907/2006

		In accordance with REAC	H Regulation EC No.1907/2006					
Product:	FORBI	DDEN FOREST 177						
Version:	18							
Hazard statements:		H315, Causes skin irritation. H317, May cause an allergic skin reaction. H411, Toxic to aquatic life with long lasting effects.						
Supplemental Information:		EUH208, Contains (1S,2R,5S,7R,8R)-8-METHOXY-2,6,6,8-TETRAMETHYLTRICYCLO[5.3.1.0 ^{1,5]UNDECANE, 3-(2H-1,3-BENZODIOXOL-5-YL)-2-METHYLPROPANAL, CITRONELLOL, DIHYDRO PENTAMETHYLINDANONE (DPMI), EUGENOL, ISOEUGENOL, METHYL ATRATATE. May produce an allergic reaction.						
Precautionary statements:		<ul> <li>P261, Avoid breathing vapour or dust.</li> <li>P264, Wash hands and other contacted skin thoroughly after handling.</li> <li>P272, Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273, Avoid release to the environment.</li> <li>P280, Wear protective gloves/eye protection/face protection.</li> <li>P302/352, IF ON SKIN: Wash with plenty of soap and water.</li> <li>P333/313, If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362, Take off contaminated clothing and wash before reuse.</li> <li>P391, Collect spillage.</li> <li>P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.</li> </ul>						
Pictograms:								
2.3 Other hazards								
Other hazards	<b>3</b> :	Sensitisers declared on a CLP Hazard Label:	(1S,2R,5S,7R,8R)-8-METHOXY-2,6,6,8- TETRAMETHYLTRICYCLO[5.3.1.0^{1,5]UNDECANE, 3- (2H-1,3-BENZODIOXOL-5-YL)-2-METHYLPROPANAL, CITRONELLOL, DIHYDRO PENTAMETHYLINDANONE (DPMI), EUGENOL, ISOEUGENOL, METHYL ATRATATE					
		Hydrocarbon Concentration %:	3.045%					

# Section 3. Composition / information on ingredients

# 3.2 Mixtures

#### **Contains:**

	Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
--	------	-----	----	---------------------------	---	---------------------------------------	---



In accordance with REACH Regulation EC No.1907/2006

## Product: FORBIDDEN FOREST 177

#### Version: 18

TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	10-<20%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
4-TERT- BUTYLCYCLOHEXYL ACETATE	32210-23-4	250-954-9	01-2119976286-24-xxxx	5-<10%	SS 1B;H317,-	oral: ATE = 3370 mg/kg bw
ETHYL TRIMETHYLCYCLOPE NTENE BUTENOL	106185-75-5, 28219-61-6	701-122-3, 248-908-8	01-2119529224-45-xxxx	1-<5%	EDI 2-EH C2;H319- H411,-	
1,3,4,6,7,8- HEXAHYDRO- 4,6,6,7,8,8- HEXAMETHYLINDENO [5,6-C]PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	1-<5%	EH A1-EH C1;H410,-	
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
ALPHA-ISOMETHYL IONONE	127-51-5	204-846-3		1-<5%	SS 1B-EH C2;H317- H411,-	
CEDROL	77-53-2	201-035-6		1-<5%	EH C2;H411,-	
DIHYDRO PENTAMETHYLINDAN ONE (DPMI)	33704-61-9	251-649-3		1-<5%	SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319- H411,-	oral: ATE = 2900 mg/kg bw
3-(2H-1,3- BENZODIOXOL-5-YL) -2-METHYLPROPANAL	1205-17-0	214-881-6	01-2120740119-58-xxxx	1-<5%	SS 1B-REP 2-EH C2; H317-H361-H411,-	oral: ATE = 3562 mg/kg bw
ALPHA-CEDRENE	469-61-4	207-418-4		0.1-<1%	SCI 2-AH 1-EH A1-EH C1;H304-H315-H410,-	M = 10-M = 10
(1S,2R,5S,7R,8R)-8- METHOXY-2,6,6,8- TETRAMETHYLTRICY CLO[5.3.1.0^{1,5}] UNDECANE	67874-81-1	267-510-5		0.1-<1%	SS 1B-EH A1-EH C1; H317-H410,-	
EUGENOL	97-53-0	202-589-1		0.1-<1%	EDI 2-SS 1B;H317- H319,-	oral: ATE = 2500 mg/kg bw
CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
METHYL ATRATATE	4707-47-5	225-193-0		0.1-<1%	SS 1B;H317,-	
BETA CEDRENE	546-28-1	208-898-8		0.1-<1%	AH 1-EH A1-EH C1; H304-H410,-	
ISOEUGENOL	97-54-1	202-590-7		<0.1%	ATO 4-ATD 4-ATI 4- SCI 2-EDI 2-SS 1A- STO-SE 3(RI);H302- H312-H315-H317- H319-H332-H335,-	Skin Sens. 1; H317; C ≥ 0.01%-inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 1500 mg/kg bw

## Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	50-100%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable



In accordance with REACH Regulation EC No.1907/2006

Product: FORBIDDEN FOREST 177

Version: 18

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

# Section 4. First-aid measures

## 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin exposure:	IF ON SKIN: Wash with plenty of soap and water.
Ingestion:	Rinse mouth with water and obtain medical attention.

# 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## Section 5: Firefighting measures

## 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

## 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.



In accordance with REACH Regulation EC No.1907/2006

Product: FORBIDDEN FOREST 177

Version: 18

## 6.4 Reference to other sections:

Also refer to sections 8 and 13.

# Section 7. Handling and storage

## 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
		201-550-6	UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
DIETHYL PHTHALATE	84-66-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

#### **8.2 Exposure Controls**

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



In accordance with REACH Regulation EC No.1907/2006

Product: FORBIDDEN FOREST 177

Version: 18

## Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical State/Colour:	Clear colourless to pale yellow liquid
Odour:	Not determined
Odour threshold:	Not determined
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range:	Not determined
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point:	> 100 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not relevant
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	Not determined
Partition coefficient: n-octanol/water (log value):	Not determined
Vapour pressure:	0.01229130 mmHg
Density and/or relative density:	1.0350 - 1.0390
Relative vapour density:	Not determined
Particle characteristics:	Not determined
9.2 Other information: None available	able

## Section 10. Stability and reactivity

## 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

## 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.



In accordance with REACH Regulation EC No.1907/2006

Product: FORBIDDEN FOREST 177

Version: 18

## 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture Not Applicable

Refer to Sections 2 and 3 for additional information.

# 11.2 Information on other hazards

Not Applicable

## Section 12. Ecological information

## 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.			
12.2 Persistence and degradability:	Not available		
12.3 Bioaccumulative potential:	Not available		
12.4 Mobility in soil:	Not available		
12.5 Results of PBT and vPvB assessment:			
This substance does not meet the PBT/vPvE	3 criteria of REACH, annex XIII.		
12.6 Endocrine disrupting properties:	Not Applicable		
12.7 Other adverse effects:	Not available		



In accordance with REACH Regulation EC No.1907/2006

Product: FORBIDDEN FOREST 177

Version: 18

## Section 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8-HEXAMETHYLINDENO[5,6- C]PYRAN)	9	-	111
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8-HEXAMETHYLINDENO[5,6- C]PYRAN) MARINE POLLUTANT	9	-	111
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8-HEXAMETHYLINDENO[5,6- C]PYRAN)	9	-	111
ΙCAO ΤΙ	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8-HEXAMETHYLINDENO[5,6- C]PYRAN)	9	-	

# 14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code. None additional

14.6 Special precautions for user:

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

## Section 15. Regulatory information

# **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** None additional

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

## Section 16. Other information



In accordance with REACH Regulation EC No.1907/2006

Product: FORBIDDEN FOREST 177
-------------------------------

Version: 18

**Concentration % Limits:** 

SCI 2=68.48% SS 1=9.43% EH C2=16.82% EH C3=1.68% EH C4=72. 62%

**Total Fractional Values:** 

SCI 2=1.46 SS 1=10.60 EH C2=5.95 EH C3=59.47 EH C4=1.38

## Key to revisions:

Concentration % Limits SECTION 3: Composition/information on ingredients Total Fractional Values

## Key to abbreviations:

Abbreviation	Meaning	
AH 1	Aspiration Hazard Category 1	
ATD 4	Acute Toxicity - Dermal Category 4	
ATI 4	Acute Toxicity - Inhalation Category 4	
ATO 4	Acute Toxicity - Oral Category 4	
EDI 2	Eye Damage / Irritation Category 2	
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
P202	Do not handle until all safety precautions have been read and understood.	
P261	Avoid breathing vapour or dust.	
P264	Wash hands and other contacted skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/eye protection/face protection.	
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P302/352	IF ON SKIN: Wash with plenty of soap and water.	
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	

Wired Retail Group Ltd T/A Craft HQ, Unit 7 Boss Hall Road, Ipswich IP1 5BN - contact@crafthq.co.uk 01473 855411



In accordance with REACH Regulation EC No.1907/2006

Product:	FORBIDDEN FOREST	177
----------	------------------	-----

#### Version: 18

P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P308/313	IF exposed or concerned: Get medical advice/attention.	
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.	
P330	Rinse mouth.	
P331	Do not induce vomiting.	
P332/313	If skin irritation occurs: Get medical advice/attention.	
P333/313	If skin irritation or rash occurs: Get medical advice/attention.	
P337/313	If eye irritation persists: Get medical advice/attention.	
P362	Take off contaminated clothing and wash before reuse.	
P363	Wash contaminated clothing before reuse.	
P391	Collect spillage.	
P403/233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.	
REP 2	Toxic to Reproduction Category 2	
SCI 2	Skin Corrosion / Irritation Category 2	
SS 1A	Sensitization - Skin Category 1A	
SS 1B	Sensitization - Skin Category 1B	
STO-SE 3(RI)	Specific Target Organ Toxicity (Single Exposure) Category 3	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.