

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: MUGUET & MUSK JJ5972(Contains:2H-PYRAN-4-OL, TETRAHYDRO-4-METHYL-2-(2-METHYLPROPYL), 3,5,5-TRIMETHYLHEXYL ACETATE, Linalool, a-hexylcinnamaldehyde)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Wired Retail Group T/A Craft HQ
Company address: Unit 7 Boss Hall Road
Ipswich, Suffolk
IP1 5BN, United Kingdom

Contact: Paul Mayne
E-Mail address: contact@crafthq.co.uk
Company phone: +44 (0)1473 855411

1.4 Emergency telephone number

Emergency phone: +44 (0)7957 315115

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Skin Corrosion / Irritation Category 2
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

Hazard statements: H315, Causes skin irritation.
 H317, May cause an allergic skin reaction.
 H319, Causes serious eye irritation.
 H411, Toxic to aquatic life with long lasting effects.

Supplemental Information: EUH208, Contains 10-Undecenal, 2,6,6-trimethylcyclohexa-1,3-diene-1-carbaldehyde, 2-Methylundecanal, 2-methyl-3-[4-(propan-2-yl)phenyl]propanal, 3-(2H-1,3-benzodioxol-5-yl)-2-methylpropanal, Alpha-Isomethyl ionone, Chromen-2-one, ISOBUTYL QUINOLEINE, Methyl ionone beta, Methyl-2,4-dihydroxy-3,6-dimethylbenzoate, Methyl-alpha-ionone, Octanal, 7-hydroxy-3,7-dimethyl-, p-tert-Butyldihydrocinnamaldehyde. May produce an allergic reaction.

Precautionary statements: P261, Avoid breathing vapour or dust.
 P264, Wash hands and other contacted skin thoroughly after handling.
 P272, Contaminated work clothing should not be allowed out of the workplace.
 P273, Avoid release to the environment.
 P280, Wear protective gloves/eye protection/face protection.
 P302/352, IF ON SKIN: Wash with plenty of soap and water.
 P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333/313, If skin irritation or rash occurs: Get medical advice/attention.
 P337/313, If eye irritation persists: Get medical advice/attention.
 P362, Take off contaminated clothing and wash before reuse.
 P391, Collect spillage.
 P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

2H-PYRAN-4-OL, TETRAHYDRO-4-METHYL-2-(2-METHYLPROPYL)	63500-71-0	405-040-6		20.78%	EDI 2;H319,-
6-Acetyl-1,1,2,4,4,7-hexamethyltetraline	1506-02-1	216-133-4	01-2119539433-40-XXXX	11.11%	ATO 4-EH A1-EH C1; H302-H410,-
Benzyl acetate	140-11-4	205-399-7		11.11%	EH C3;H412,-
Linalool	78-70-6	201-134-4		7.78%	SS 1B;H317,-
3,5,5-TRIMETHYLHEXYL ACETATE	58430-94-7	261-245-9	01-2119972325-34-XXXX	6.67%	SCI 2-EH C2;H315-H411,-
Trichloromethyl phenyl carbonyl acetate	90-17-5	201-972-0	01-2119929625-31-XXXX	3.33%	SCI 2-EH C3;H315-H412,-
a-hexylcinnamaldehyde	101-86-0, 165184-98-5	202-983-3, 639-566-4		3.33%	SS 1B-EH A1-EH C2; H317-H400-H411,-
Octanal, 7-hydroxy-3,7-dimethyl-	107-75-5	203-518-7	01-2119973482-31-XXXX	2.40%	SS 1B;H317,-
2-Phenylethanol	60-12-8	200-456-2		2.22%	ATO 4-EDI 2;H302-H319,-
Chromen-2-one	91-64-5	202-086-7		2.22%	ATO 4-SS 1B;H302-H317,-
RESIN ACIDS & ROSIN ACIDS, HYDROGENATED, METHYL ESTERS	8050-15-5	232-476-2	01-2119969275-26-XXXX	2.04%	EH C3;H412,-
2-methyl-3-[4-(propan-2-yl)phenyl]propanal	103-95-7	203-161-7	01-2119970582-32-XXXX	1.18%	SCI 2-SS 1B-EH C3; H315-H317-H412,-
2-Methyl-5-phenylpentanol	25634-93-9	405-890-8	01-2119969446-23-XXXX	1.11%	SCI 2-EDI 2;H315-H319,-
Methyl-2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5	225-193-0		1.11%	SS 1B;H317,-
Alpha-Isomethyl ionone	127-51-5	204-846-3		0.72%	SS 1B-EH C2;H317-H411,-
ISOBUTYL QUINOLEINE	65442-31-1	265-777-2	<1 tpa	0.44%	ATO 4-SCI 2-SS 1B-EH C2;H302-H315-H317-H411,-
Methyl-alpha-ionone	127-42-4	204-842-1		0.24%	SCI 2-SS 1-EH C2; H315-H317-H411,-
p-tert-Butyldihydrocinnamaldehyde	18127-01-0	242-016-2		0.23%	SCI 2-SS 1B-REP 2-STO-RE 2-EH C3; H315-H317-H361-H373-H412,-
7-METHYL-2H-BENZO-1,5-DIOXEPIN-3(4H)-ONE	28940-11-6	249-320-4	01-2120734453-58-XXXX	0.22%	ATO 4-SCI 1B-EDI 1-STO-SE 3(NE);H302-H314-H336,-
10-Undecenal	112-45-8	203-973-1		0.22%	SS 1B-EH C3;H317-H412,-
3-(2H-1,3-benzodioxol-5-yl)-2-methylpropanal	1205-17-0	214-881-6		0.22%	SS 1B-REP 2-EH C2; H317-H361-H411,-
2,3-Benzopyrrole	120-72-9	204-420-7	01-2120745892-45-XXXX	0.22%	ATO 4-ATD 3-EDI 1; H302-H311-H318,-
2-Methylundecanal	110-41-8	203-765-0		0.22%	SCI 2-SS 1B-EH A1-EH C1;H315-H317-H410,-
Methyl ionone beta	127-43-5	204-843-7		0.15%	SCI 2-SS 1B-EH C2; H315-H317-H411,-
2,6,6-trimethylcyclohexa-1,3-diene-1-carbaldehyde	116-26-7	204-133-7		0.11%	SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319-H411,-

Substances with Community workplace exposure limits:

Not Applicable

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Almost colourless to pale yellow coloured liquid

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	MUGUET & MUSK JJ5972
Version:	1
Odour:	As standard
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 80 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	0.9643 - 1.0443
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	3551 mg/kg
Acute Toxicity Dermal	>5000 mg/kg
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2,3-Benzopyrrole	120-72-9	204-420-7	1000	790	Not available	Not available
2-Phenylethanol	60-12-8	200-456-2	1610	2500	Not available	Not available
6-Acetyl-1,1,2,4,4,7-hexamethyltetraline	1506-02-1	216-133-4	1000	Not available	Not available	Not available
Chromen-2-one	91-64-5	202-086-7	500	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects:

VOC percent: 18.179%

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-Acetyl-1,1,2,4,4,7-hexamethyltetraline, 3,5,5-TRIMETHYLHEXYL ACETATE)

14.3 Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group: III

14.5 Environmental hazards: This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=20.27% EH C3=2.00% EH C4=64.11% SCI 2=68.90% EDI 2=25.82% SS 1=12.86%

Total Fractional Values: EH C2=4.93 EH C3=50.04 EH C4=1.56 SCI 2=1.45 EDI 2=3.87 SS 1=7.78

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
ATD 3	Acute Toxicity - Dermal Category 3
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MUGUET & MUSK JJ5972

Version: 1

P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 1B	Skin Corrosion / Irritation Category 1B
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B
STO-RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2
STO-SE 3(NE)	Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.