



SECTION 1: PRODUCT IDENTIFICATION

1.1 PRODUCT NAME - DARK MATTE ADHESIVE

1.2 PRODUCT USE - PROFESSIONAL LASH ADHESIVE FOR EXTENSIONS

1.3 NOT FOR PRODUCT USE - NON-PROFESSIONAL

1.4 SELLER NAME - BROWSWITHTIFF UNITED STATES

1.5 EMERGENCY CONTACT - N/A

SECTION 2: HAZARD IDENTIFICATION
2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE
SKIN CORROSION/IRRITATION: CATEGORY 2 EYE
CORROSION/IRRITATION: CATEGORY 2

○HAZARD·RISK STATEMENT
 H315: CAUSES SKIN IRRITATION
 H319: CAUSES SERIOUS EYE IRRITATION
 H413 MAY CAUSE LONG LASTING HARMFUL EFFECTS TO AQUATIC
 LIFE

SECTION 3: COMPOSITION AND INGREDIENTS INFORMATION 3.1 CHEMICAL CLASSIFICATION FOR LASH EXTENSIONS ADHESIVUSE ONLY



MATERIAL SAFETY DATA SHEETS

3.2 DESCRIPTION - BOMB BONDER OR ADHESION SUPPORT

3.3 COMPOSITION

Ingredients	Wt%	CAS Registry No	Chemical Formula
Ethyl cyanoacrylate	90	7085-85-0	CH2C(CN)COOC2H5
PMMA	4.9	secret	secret
Hydroquinone	0.1	123-31-9	C6H4(OH)2
Carbon black	5	1333-86-4	

HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

VAPOR IS IRRITATING TO EYES, SKIN AND MUCOUS MEMBRANES
AND RESPIRATORY TRACT. POTENTIAL HEALTH EFFECTS:
MAY CAUSE SENSITIZATION FROM INHALATION. NARCOTIC
EFFECTS, HEADACHE, DIZZINESS, VOMITING. SKIN: DRYNESS
EYE:IRRITATION

POTENTIAL ENVIRONMENTAL EFFECTS: NOT AVAILABLE.

SIGN AND SYMPTOMS OF EXPOSURE:

VAPOR IS IRRITATING TO EYES AND MUCOUS MEMBRANES ABOVE TLV.

PROLONGED AND REPEATED OVEREXPOSURE TO VAPORS MAY PRODUCE SYMPTOMS OF NON-ALLERGIC ASTHMA IN SENSITIVE INDIVIDUALS.





SECTION 4: FIRST AID SAFETY MEASURES

SKIN CONTACT: IF IRRITATION OCCURS ON SKIN. IMMEDIATELY CLEANSE AREA WITH WATER AND SOAP. REMOVE ANY SOILED CLOTHING BY PRODUCT. SEEK MEDICAL ATTENTION IMMEDIATELY.

EYE CONTACT: RINSE EYES FOR SEVERAL MINUTES UNDER RUNNING WATER. SEEK MEDICAL ATTENTION.

IF SWALLOWED: DO NOT INDUCE VOMITING. DRINK WATER TO FLUSH. SEEK MEDICAL ATTENTION.

INHALATION: IN CASE OF UNCONSCIOUSNESS PLACE PATIENT IN SIDE POSITION FOR TRANSPORTATION.





SECTION 5: FIREFIGHTING MEASURES

5.1 EXTINGUISH MEDIA

SUITABLE AGENTS: CO2 POWDER OR WATER SPRAY

FIGHT LARGE FIRES WITH WATER STREAM OR ALCOHOL RESISTANT

FOAM.

5.2 SPECIAL HAZARDS ARISING FROM SUBSTANCE

DURING FIRE POISONOUS GASES ARE PRODUCED.

5.3 ADVICE FOR FIREFIGHTERS

PROTECTIVE EQUIPMENT': MOUTH RESPIRATORY PROTECTIVE

DEVICE.



MATERIAL SAFETY DATA SHEETS

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND

EMERGENCY PROCEDURES:

MOUNT RESPIRATORY DEVICE. WEAR PROTECTIVE GEAR. KEEP

UNPROTECTED PEOPLE AWAY.

6.2 ENVIRONMENTAL PRECAUTIONS: DO NOT ALLOW TO ENTER

SEWER, SURFACE, OR GROUND WATER.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP

ABSORB WITH LIQUID BINDING MATERIAL (SAND, DIATOMITE,

ACID, UNIVERSAL, SAWDUST BINDERS. USE NEUTRALIZING AGENTS.

DISPOSE CONTAMINATED MATERIAL AS WASTE ACC SECTION 23

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTION FOR SAFE HANDLING

ENSURE GOOD VENTILATION AT WORKPLACE

PREVENT FORMATION OF AEROSOLS

FOR GENERAL OCCUPATIONAL HYGIENIC MEASURES REFER TO

SECTION 8.





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 CONTROL PARAMETERS - INFORMATION ABGOUT FIRE AND EXPLOSION- KEEP PROTECTIVE GEAR AVAILABLE.

8.2 CONDITIONS FOR SAFE STORAGE - STORE IN COOL

TEMPERATURE AREA AWAY FROM DIRECT SUN EXPOSURE.

8.3 SPECIFIC END USE - N/A

8.4 APPROPRIATE ENGINEERING CONTROLS - KEEP AWAY FROM FOOD AND BEVERAGES.

IMMEDIATELY REMOVE ALL SOILED AND CONTAMINATED CLOTHING.

WASH HANDS BEFORE AND AFTER USAGE. AVOID CONTACT WITH EYES, SKIN, AND MOUTH.

8.5 EXPOSURE CONTROL

- · Personal protective equipment
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.





SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- A) APPEARANCE (PHYSICAL STATE, COLOR ETC): FORM BLACK
- LIQUID, COLOR BLACK B) ODOUR: ODORLESS, IRRITATING
- C) ODOUR THRESHOLD: NO DATA AVAILABLE.
- D) PH: NO DATA AVAILABLE.
- E) METING POINT/FREEZING POINT: NO DATA AVAILABLE.
- F) INITIAL BOILING POINT AND BOILING RANGE: ABOVE 190 °C
- AVAILABLE. G) FLASHING POINT: NO DATA AVAILABLE.
- H) EVAPORATION RATE: NOT APPLICABLE
- I) FLAMMABILITY (SOLID, GAS): NON-COMBUSTIBLE
- J) UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: NO DATA
- AVAILABLE. K) VAPOR PRESSURE: NO DATA AVAILABLE.
- L) SOLUBILITY :INSOLUBLE(POLYMERIZED BY WATER)
- M) VAPOR DENSITY: (AIR =1): 4.9
- N) DENSITY: NO DATA AVAILABLE.
- O) PARTITION COEFFICIENT: N-OCTANOL/WATER: NO DATA

AVAILABLE

- P) AUTO-IGNITION TEMPERATURE : NO DATA AVAILABLE
- Q) DECOMPOSITION TEMPERATURE: NO DATA AVAILABLE
- R) VISCOSITY: NO DATA AVAILABLE
- S) FORMULA MASS: NO DATA AVAILABLE



MATERIAL SAFETY DATA SHEETS

9.2 OTHER SAFETY INFORMATION - N/A

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY - CONDITION TO AVOID: HIGH HUMIDITY, HIGH TEMPERATURE OR DIRECT SUNLIGHT.

STABILITY: STABLE (COOL AND DRY AREA.).

MATERIALS TO AVOID: POLYMERIZED BY CONTACT WITH WATER, ALCOHOLS, AMINES, ALKALIES. HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO2, OXIDES AND NITROGEN AND UNKNOWN HYDROCARBONS.

10.2 CHEMICAL STABILITY - N/A

10.3 POSSIBILITY OF HAZARDOUS REACTIONS - TOXICITY: SKIN CONTACT MAY CAUSE BURNS. BOND SKIN RAPIDLY AND STRONGLY. SKIN AND EYE MAY BE IRRITANT.

ORAL LD50: 6760MG /KG IN RAT. (ACUTE) (PRO FORMA AMOUNT)ALLIED SUBSTANCE ROUTES OF ENTRY: INHALATION (YES), SKIN (YES), INGESTION (YES)

10.4 CONDITIONS TO AVOID - VERY HOT OR VERY COLD ENVIRONMENT
10.5 INCOMPATIABLE MATERIALS - N/A



MATERIAL SAFETY DATA SHEETS

10.6 HAZARDOUS DECOMPOSITION PRODUCTS- N/A

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY - HARMFUL IF SWALLOWED

LD/LC50 VALUES - N/A

SKIN CORROSION/IRRITATION - CAUSES SERIOUS EYE DAMAGE

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY - N/A

12.2 PERSISTENCE AND DEGRADABILITY - N/A

12.3 BIOACCUMULATIVE POTENTIAL - N/A

12.4 MOBILITY IN SOIL - N/A

12.5 PBT AND PVB ASSESMENT - N/A

SECTION 13: DISPOSABLE CONSIDERATIONS

13.1 WASTE TREATMENT METHODS - MUST NOT BE DISPOSED

TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW PRODUCT

TO REACH SEWAGE SYSTEMS.

13.2 UNCLEANED PACKAGING: DISPOSABLE MUST BE MADE

ACCORDING TO OFFICIAL REGULATIONS AND LAWS.



MATERIAL SAFETY DATA SHEETS

SECTION 14: TRANSPORT INFORMATION - NOT DANGEROUS GOODS

SECTION 15: REGULATORY INFORMATION

15.1 CLASSIFIED OF UNITED STATES

15.2 CHEMICAL SAFETY ASSESSMENT - CA PROPORTION 65:

NO CALIFORNIA PROPOSITION 65 CHEMICALS ARE KNOWN TO BE

PRESENT.

16. OTHER INFORMATION

ESTIMATED NFPA CODE: *NFPA IS A REGISTERED TRADEMARK OF

THE NATIONAL FIRE PROTECTION ASSN. HEALTH HAZARD: 2

FIRE HAZARD: 2

REACTIVITY HAZARD: 1

SPECIFIC HAZARD: DOES NOT APPLY

ESTIMATED HMIS CODE: *HMIS IS A REGISTERED TRADEMARK OF

THE NATIONAL PAINT AND COATINGS ASSN. HEALTH HAZARD: 2

FLAMMABILITY HAZARD: 2

SECTION 16: OTHER INFORMATION

16.1 REMARK AS COSMETIC PRODUCT AND IS OUT OF SCOPE OF A SDS

AS SET OUT IN REGULATION EC AS CLIENT REFERENCE ONLY.