

Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Pink Creation Lash Primer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Eyelash Adhesive Primer

1.3. Details of the supplier of the safety data sheet

Please contact pinkfishes 01277 203629

> Email: pinkfishes@mail.com

1.4. Emergency telephone number

Please contact 01277 203629 pinkfishes pinkfishes@mail.com

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard statements: Eye lrrit. 2 - H319;STOT SE 3 - H336

Signal words: Irritant

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

2.2. Label elements



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Hazard pictograms:



Precautionary statements:

H336: May cause drowsiness or dizziness.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260: Do not breathe vapours. P280: Wear protective gloves.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P370: In case of fire: Use alcohol resistant foam or dry powder for extinction.

P501D: Empty containers may contain residual product and vapours.Do not cut or weld on or near empty containers. Disposal should only be by means of a licensed

waste disposal contractor Supplementary Precautionary tatements

P264: Wash skin thoroughly after handling.

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P403+233+235: Store in a well-ventilated place, in original container. Keep

container tightly closed, Keep cool.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1 Mixtures

Hazardous ingredients: 2-PROPANOL

1101201 0000 1161 0010100				
EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0		Eye Irrit. 2 - H319 STOT SE 3 - H336	>30%

Section 4: First aid measures



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

4.1. Description of first aid measures

Remove contaminated clothing and shoes. Wash skin thoroughly with soap and

running water. Take especial care to clean folds, crevices, creases and groin. Get medical attention if irritation persists or develops. Launder clothing and clean shoes

Skin contact: thoroughly before reuse.

Check for contact lenses which must be removed from the eyes before rinsing.

Promptly rinse eyes with plenty of clean water while lifting the eyelids. Continue to Eye contact:

rinse for at least 15 minutes. Continue until the eyes are free of all traces of contamination. Get medical attention if any discomfort or irritation persists.

If swallowed do NOT induce vomiting.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth thoroughly

and seek medical attention if discomfort persists. Keep patient under observation.

If unconscious place patient on their side in the recovery position and ensure they are **Inhalation:**

breathing. Clean nose and mouth with water.

Artificial respiration may be administered by suitably qualified first-aiders. Get

medical attention if symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Use carbon dioxide, dry powder, foam or water fog, mist or spray. Do not use high

pressure water jet as this may spread burning material.

5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards Fire causes formation of toxic gases. Specific **Exposure hazards:**

hazards. Heating may generate vapours which may form explosive vapour/air

mixtures.

5.3. Advice for fire-fighters

Advice for fire-fighters:

Protective equipment for fire-fighters. Wear self-contained breathing apparatus and full protective clothing. Keep all unnecessary people away. Fire water run-off must not be allowed to contaminate ground or enter drains, sewers or water courses.

Provide bunding against fire water run-off.



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate to dispel any residual vapour. Clean-up personnel should use respiratory Personal precautions: protection, gloves, goggles and protective clothing and footwear (see section 8).

6.2. Environmental precautions

Do not allow spilt material to enter drains or water courses. Cover all drains and sewers. Avoid spreading spilled material. Contain spillages with sand, earth or **Environmental precautions:** suitable inert absorbent material. Prevent further spillage if safe to do so. In the event

of contamination of watercourses or sewers advise the Environment Agency, fire

brigade and police.

6.3. Methods and material for containment and cleaning up

Absorb in vermiculite, sand, diatomaceous earth or other inert absorbent material. Place into clearly labelled container for recovery or disposal (see section 13). Rinse Clean-up procedures: site with copious amounts of water, which should not be allowed into drains, sewers

or water courses.

6.4. Reference to other sections

Refer to section 8 of SDS. **Reference to other sections:**

Section 7: Handling and storage

7.1. Precautions for safe handling

Eye wash facilities and emergency shower must be available when handling this product. Use only in well ventilated areas. Avoid spilling, skin and eye contact. Do Handling requirements: not breathe vapour or fumes. Use suitable protective clothing (see section 8). Wash

thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Keep away from all possible sources of ignition. Store in tightly closed containers Storage conditions: segregated, cool, dry, ventilated storage.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
2-PROPANOL	WEL	400 ppm; 999mg/m ³	500 ppm; 1250mg/m ³	

8.2. Exposure controls

Provide adequate ventilation, including appropriate local extraction, to ensure that

the defined occupational exposure limit is not exceeded. **Engineering measures:**

If ventilation is insufficient suitable respiratory protection must be provided. Seek **Respiratory protection:**

advice and recommendations of the manufacturer or supplier of equipment

Wear suitable protective gloves conforming to EN 374. Seek recommendations from Hand protection:

manufacturer or supplier. After using gloves the hands should be washed and dried

thoroughly and a suitable moisturiser applied.

Contact lenses should not be worn when working with this chemical! Wear approved

safety goggles. Other Protection. Use engineering controls to reduce air

contamination to permissible exposure level. Provide eyewash station and safety Eye protection:

shower. Minimise all forms of skin contact. Overalls and footwear with oil and chemical resistant soles should be worn. Launder overalls and undergarments

regularly.

Skin protection: Wash promptly if skin becomes contaminated. Promptly remove non-impervious

clothing that becomes contaminated. When using do not eat, drink or smoke.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid Colourless Colour: Odour: Slightly Alcoholic



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

boiling range: 82-83°C **Melting point** 90 °C

SolubilityCompletely miscible with water

in water:

Also soluble in: Most organic solvents.
Viscosity: 3-10mPas @ 20 °C
Kinematic No data available.

viscosity:

Flammability limits No data available.

%: lower:

Flash point: No data available.

Auto No data available.

flammability:

Relative density: 0.91g/cm³

VOC g/l: Not applicable. **Melting** Not applicable.

point/range:

Vapour pressure: Not applicable.

pH: Not applicable

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous Polymerisation Will not polymerise.



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

10.4. Conditions to avoid

Conditions to avoid: Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic

Haz. decomp. products: gases or vapours.

Section 11: Toxicological information

11.1. Information	on	toxicol	logical	effects
-------------------	----	---------	---------	---------

Hazardous ingredients: 2-PROPANOL

ORL MUS	LD50	13000	mg/kg
---------	------	-------	-------

Repeated exposure may cause skin dryness or cracking. Absorption of

organic Skin contact: solvents through the skin can cause the same effects as

inhalation. **Eye contact:** Irritating to eyes.

Ingestion: Gastrointestinal symptoms, including upset stomach.

In high concentrations, vapours are narcotic and may cause headache, fatigue,

Inhalation: dizziness and nausea.

Section 12: Ecological information

12.1. Toxicity

The product components are not classified as environmentally hazardous. However,

Ecotoxicity values: this does not exclude the possibility that large or frequent spills can have a harmful

or damaging effect on the environment.



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

12.2. Persistence and degradability

Persistence and degradability:

12.3. Bioaccumulative potential

Bioaccumulative potential Will not bio-accumulate. Partition coefficient **Bioaccumulative potential:**

12.4. Mobility in soil

Mobility:

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance. **PBT** identification:

12.6. Other adverse effects

Other adverse effects:

Section 13: Disposal considerations

13.1. Waste treatment methods

Empty containers may contain residual product and flammable vapours. Keep away **Disposal operations:**

from sparks, heat and sources of ignition. Labels should not be removed. Product is hazardous waste. Do not allow into drains, sewers or water courses. Disposal must be

by means of a licensed waste contractor.

Section 14: Transport information

14.1. UN number

UN No. (ADR/RID/ADN) 1219

14.2 UN proper shipping name



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Proper Shipping Name Primer (ISOPROPYL ALCOHOL 30%, AQUA 30%, Co-Polymer 40%)

14.3 Transport hazard class(es)

ADR/RID/ADN Class 3

ADR/RID/ADN Class Class 3: Flammable liquids.

ADR Label No. 3
IMDG Class
ICAO Class/Division 3

14.4 Packing group

ADR/RID/ADN Packing group II IMDG Packing group II ICAO Packing group II

14.5 Environmental hazards

Environmentally Hazardous Substance/Marine pollutant

14.6 Special precautions for user

EMS F-E, S-D
Emergency Action Code 2YE
Hazard No. (ADR) 33
Tunnel Restriction Code (D/E)

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Rev. 03

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 SI No 716. (CHIP4). Control of Substances Hazardous to Health Regulations (as amended). (COSHH). Carriage of Dangerous Goods and Use of Transportable Pressure

Equipment Regulations 2007. (CDG 2009) Environmental Protection (Duty of Care)

EU regulations Regulations.
Guidance Notes

Workplace Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108). EU Legislation. EC Regulation 1272/2008 (as amended): CLP (Classification,

labelling and packaging of substances and mixtures).

15.2. Chemical Safety Assessment

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU)

No 453/2010.

* indicates text in the SDS which has changed since the last revision.

H319: Causes serious eye irritation.

Phrases used in s.2 and s.3: H336: May cause drowsiness or dizziness.

The above information is believed to be correct but does not purport to be all

Legal disclaimer: inclusive and shall be used only as a guide. This company shall not be held liable for

any damage resulting from handling or from contact with the above product.