# MATERIAL SAFETY DATA SHEET (MSDS)

Page 1/9

Applicant Name :

Applicant Address :

 $\times\!\!\times\!\!\times\!\!\times\!\!\times\!\!\times\!\!\times\!\!\times\!\!\times$ 

Product Name : NEW LASH PRIMER

**Report No.** : RT202002080000192

Received Date : 2020-2-6

**Redact Period** : 2020-2-6 to 2020-2-8

Regulatory Requirements : As requested by the applicant, the Material Safety Data Sheet is

prepared according to REACH regulation (EC) No 1907/2006.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page2/9

SECTION 1. Identification of the substance/preparation and company				
1.1 Product Identification				
1.2 Model No.				
1.3 Recommended Use				
1.4 Applicant Name				
1.5 Applicant Address				
1.6 Manufacturer Name				
1.7 Manufacturer Address				
1.8 Tel / Fax				
1.9 Email				
1.10 Emergency Phone				

#### **SECTION 2. Hazards identifications**

**Note:**According to Two hundred and five (205) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before January 16, 2020 regarding Regulation (EC) No 1907/2006 concerning the REACH. This product meets REACH requirements.

#### 2.1 Hazard Class (GHS):

This product does not belong to dangerous goods, no hazard classification.

#### 2.2 Pictograms:

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com
Fax: 0769-88986990 E-mail: rt@rttscn.com

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page3/9

Not applicable

2.3 Signal word:

Not applicable

2.4 Hazard description:

Not applicable

2.5 Precautionary description:

Not applicable

# SECTION 3. Composition / information on ingredients

The difference between the single product and mixture: Mixture

Substance name	Conc. (%)	EC	CAS.
WATER	89.45	231-791-2	7732-18-5
BABASSU OIL GLYCERETH-8	5.00	1	1
ESTERS	5.00	1	/
BUTYLENE GLYCOL	5.00	209-527-2	107-88-0
GLYCERYL CAPRYLATE		247-668-1	26402-26-6
HYDROXYACETOPHENONE	0.50	202-802-8	99-93-4
CAPRYLHYDROXAMIC ACID		230-936-7	7377-03-9
DISODIUM EDTA	0.05	205-358-3	139-33-3

#### **SECTION 4.First aid measures**

General advice: Immediate medical attention is required. Show this safety data sheet (MSDS) to the doctor in attendance.

#### 4.1 Following eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call consult a doctor if feeling uncomfortable.

# 4.2 Following skin contact:

Wash the skin with water. Immediately call consult a doctor if feeling uncomfortable.

## 4.3 Following inhalation:

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com
Fax: 0769-88986990 E-mail: rt@rttscn.com

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page4/9

Move victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a physician immediately.

#### 4.4 Following ingestion:

If it is ingested, rinse the mouth with water.

Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately call consult a doctor if feeling uncomfortable.

#### **SECTION 5.Firefighting measures**

#### **5.1 Hazardous Characteristics:**

Not considered to be a fire hazard. Not easily ignited by fire.

## 5.2 Extinguishing Media:

Dry powder, Chemical foam, Carbon dioxide, water mist.

#### 5.3 Firefighting procedures:

As in any fire, wear self-contained breathing apparatus(MSHA/NIOSH approved or equivalent) and full protective gear.

Extinguish fire in a safe distance with enough protection

Prevent fire extinguishing water from contaminating surface water or the ground water system.

# 5.4 Hazardous combustion products:

No data available

## SECTION 6.Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes.

Evacuate personnel to safe areas. Keep people away from upwind of spill/leak.

Wear appropriate protective measures (SEE SECTION 8).

#### **6.2 Environmental precautions:**

Do not empty into drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page5/9

# 6.3 Cleaning method:

Remove by liquid absorbing material (e.g. kieselguhr). Adhered or collected material should be promptly disposed of. Disposal of discarded waste/pollutants refers to SECTION 13.

# **SECTION 7. Safe handling and storage**

#### 7.1 Handling Notes:

Keep away from heat and fire.

Keep indoor ventilation or local exhaust device.

#### 7.2 Storage Notes:

Keep away from heat and fire.

Store in a well-ventilated place. Keep cool.

Stored in compatible containers.

Keep storage containers sealed.

Do not store with incompatible material (see section 10.2)

#### **SECTION 8. Exposure controls / personal protection**

## 8.1 Occupational Exposure Limit:

No information found

# 8.2 Engineering Control:

Provide adequate ventilation.

#### 8.3 Respiratory Protection:

No special protection is required under normal conditions.

Wear a filter mask when necessary.

#### 8.4 Eyes Protection:

No special protection is required under normal conditions.

Wear protective glasses when necessary.

#### 8.5 Hands Protection:

No special protection is required under normal conditions.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page6/9

Wear protective gloves when necessary.

# 8.6 Sanitary Measure:

Forbid smoking, eating and drinking in working places. Washing hands after handling products.

SECTION 9. Physical and chemical properties	
Appearance and Color	Colorless liquid
Odour	No irritating smell
PH value	No Data
Flammability	Non flammable
Density(g/cm³)	No Data
Relative steam density (air = 1)	No Data
Vapor pressure(MPa)	No Data
Octanol/water partition coefficient	No Data
Viscosity (mPa/s)	No Data
Flash point(℃,Closed cup)	No Data
Boiling point(℃)	No Data
Freezing point (℃)	No Data
Evaporation rate (kg/s)	No Data
UEL %(V/V)	No Data
LEL %(V/V)	No Data
Auto-ignition temperature( $^{\circ}$ C)	No Data
Decomposition temperature ( $^{\circ}$ C)	No Data
Solubility	Partially soluble in water

# **SECTION 10.Stability and reactivity**

#### 10.1 Stability:

Stable under recommended storage and handling conditions (See section 7).

#### 10.2 Material for avoiding:

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com
Fax: 0769-88986990 E-mail: rt@rttscn.com

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page7/9

Strong oxide, acid and alkali.

10.3 Contact conditions for avoiding:

High temperature.

10.4 Hazardous decomposition products:

No data available

# **SECTION 11. Toxicological information**

# 11.1 Acute toxicity:

No information found.

#### 11.2 Skin corrosion/irritation:

No information found.

## 11.3 Serious eye damage/irritation:

No information found.

#### 11.4 Respiratory or skin sensitisation:

No information found.

# 11.5 Germ cell mutagenicity:

No information found.

#### 11.6 Carcinogenicity:

No information found.

#### 11.7 Reproductive toxicity:

No information found.

#### 11.8 STOT-single exposure:

No information found.

# 11.9 STOT-repeated exposure:

No information found.

#### 11.10 Aspiration hazard.:

No information found.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page8/9

## **SECTION 12. Ecological information**

#### 12.1 Ecotoxicity:

According to the environmental protection laws, can't be discarded in those places which would affect soil and underground water.

#### 12.2 Persistence and degradability:

No data available.

#### 12.3 Bioaccumulative potential:

No data available.

## 12.4 Mobility in soil:

No data available.

#### 12.5 Other adverse effects:

No data available

## **SECTION 13. Disposal considerations**

#### 13.1 Handlingmethod for waste:

Handling waste according to the local regulations. Contact specific waste disposal company or companies recommended by local laws.

#### 13.2 Handling method for uncleaned packaging

According to official regulations.

## **SECTION 14. Transport information**

**14.1 UN NO.:** Not classified **14.2 Class:** Not classified

14.3 Packaging group: Not classified14.4 Technical name: Not classified

**14.5 Label:** Not classified.(Prohibition with antioxidant and food chemical mixed stowage,transit should prevent sun, rain and high temperature.)

**14.6 Attention Notes:** Gentle with, prevent collision drag and dump.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com
Fax: 0769-88986990 E-mail: rt@rttscn.com

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng

Report No.: RT202002080000192 DATE: 2020-2-8 Page9/9

#### **SECTION 15. Regulatory information**

Hazardous chemicals catalog

International maritime dangerous goods code

**Dangerous Goods Number Of United Nations** 

Technical Instructions for the Safe Transport of Dangerous Goods by Air

Classification and code of dangerous goods

Occupational Safety and Health Act (OSHA)

The principle of classification of transport packaging groups of dangerous goods

Globally Harmonized System of Classification and Labelling of Chemicals

REACH regulation (EC) No 1907/2006.

In accordance with all local laws.

#### **SECTION 16. Other information**

#### **Disclaimer**

The information in this Material Safety Data Sheet was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss,damage or expense arising out of or in any way connected with the handling,storage,use or disposal of the product. This MSDS was prepared and is to be used only for this product. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Address:The 2 floor, Huakai Building, Shenghe Road, Nancheng