According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

LP

Date: 06-09-2022 Version: 1.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 PRODUCT IDENTIFIER:

Commercial Product Name: LP Gel Palette – Coffee Collection

Unique Product Code: LGPC

Trade Name: LP Gel Palette - Coffee Collection

Chemical Composition/Product Form: Vp/Dimethylaminoethylmethacrylate Copolymer,

Trimethylolpropane Triacrylate, Silica Dimethyl Silylate, Cellulose Acetate Butyrate, C24-28 Alkyl Dimethicone, +/- CI 17200, +/- CI 77742, +/- CI 77891, +/- CI 77492, +/- CI 77499

CAS No: 30581-59-0, 15625-89-5, 68611-44-9, 9004-36-8, 192230-29-

8, 3567-66-6, 10101-66-3, 13463-67-7, 51274-00-1, 12227-89-3

### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCES OR MIXTURES AND USES ADVISED AGAINST:

Direction of use: Using a brush apply LP Gel Palette over set base product to

create your nail art design. Cure for 60 seconds under 48W UV/LED lamp, use as many colors as desired. Apply top coat

and cure.

Restrictions on use: For external usage only

## 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

Company Name: Lucy Pastorelli Distribution Ltd.

Company Address: 9 Church Street, Eckington, Sheffield, S21 4BG, United

Kingdom

Business Telephone: +44 1246 434849
Website: www.lpnails.com
info@lpnails.com

## 1.4 EMERGENCY TELEPHONE NUMBERS (24-HOUR EMERGENCY CONTACT):

24-hour Emergency Contact: +44 1246 434849 (Lucy Pastorelli)

(During Office Hours)

24-hour emergency call NHS helpline on 111. If using outside UK then contact local emergency

services

### SECTION 2: HAZARDS IDENTIFICATION:

## **2.1 EMERGENCY OVERVIEW:** This SDS should be retained and available for employees and

other users of this product. The toxicological properties of the mixture have not been fully investigated. This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), REACH Regulation EC No. 1907/2006, Regulation EU No. 2015/800

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 06-09-2022

LP

Version: 1.0

and **EC NO 1272/2008.** Dangerous substance or mixture according to the Globally Harmonized System **(GHS)**.

2.2 LABELING AND CLASSIFICATION IN ACCORDANCE WITH REGULATION (EU) NO. 1272/2008 -

2017/776 (CLP)

**Hazards Pictograms:** 

Signal Word: Warning
Hazards Classification of Substance: SS1, EDI1

Hazard Statements: H315: Causes skin irritation

H320: Causes eye irritation

**Precautionary Statements:** P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been

read and understood

**P102:** Keep out of reach of children. Store locked up. **P264:** Wash the hands thoroughly after handling.

**P270**: Do not eat, drink or smoke when using this product.

P273: Avoid release to environment

Response Phases: P301+P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician.

**P305+351+338 IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to

do – continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

**Storage Statements:** P403+P235: Store in well-ventilated place.

**P404:** Store in a closed container.

Please refer to Section 7 for Storage and Section 13 for

Disposal information.

**Disposal Statements:** P273: Avoid release to the environment.

**P501:** Dispose of contents and/or container in accordance with local, regional, national and/or international regulation. Please refer to Section 7 for Storage and Section 13 for

Disposal information.

Hazard(s) not otherwise classified (HNOC): None Identified

Supplemental Information: None
2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:





According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 06-09-2022

Version: 1.0



### 2.3.1 SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Seek medical attention and call a physician if symptoms

develop or persist.

**Skin Contact:** Wash with soap and water. Cover the irritated skin with an emollient. Seek medical

attention if irritation develops. Cold water may be used.

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes

with plenty of water for at least 15 minutes. Cold water may be used. Seek medical

attention.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person. Loosen tight clothing such as a collar,

tie, belt or waistband. Get medical attention if symptoms appear.

**Chronic:** Severe eye exposure may cause blindness. Severe ingestion may result in death.

Severe inhalation may cause lung inflammation and pulmonary edema.

Carcinogenic Effects: Not Available
Mutagenic Effects: Not Available
Teratogenic Effects: Not Available
Developmental Not Available
Toxicity: Not Available
Adverse effects: Not Available

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### **3.1 TYPE OF PRODUCT:**

Mixture

### 3.2 INGREDIENTS:

CHEMICAL NAME	PRODUCT IDENTIFIER (CAS)	COMPOSI	CLASIFICATION FOR (CLP) 1272/2008 & GHS CLASSIFICATION
VP/DIMETHYLAMINOETHYLMETHA CRYLATE COPOLYMER	30581-59-0	63.00%	SS1, EDI1
TRIMETHYLOLPROPANE TRIACRYLATE	15625-89-5	30.00%	SS1, EDI1
SILICA DIMETHYL SILYLATE	68611-44-9	3.00%	SS1, EDI1

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 06-09-2022

LP

Version: 1.0

CELLULOSE ACETATE BUTYRATE	9004-36-8	3.00%	NON HAZARDOUS
C24-28 ALKYL DIMETHICONE	192230-29-8	1.00%	NON HAZARDOUS
+/- CI 17200	3567-66-6	0.50%	NON HAZARDOUS
+/- CI 77742	10101-66-3	0.50%	NON HAZARDOUS
+/- CI 77891	13463-67-7	0.50%	NON HAZARDOUS
+/- CI 77492	51274-00-1	0.50%	NON HAZARDOUS
+/- CI 77499	12227-89-3	0.50%	NON HAZARDOUS

## SECTION 4: FIRST-AID MEASURES

### **4.1 DESCRIPTION OF FIRST AID MEASURES:**

### **4.1.1 FIRST AID MEASURES GENERAL:**

Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)

### **4.1.2 IN CASE OF INHALATION:**

Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, give artificial respiration. In case of breathing difficulties administer oxygen by trained personnel. Seek medical attention immediately

## **4.1.3 IN CASE OF SKIN CONTACT:**

Immediately flush skin with plenty of water for at least 15 minutes. Remove/take off immediately all contaminated clothing. Do not rub the skin and eyes after direct contact with the product. Seek medical attention immediately. Wash contaminated clothing before reuse.

### **4.1.4 IN CASE OF EYE CONTACT:**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minute holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing and immediately get medical attention.

### **4.1.5 IN CASE OF INGESTION:**

If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do not induce vomiting. Immediately call a POISON CENTRE or doctor/physician. If swallowed, rinse mouth with water (only if the person is conscious).

### 4.2 SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED:

### **4.2.1 SYMPTOMS/INJURIES:**

Causes skin and eye irritations. Material may be irritating to the mucous membranes and upper respiratory tract.

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 06-09-2022 Version: 1.0



May cause drowsiness or dizziness

**4.2.3 SYMPTOMS/INJURIES AFTER SKIN CONTACT:** 

May cause skin irritation and itching.

**4.2.4 SYMPTOMS/INJURIES AFTER EYE CONTACT:** 

Causes serious eye irritation.

**4.2.5 SYMPTOMS/INJURIES AFTER INGESTION:** 

May cause irritation of the linings of the mouth, throat and gastrointestinal tract. Ingestion may cause nausea, vomiting and diarrhea.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No additional information available

# SECTION 5: FIREFIGHTING MEASURES

### **5.1 SUITABLE EXTINGUISHING MEDIA:**

Use the following fire extinguishing media:

Water Spray:

Carbon Di Oxide:

Alcohol Resistant Foam:

PES

Dry Chemical:

YES

**5.2 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:** 

**Explosion Hazards:**No Information Available

**Specific Hazards Arising from the** 

Chemical: This product is not flammable at ambient temperatures and

atmospheric pressure.

**Hazardous Combustion Products:** No Information Available.

**Reactivity:** Not Determined.

## **5.3 ADVICE FOR FIRE FIGHTERS:**

Firefighters should wear full firefighting turn-out gear (full Bunker gear) including **NIOSH** approved self-contained breathing apparatus **(SCBA)** with full face piece operated in the pressure demand or other positive pressure mode.

Special protective equipment and

**precautions for firefighters:** Firefighters must use standard protective equipment including

flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full face piece



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

LP

Date: 06-09-2022 Version: 1.0

operated in the positive pressure demand mode when fighting

fires.

Firefighting equipment/instructions: In case of fire and/or explosion do not breathe fumes. Use

standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water

sources.

**Specific methods:** Use water spray to cool unopened containers.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Keep unnecessary personnel away. Wear approved respiratory protection, chemically compatible gloves and protective clothing such as protective coveralls and shoe covers for spills. Avoid breathing vapors and provide adequate ventilation.

### **6.2 ENVIRONMENTAL PRECAUTIONS:**

Contain and collect spillage as per local regulations. Keep out of drinking water supplies, sewers, storm drains, surface waters, and soils.

### **6.3 SPILL AND LEAK RESPONSE:**

Small Spills: Evacuate personnel to safe areas

Large Spills: Ventilate the area

### SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING: Use with adequate ventilation. Wear suitable protective

equipment during handling. Avoid breathing dust, fume or vapors. Wear protective gloves. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep container tightly closed when not in use. Wash

thoroughly after handling. Protect from moisture.

7.1.1 HYGIENE MEASURES: Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving

work.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Technical Measures: Ensure the ventilation system is regularly maintained and

tested. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 06-09-2022 Version: 1.0



vapors below the recommended exposure limits. A washing facility/water for eye and skin cleaning purposes should be

present. Comply with applicable regulations.

Store away from incompatible materials. Protect from freezing and physical damage. Keep away from food and beverages. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well-sealed containers. Store with like hazards.

## 7.3 SPECIFIC END USE(S):

**Storage Conditions:** 

No additional information available

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **8.1 EXPOSURE PARAMETERS:**

Not Established as a Mixture

### **8.2 EXPOSURE CONTROLS:**

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states(including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**Personal Protective Equipment:** 

Avoid all unnecessary exposure. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to OSHA regulations. For certain operations, additional personal protection equipment (PPE) may be required i.e. Protective goggle, gloves, protective clothing.

Respiratory protection:

Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE) or NIOSH approved respirator. Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals. Care must be taken to assure that any respirator chosen is capable of protecting the user from both ammonia and ethyl alcohol vapors.

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 06-09-2022

LP

Version: 1.0

**Eye Protection:** Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian

Standards, or relevant Japanese Standards.

Hand Protection: Chemical resistant gloves are recommended to prevent skin

contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**Body Protection:** Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as

described in U.S. OSHA 29 CFR 1910.136.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance (Physical State and Color):

Odor:

Odor Threshold:

PH:

Not Available

Melting/Freezing Point:

Not Available

Not Available

Not Available

Not Available

Flash Point:

Evaporation Rate:

Not Available

Not Available

Not Available

**Upper/Lower Flammability or** 

Explosion Limits:

Vapor Pressure (mm Hg @ 20°C):

Not Available

Specific Gravity:

Not Available

Not Available

Insoluble in Water

Solubility in Water: Insoluble in Water

Weight per Gallon: Not Available

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 06-09-2022 Version: 1.0

Partition Coefficient (n-octanol/water): Not Available
Auto-Ignition Temperature: Not Available
Decomposition Temperature: Not Available
Viscosity: Not Available

9.2 OTHER INFORMATION

No additional information is available at this time

# SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Product is stable under normal conditions

Chemical Stability: Stable

**Possibility of Hazardous Reactions:** Not established

**Conditions to Avoid:** Avoid direct sunlight, extremely high or low temperatures and

open flames.

**Incompatible Materials:** Avoid mixing with acids, most common metals, strong

oxidizing agents, brass zinc, and chlorine, and aluminum, copper, bronze, mercury, and dimethyl sulfate and acetyl

chloride.

Hazardous Decomposition Products: Readily biodegradable, formation of toxic and corrosive

combustion gasses is possible.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

No experimental toxicological data on the preparation is available. The toxicological classification for this mixture has been carried out by using the conventional calculation method of the **Regulation (EU) No. 1272/2008~2017/776 (CLP)**.

**Skin corrosion/irritation:** Not classified (based on available data, the classification

criteria are not met)

Serious eye damage/irritation: Not classified (based on available data, the classification

criteria are not met)

**Respiratory or skin sensitization:** Respiratory sensitizer (based on available data, the

classification criteria are not met)

Germ cell mutagenicity: Not classified (based on available data, the classification

criteria are not met)

Carcinogenicity: Not classified (based on available data, the classification

criteria are not met)

Reproductive Toxicity: Not classified (based on available data, the classification

criteria are not met)



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 06-09-2022

Version: 1.0

**Specific target organ toxicity** Classified (based on available data, the classification

(single exposure): criteria are not met)

Specific target organ toxicity Not classified (based on available data, the classification

(repeated exposure): criteria are not met)

**Aspiration Hazards:** Not classified (based on available data, the classification

criteria are not met)

Potential adverse human Based on available data, the classification criteria are not met.

health effects and symptoms:

Not classified (based on available data, the classification Symptoms/injuries after inhalation:

criteria are not met)

Symptoms/injuries after skin contact: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after eye contact: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after ingestion: Not classified (based on available data, the classification

criteria are not met)

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for this mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2017/776 (CLP).

### 12.2 PERSISTANCE AND DEGRADIBILITY:

Not established.

### 12.3 BIO ACCUMULATIVE POTENTIAL:

The product itself and its products of degradation are not toxic

### **12.4 MOBILITY IN SOIL:**

No specific data available on this product.

### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

#### **12.6 OTHER ADVERSE EFFECTS:**

Avoid release to the environment.

### 12.7 WATER ENDANGERMENT CLASS:

At present, there are no eco-toxicological assessments for this product.

## SECTION 13: DISPOSAL CONSIDERATIONS



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 06-09-2022



**Waste Disposal Recommendations:** Chemical waste generators must determine whether a

> discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete

and accurate classification.

**Additional Information:** Handle empty containers with care because residual vapors

are irritants.

Avoid release to the environment. **Ecology – Waste Materials:** 

# SECTION 14: TRANSPORT INFORMATION

### 14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows;

**UN Identification Number:** Not Regulated

**Proper Shipping Name:** None **Hazard Class Number and Description:** None **Packing Group:** None **DOT Label(s) Required:** None **North American Emergency Response** None

**Guidebook Number:** 

Version: 1.0

**RQ Quantity:** None

## **14.2 ENVIRONMENTAL HAZARDS:**

**Marine Pollutant:** The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 SPECIAL PRECAUTION FOR USER: None

## 14.4 INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA) AND ICAO:

This product is considered as dangerous good.

## 14.5 INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):

This product is considered as dangerous good.

## 14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

### European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR):

This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

## SECTION 15: REGULATORY INFORMATION

COUNTRY	INVENTORY LIST	STATUS	
UNITED STATES	TSCA	All ingredients are listed or otherwise compliant	
EUROPE	EINECS or ELINCS	All ingredients are listed or otherwise compliant	



According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 06-09-2022



Version: 1.0

CANADA	CEPA (DSL/NDSL)	All ingredients are listed or otherwise compliant
AUSTRALIA	AICS	All ingredients are listed or otherwise compliant
JAPAN	ENCS	All ingredients are listed or otherwise compliant
SOUTH KOREA	KECI	All ingredients are listed or otherwise compliant
CHINA	IECSC	All ingredients are listed or otherwise compliant
PHILIPPINES	PICCS	All ingredients are listed or otherwise compliant

US EPA TSCA Requirements:

No data available

Canada WHMIS Confidential Business Information (CBI): No data available

**US EPA SARA TITLE III Reporting and Notification Requirements:** 

Subject to Section 302 (TPQ):

Subject to Section 304 (RQ):

No data available

**Subject to Section 311 or 312:**Refer to the health and physical classifications

in section 2

Subject to Section 313: No data available

STATE REGULATORY INFORMATION: Chemicals listed below may be specifically

regulated by individual states. For details on state regulatory requirements you should

contact the appropriate state agency.

### SECTION 16: OTHER INFORMATION

Prepared By: Syed Muhammad Shamuel Shees (CSP, CMIOSH, MIIRSM, PE)

**Date of Printing:** 06-09-2022

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary.

All health and safety information contained in this bulletin should be provided to your employees or customers. Lucy Pastorelli Distribution Ltd. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Lucy Pastorelli Distribution Ltd. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878

Date: 06-09-2022 Version: 1.0



Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

### **KEY TO ABBREVIATIONS:**

KEY TO ABBREVIATIONS:	AFFANING	
ABBREVIATIONS	MEANING	
AH 1	Aspiration Hazard Category 1	
ATD 4	Acute Toxicity - Dermal Category 4	
ATI 4	Acute Toxicity - Inhalation Category 4	
ATO 4	Acute Toxicity - Oral Category 4	
EDI 2	Eye Damage / Irritation Category 2	
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3	
FL 3	Flammable Liquid, Hazard Category 3	
H226	Flammable liquid and vapor	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H361	Suspected of damaging fertility or the unborn child	
H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route)	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
P202	Do not handle until all safety precautions have been read and understood	
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking	
P233	Keep container tightly closed	
P240	Ground/bond container and receiving equipment	
P241	Use explosion-proof electrical, ventilating and lighting equipment	
P242	Use only non-sparking tools	
P243	Take precautionary measures against static discharge	
P260	Do not breathe vapour or dust	
P261	Avoid breathing vapour or dust	
P264	Wash hands and other contacted skin thoroughly after handling	
P270	Do not eat, drink or smoke when using this product	
P271	Use only outdoors or in a well-ventilated area	
P272	Contaminated work clothing should not be allowed out of the workplace	
P273	Avoid release to the environment	

According to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000, Regulation (EC) No. 1272/2008, Regulation (EC) No. 1907/2006, Commission Regulation EU No. 2015/830 and Regulation (EU) 2020/878 Date: 06-09-2022

Version: 1.0



