

User Manual

Introduction

	Index
Parts description	1
Daily check	2
Assembly instructions	3.4.5
Assembling pedal instructions.....	6. 7
Inflating instructions	8
Seat instructions	9
Battery charging	10
Additional Charging Info	11
About Charging	12
Driving	13. 14
Driving Range	15
Additional Safety Notes.....	16.17
Basic Maintenance	18
Trouble shooting	19
Recommended torque values for threaded fasteners	20
Minimum saddle height and the way to measure	21
Wiring diagram with LED display	22
Saving battery power and extending your range	23
Useful tips	24
General Warning.....	25
A note for parents and guardians	26
Safety notes before first use.....	27
Additional Safety Notes.....	28.29

Parts description



Daily checks

To ensure safety make the following functional checks before driving:

- 1 - Normal operation of the light, brake and power cut system.
- 2 - Tire pressure (low pressure, will influence both autonomy and speed).
- 3 - Wheel axle tightening.
- 4 - Battery charging level.
- 5 - Braking system adjustment and free operation.



Assembly instructions

1. Carefully take out the electric bike from it's carton
2. Loose the srew from stem

1



2



Assembly instructions


3. Put the handlebar on the stem and then tighten up the screws

4. Put the suspension front fork on the front wheel, then adjust its position and tighten up the screw.

3



4



Assembly instructions

5. Install the front light on the front fork and then tighten up the screw
6. Install the front fender and then tighten up screws located on the two sides of the front fork.



Assembling pedal instructions

ASSEMBLING PEDALS

-There are 2 pedals, Please look at inside of each pedal and see which is labeled R(right) and L(left)



Assembling pedal instructions

To connect the Pedals Right tube(left and right directions are as though you are sitting on the bike).
Tighten by turning the Pedals toward the front Wheel, Use a wrench to make sure the Pedals are tight and secure.
Right Pedal On the Same Side As the Chain.
Push the pedal, flip it up.



Inflating instructions

Please inflate the tire with the following instruction



Step 2: Tilt the whole to the left until the tire is off the ground and adjust the safety line to fit the edge of the rim evenly.



Please repeat the same process for the next tire

Seat instructions

ATTACHING THE SADDLE

- Slide the Saddle Post into the Saddle Tube
- Align the Saddle with the Frame to make sure it is straight
- Tighten the Saddle Clamping Lever
- The height of the Saddle should not be pulled higher than the safety tick marks on the Saddle Post.



Battery charging

Charging tips

- The battery pack should be recharged after each use. There is no memory effect so you can charge the battery after short periods of use without damage.
- The battery can be recharged on or off the bike.
- Remove the battery by turning the key and than pulling forwards and upwards carefully until the pack lifts off.
- The charger will automatically stop once the battery pack is full.
- Always charge in dry conditions and indoors away from direct sunlight.
- Check charger cables, charger, and battery for damage before beginning each charge.

With the battery removed

- 1.When the battery is removed, do not touch the “+” and “-” contacts, especially with wet hands or metallic objects.
2. Do not recharge the battery in the inverted position. If you do, you drastically reducing it’s lifespan.
3. Place the charge in a flat, secure place, and connect the output plug to the socket in the battery box.
4. Then, connect the input plug (110V/220V terminal) to the power outlet, and the charging will start.
5. After the charging has finished, first, unplug the input plug (terminal 110V/220V), and then the output plug.

Additional Charging Info

When the battery is charging on the bike

1. Switch off the power. The battery can be charged on or off the bike.
2. Plug the output lead of the charger into the socket of the battery case.
3. Plug the AC power input plug into the 110/220 volt household power socket to start charging.
4. After charging unplug from the wall outlet first and then from the bike charger socket.

NOTE: Always charge your battery at temperatures between 10 and 26 Celsius degrees and battery is not damaged before charging.

Duration of charging

1. When the input and output terminal are connected, the red indication light of the charger will be turned on, showing that the power is being connected.
2. When the battery is charged for the first time, 8-10 hours should be spent for charging. When the yellow indication light of the charger is turned on, showing that the battery is basically full and it will switch to trickle charge mode to ensure that over-charging will not occur, it takes 2-8 hours for normal charging.
3. This charger has the protection device for over-charging. Long time charging should not be more than 24 hours without affecting the life time of the battery.

About Charging

If charging with the battery removed

- 1-Keep the charger in a safe place, away from children.
- 2-Do not use the battery when not fully charged. That will decrease its lifespan.
- 3-Do not charge the battery with other charger than the original.
- 4-The charger works with 110/220V. Please do not open it without permission.
- 5-Avoid charger contact with liquids and/or metal objects. Always be sure it is safely stored/placed so that it can not suffer damage from a fall/impact.
- 6-When in use, the charger should not be covered, to prevent overheating, damage, or fire.
- 7-The charger is only for indoor use. Please keep it in dry and ventilated place.
- 8-If you notice a strange smell from the charger, or it is too hot, stop charging please, and contact the manufacturer.

Driving

Important tips while driving

- 1-In order to reduce consumption, increase autonomy, and extend the motors lifespan, use the pedals during the startups and climbs.
- 2-Do not twist the throttle too fast. The vehicle should be accelerated slowly, reducing consumption and risk of damage to the electrical system. It's better to use the pedals to avoid sudden stops and startups.
- 3-To increase security and reduce power consumption, it is advised to avoid sudden stops and startups.
- 4-The vehicle controller has a charge overload protection. In case of an overload, energy will be cut automatically and restored when it returns to normal.
- 5-While driving, avoid using the throttle as you brake, as it may damage the motor.
- 6-The maximum load is 100-120KGs. Avoid driving with overload. Do not drive too fast.

Important tips when parking

- 1-When pushing the vehicle manually, turn off the power, to avoid accidental acceleration and accidents.
- 2-It is recommended to park indoors. Do not forget to switch off the power and remove the key.
- 3-In a public place, the e-bike must be parked in accordance with local traffic rules. Do not forget to switch off the power and remove the key.

How to start up the vehicle

A.

Press the battery ON/OFF button and battery power LED display to see the power capacity.



B.



Hold down power button on bottom cluster until LCD screen turns on



Option: pls check the LCD display manual for details

Driving Range

Average distance from one charge: 25-40km(active state) differs from different batteries.

Conditions of testing: wind speed: level 2-3, normal atmosphere temperature: 25 degrees,

Load: 90kg, atmospheric pressure: 3.5kg/cm, flat concrete surface; battery: full

Surfa \ Rang	10Km	20Km	30Km	40Km	Driving condition
Flat					Wind level:2-3 Normal temperature:25°C Normal load
Flat					against wind level:2-3 Normal temperature:25°C normal load
upslope/downslope					degree of slope ≤ 2 degree wind level: 2-3 normal temperature: 25°C normal load

Max speed (25-45Kmh) miles of journey

Power consumption of one time charge: $\leq 0.5\text{kw.h}$

Economical speed: 18km/s

The load haul is related with road, road surface, times of start-up, times of braking, wind direction, Atmospheric temperature, air pressure in the tire and correct way of charging, please note this during driving.

Economy speed(10km/s) miles of journey

Rated load: 90kg

Dead load: $\leq 30\text{kg}$

Additional Safety Notes



1.1 Change PAS grade

Suppose it's PAS mode now,
shortly press **+**, PAS grade +1
shortly press **-**, PAS grade -1

1.2 Shift the speed display

Press **M**, to shift the way of speed display

1.3 ON/OFF 6KM/H cruising, ON/OFF headlight.

When e-bike stops, long press **-** to enter 6KM/H cruising mode.
Stop pressing to exit the cruise mode;
Long press **+** to turn ON/OFF Headlight;

1.4 ON/OFF the screen

Long press **P** to turn ON/OFF the screen

1.5 Change data in multi-function Area

Shortly press **M** to change data.

Additional Safety Notes

1.6 Parameters setting

Double press M to start setting parameters, such as wheel size(inch), background luminance

On the setting interface, shortly press +, or - to plus/minus value. Parameters would be shining after modifying, choose the ones you prefer.

Basic maintenance

To ensure safe riding conditions you must properly maintain your bike. You should follow the basic guidelines below and see your certified local bike shop seasonally to ensure your bike is safe for using.

Regular self-checks

1. Tightening and correct operation of both wheels, frame and front fork.
2. Tire pressure and conditions.
3. Gearshift correct operation.
4. Bell and reflectors conditions and correct operation.
5. Braking system correct operation.
6. If you do not use the vehicle for long periods of time, charge the battery at least once a month, to avoid reducing its lifespan.

Maintenance and cleaning tips

1. Do not wash with high pressure jets to prevent water infiltration into the electrical system.
2. Dirt on painted surfaces should be removed with a neutral product. Then, wipe with a dry cloth.
3. Lubricate the vehicle with suitable lubricant, after washing.
4. Do not apply lubricant on the brakes, brake levers, rims, tires, battery and controller.

Troubleshooting

	Symptoms	Possible causes	Most common solutions
1	It doesn't work	(1)Insufficient battery power (2)Faulty connections (3)Key in wrong position	(1)Charge the battery (2)Clean the connections (3)Turn the key into the correct position
2	Irregular acceleration and/or reduced top speed	(1)Insufficient battery power (2)Loose throttle magneto (3)Damaged throttle spring	(1)Charge the battery (2)Weld and adjust (3>Contact an Authorized Service Center
3	When powered on, the motor doesn't respond	(1)Loose wiring (2)Loose throttle magneto (3)Loose or damaged motor wiring plugs	(1)Repair and/or reconnect (2)Weld and adjust (3>Contact an Authorized Service Center
4	Reduced range	(1)Low tire pressure (2)Low or faulty battery charge (3)Driving with too many hills, braking, depart-ures, and/or excessive load (4)Battery discharged for long period of time, without regular charges, aged or damaged	(1)Adjust the tire pressure (2)Check the connections and/or fully charge the battery (3)Help with the pedals (4)Replace the battery (5)Make a prolonged battery charge
5	The battery won't charge	(1)Charger not well connected (2)Battery cases fuse blown (3)Battery wiring disconnected or with a bad	(1)Adjust the connections (2)Replace the fuse (3)Reconnect/repair the wiring
6	Driving wheel makes strange noises	(1)Charger not well connected (2)Battery cases fuse blown	(1)Replace the bearing (2)Adjust/replace the rim

For your safety, do regular maintenance and tightening checks. If you find any abnormality, repair immediately.

Recommended torque values for the threaded fasteners

NO.	Parts	Torque required(N.M)
1	Handlebar	18-20
2	Handlebar-stem	18-20
3	Saddle	18-20
4	Seat-pillar	18-20
5	Front wheel	16-25
6	Rear Wheel	25-35
7	B.B Parts	35-55


Minimum saddle height and the way to measure



To adjust seat height, use quick release lever to set free the seat post and pull upwards or push downwards to reach desired height.

Wiring diagram with LCD display

GOPOWER E-bike



Saving battery power and extending your range

Frequent braking and starting, riding uphill against a strong wind, starting from a standstill and riding on rough or muddy roads, and carrying more than one person, or heavy loads will consume extra battery power and shorten the range.

A few tips to prolong the battery life during these condition is as frequently.

- 1.Frequent Braking-try to look ahead and coast rather than stop and go frequently.
- 2.Riding uphill or against a stiff wind-pedal to make supplement to the battery power.
- 3.When starting from a standstill-use the pedals to help bring you up to speed.
- 4.When the battery meter indicators the voltage is low, switch to manual power and avoid using the battery so you don't shorten the battery life.
- 5.If the battery is being stored, remove the battery from the bicycle and recharge it every month.

Useful tips

- 1.This user manual should be used only to reference use and functions but should not be used as a reference for inspection.
- 2.The images shown may differ from the actual model to technical improvements.
- 3.We reserve the right to change the model without prior notice due to technical improvements.
- 4.The vehicle has a top speed limiter. For safety purposes, its removal is strictly prohibited.
- 5.Ensure pre-ride checks are performed before each and every ride.
- 6.Only allow others to ride who have already been adequacy trained on the use and operation of this product.

General Warning

Like and sport, bicycling involves risk of injury and damage. By choosing to ride a bicycle, you assume the responsibility for that risk, so you need to know—and to practice—the rules of safe and responsible riding and of proper uses and maintenance. Proper use and maintenance of your bicycle reduces risk of injury.

Your bicycle is designed for use by persons 16 years old and above. Riders must have the physical coordination, reaction time and mental capability to ride and manage traffic, road conditions, sudden situations and also respect the laws governing bicycle use where they ride, regardless of age.

If you have an impairment or disability such as a visual impairment, hearing impairment, physical impairment, cognitive/language impairment, or a seizure disorder, consult your physician before riding any bicycle.

A note for parents and guardians

Note on Helmets

Make sure that you always wears an approved bicycle helmet when riding; but also make sure that you understands that a bicycle helmet is for bicycling only, and must be removed when not riding. A helmet must not be worn while playing, in play areas, on playground equipment, while climbing trees, or at any time while not riding a bicycle. Failure to follow this warning could result in serious injury or death. Do not let a child younger than 16 years old ride the bicycle.

Additional Noted for parents

As a parent or guardian, you are responsible for the activities and safety of your child, and that included making sure that the bicycle is properly fitted to the child; that it is in good repair and safe operating condition; that you and your child have learned and understand the safe operation of the bicycle; and that you and your child have learned, understand and obey not only the applicable local motor vehicle, bicycle and traffic laws, but also the common sense rules of safe and responsible bicycling. As a parent, you should read this manual, as well as review its warnings and the bicycle's functions and operating procedures

Safety notes before first use

- Your bicycle comes with additional documents and manuals the manufacturers of the system components. These documents must also be read before using this product.
- All users must read this manual before first use.
- Ensure that you comprehend with all instruction and safety notes.
- Ensure the bikes fits you properly before first use. You may lose control or fall if your bike is too big or too small.
- Always wear an approved bicycle helmet while using this product and ensure that the helmet manufacturers instructions for fit and care followed.
- Ensure correct tightening and setup is performed on your bicycle before first use and checked regularly.
- It is your responsibility to familiarize yourself with laws and requirements for the operation of this product in the area(s) where you ride.

Additional Safety Notes

- Ensure handlebar and grips are not damaged and improperly installed. Loose or damaged grips can cause you to lose control and fall.
- Failure to wear a helmet when riding many result in serious injury or death.
- Do not use this product with standard bicycle trailers, stands, or vehicle bicycle racks. Contact the manufacturer to check if your equipment will work with the bicycle.
- Off-road riding requires close attention and specific skills and present variable conditions and hazards which accompany the conditions. Wear appropriate safety gear and do not ride alone in remote areas.
- Take extra care while riding in wet conditions. Feet or hands can slip in wet conditions and lead to death or serious injury from a fall.
- Do not remove front or rear reflectors or the handlebar bell.
- Lights should and must be used in addition to reflectors in most locations.

Additional Safety Notes

- Engaging in extreme riding is extremely dangerous and should be avoided. Although many articles/advertisements/catalogue depict riders in extreme terrain, this not recommended nor permitted and you can be seriously injured or killed if you perform extreme riding.
- Bicycles and bicycle parts have strength and integrity limitations and extreme riding should not be performed or you risk damaging the components or becoming seriously injured or killed.
- Failure to confirm proper installation, comparability, proper operation, or maintenance of any component or accessory can result in serious injury or death.
- After any incident you must consider your bike unsafe to ride until you consult with a certified bicycle service provider for a comprehensive inspection.
- Failure to properly charge, store, or use your battery will void the warranty and may cause a hazardous situation.
- Extreme care should be taken when using the pedal assistance sensor on this product. Ensure you understand and are prepared for the power assistance to prepare you as soon as pedaling is underway.

Additional Safety Notes

-You should check the operation of the brake inhibitor switches before each ride. The brake system is equipped with an inhibitor which shuts down power to the electric motor whenever the brakes are engaged. Check proper operation slowly while in a controlled environment by riding slowly with the motor engaged and applying the brake levers are engaged.

-User must understand the operation of the twist throttle and pedal assist sensors before using, and take care in their usage in respect to traveling at speeds appropriate for usage area and user experience level. Always use the lowest assist level until you are comfortable with the bike and feel confident in controlling the power.

-Any changes to the product not expressly approved by original manufacturer could void warranty and care while riding.

-Because electric bikes are heavier and faster than normal bicycles, they require extra caution and care while riding.

-To avoid shock never submerge the electrical components in water or subject to salt water environments.

User Manual
