


BA310MET Series

# BA310 MET-H TRINOCULAR





BA310MET Series

## BA310 MET-H TRINOCULAR

<b>Optical system</b>	Colour Corrected Infinity Optical System (CCIS <sup>®</sup> )
<b>Observation tube</b>	Trinocular head, Siedentopf type, 360° Swiveling
<b>Inclination</b>	30° inclined
<b>Trinocular light split</b>	Fixed 50:50
<b>Interpupillary distance</b>	55-75mm
<b>Diopter adjustment</b>	On both eyepieces, +/- 5 diopter
<b>Eyepieces</b>	Widefield N-WF10X/20mm with diopter adjustment
<b>Intermediate body</b>	Epi-illuminator quartz halogen with integrated field and aperture diaphragms and external lamphouse
<b>Nosepiece</b>	Reversed quintuple
<b>Objective classification</b>	CCIS <sup>®</sup> LM Plan Achromatic, DIN
<b>Objectives</b>	5X/0.13 (WD 11.5mm), 10X/0.3 (WD 6.8mm), 20X/0.40 (WD 11.1mm), 50X/0.55 (WD 8.2mm)
<b>Objective mounting thread</b>	W 4/5"x1/36" (RMS standard)
<b>Stand type</b>	Upright with pole stand with focusing block and base
<b>Stage</b>	Mechanical stage, hard coated with coaxial stage control
<b>Stage size</b>	180x140mm
<b>Travel range X&amp;Y</b>	100x80mm
<b>Focus mechanism</b>	Coaxial coarse and fine focusing system with tension adjustment
<b>Fine focus precision</b>	2µm
<b>Focusing stroke</b>	30mm
<b>Incident illumination</b>	Quartz halogen 12V/50W with integrated field and aperture diaphragms
<b>Illumination interchangeability</b>	Quartz halogen 12V/50W or LED 3W
<b>Illumination features</b>	External lamp house for Epi-illuminator
<b>Transformer</b>	External
<b>Power supply</b>	100-240V (CE)
<b>Accessories included</b>	Dust cover, power cord, Allen key
<b>Dimensions LxWxH</b>	369x485x391mm
<b>Base</b>	300x300mm
<b>Net weight</b>	15.7kg