

SNOWPOUF Notes

## SPECIFICATION

Range: SNOWPOUF Design: Paola Navone Otto Studio

Free-standing acoustic element

#### Description:

Sound-absorbing poufs made with a supporting structure of wooden material covered with sound-absorbing polyurethane and polyester, which, combined with the Snowsound Fiber sound-absorbing fabric covering made of polyester fibres, allows the elements to best absorb different frequencies.

The webbing side handle is attached to the supporting structure by means of a steel plate.

Inasportable top padded with sound-absorbing technopolymer fibres, characterised by a tone-on-tone overlapping edge. The pouf is equipped with 4 technopolymer feet.

Meets the strength, durability and safety requirements of EN 16139:2013+AC:2013 level 1


Results obtained in tests according to the standards:

EN 16139	prot.n. 308358-/328225-1/2022
EN 16139	prot.n. 308358-/328225-2/2022
EN 1728	prot.n. 308358-/328225-3/2022
EN 1728	prot.n. 308358-/328225-4/2022
EN 1728	prot.n. 308358-/328225-5/2022
EN 1728	prot.n. 308358-/328225-6/2022
EN 1728	prot.n. 308358-/328225-7/2022
EN 1728	prot.n. 308358-/328225-8/2022
EN 1728	prot.n. 308358-/328225-8/2022
EN 1728	prot.n. 308358-/328225-8/2022
EN 1022	prot.n. 308358-/328225-9/2022

#### FIRE REACTION CLASS

Seat fire reaction, Class 1IM according to UNI 9175 and UNI 9175/FA1

Dimensions:





Sound absorbing table

Description: Snowpouf coffee tables

Coffee tables made with a load-bearing structure in wooden material covered with sound-absorbing polyurethane and polyester that, combined with the Snowsound Fiber sound-absorbing fabric covering in polyester fibres, allows the elements to best absorb different frequencies.

Each element is equipped with 4 technopolymer feet.

The table tops are made of oak-veneered wood conglomerate and are fixed to the structure with steel plates.

Dimensioni:



#### Characteristics of the external fabric FIBER 3 MELANGE

Composition: acoustic fibers 100% polyester. No detectable formaldehyde contents.

Weight: 340 (g/m<sup>2</sup>) - 476 (g/linear meter)

#### **REACTION TO FIRE**

Italian Class : Class1. Test executed according to UNI 8456 and UNI 9174

Euroclass: B-s1, d0. Reaction to fire classification according to UNI EN 13501-1, executed following UNI EN ISO 11925-2 and UNI EN 13823

French Class : ClassM1. Test executed according to NF P 92-503 (1995) / NF P 92-504 (1995) and NF P 92-505 (1995)

Exyernal fabric is **Greenguard Gold certified**, validating its low VOC emission characteristics and its contribution to indoor environmental quality.

ABRASION RESISTANCE OF FABRICS - MARTINDALE MACHINE METHOD 50.000 rubs Test executed according to UNI EN ISO 12947-2:2000

DETERMINATIONS OF FABRIC PROPENSITY TO SURFACE FUZZING AND TO PILLING CLASS 5 (5.000 rubs) Test executed according to UNI EN ISO 12945-2:2002

COLOUR FASTNESS TO ARTIFICIAL LIGHT: Xenon arc fading lamp test (BLUE SCALE) FASTNESS INDEX: 7 Test executed according to UNLEN ISO 105 R02:2014

Test executed according to UNI EN ISO 105-B02:2014

Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.

# **ACOUSTIC PERFORMANCE**

Measurement of sound absorption coefficient calculated according to ISO 354:2003, Frequency Hz / Aobj


<b>code 7SN1-XXX</b> External textile cover Fiber 3 Melange	125 Hz / Aobj <b>046</b> m2 250 Hz / Aobj <b>0,76</b> m2 500 Hz / Aobj <b>0,92</b> m2 1000 Hz / Aobj <b>1,01</b> m2 2000 Hz / Aobj <b>0,96</b> m2 4000 Hz / Aobj <b>0,96</b> m2
<b>code 7SN2-XXX</b> External textile cover Fiber 3 Melange	125 Hz / Aobj <b>0,83</b> m2 250 Hz / Aobj <b>1,21</b> m2 500 Hz / Aobj <b>1,48</b> m2 1000 Hz / Aobj <b>1,64</b> m2 2000 Hz / Aobj <b>1,53</b> m2 4000 Hz / Aobj <b>1,44</b> m2
<b>code 7SN3-XXX</b> External textile cover Fiber 3 Melange	125 Hz / Aobj <b>0,43</b> m2 250 Hz / Aobj <b>0,60</b> m2 500 Hz / Aobj <b>0,72</b> m2

## Available colors "Melange":





1000 Hz / Aobj **0,82** m2 2000 Hz / Aobj **0,74** m2 4000 Hz / Aobj **0,68** m2





## Pouf Snowpouf Oval 60 x 100 cm - Fiber 3 Melange textile cover





#### Coffee table Snowpouf ø 55 cm - Fiber 3 Melange textile cover