Printing date 03/15/2023

Reviewed on 03/15/2023

1 Identification

- · Product identifier
- · Trade name: BAY RHUM FRAGRANCE OIL
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: SCENT MEMORY LLC INFO@SCENTMEMORYFRAGRANCE.COM
- Emergency telephone number: During normal opening times: Call Chemtrec Day or Night Domestic North America 800.424.9300/International 703.527.3887 (Collect calls accepted)


2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

| Germ Cell Mutagenicity 1A | H340 May cause genetic defects. |
|---------------------------|--|
| Carcinogenicity 1A | H350 May cause cancer. |
| Aspiration Hazard 1 | H304 May be fatal if swallowed and enters airways. |



Eye Irritation 2A Sensitization - Skin 1

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: CLOVE OIL CINNAMON OIL BAY OIL BASIL OIL INDIAN EUCALYPTUS OIL ORANGE OIL ISO E SUPER · Hazard statements Causes serious eye irritation.

(Contd. on page 2)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

| (Contd. of page 1) |
|--|
| May cause an allergic skin reaction. |
| May cause genetic defects. |
| May cause cancer. |
| May be fatal if swallowed and enters airways. |
| · Precautionary statements |
| Obtain special instructions before use. |
| Do not handle until all safety precautions have been read and understood. |
| Avoid breathing dust/fume/gas/mist/vapors/spray |
| Wash thoroughly after handling. |
| Contaminated work clothing must not be allowed out of the workplace. |
| Wear protective gloves/protective clothing/eye protection/face protection. |
| If swallowed: Immediately call a poison center/doctor. |
| Specific treatment (see on this label). |
| Do NOT induce vomiting. |
| If on skin: Wash with plenty of water. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing. |
| IF exposed or concerned: Get medical advice/attention. |
| If skin irritation or rash occurs: Get medical advice/attention. |
| If eye irritation persists: Get medical advice/attention. |
| Wash contaminated clothing before reuse. |
| Store locked up. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Classification system: |
| NFPA ratings (scale 0 - 4) |
| Health = 2 |
| Fire = 1 |
| 2 0 Reactivity = 0 |
| HMIS-ratings (scale 0 - 4) |
| |
| |
| FIRE 1 Fire = 1 |
| REACTIVITY 0 Reactivity = 0 |
| · Other hazards |
| · Results of PBT and vPvB assessment |
| · PBT: Not applicable. |
| · vPvB: Not applicable. |
| •• |
| |

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| 8000-34-8 | CLOVE OIL | >25-≤50 |
|-----------|--|----------|
| | Aspiration Hazard 1, H304; (1) Eye Irritation 2A, H319; Sensitization - Skin 1, H317 | |
| 8015-91-6 | CINNAMON OIL | >2.5-<10 |
| | Germ Cell Mutagenicity 2, H341; Carcinogenicity 1A, H350; Aspiration Hazard 1, H304; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Flammable Liquids 4, H227 | |

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

| 8006-78-8 | | Contd. of pa >2.5-<1 |
|------------|--|-------------------------|
| | Flammable Liquids 3, H226; Acute Toxicity - Oral 3, H301; Germ Cell Mutagenicity 1A, H340; Carcinogenicity 2, H351; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317 | |
| 8000-48-4 | EUCALYPTUS OIL Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Sensitization - Skin 1, H317 | ≥1-≤2.5 |
| 8008-57-9 | ORANGE OIL Science Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Sensitization - Skin 1, H317 | ≥0.1-<1 |
| 8015-73-4 | BASIL OIL INDIAN Germ Cell Mutagenicity 2, H341; Carcinogenicity 1B, H350; ① Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227 | ≥0.1-<1 |
| 54464-57-2 | ISO E SUPER Skin Irritation 2, H315; Sensitization - Skin 1, H317 | ≥0.1-<1 |
| 118-58-1 | benzyl salicylate Sensitization - Skin 1B, H317 | ≥0.1-<1 |

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing: If symptoms persist consult doctor.*
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

US

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

| | | (Contd. of page 3) |
|----------|--|-------------------------|
| | lequate ventilation. | |
| | e to other sections | |
| | on 7 for information on safe handling. | |
| | on 8 for information on personal protection equipment. | |
| | on 13 for disposal information. | |
| | e Action Criteria for Chemicals | |
| • PAC-1: | | |
| 103-23-1 | DIOCTYL ADIPATE | 17 mg/m ³ |
| 105-37-3 | ETHYL PROPIONATE | 6.3 ppm |
| 119-36-8 | methyl salicylate | 2.3 ppm |
| 100-52-7 | BENZALDEHYDE | 4 ppm |
| · PAC-2: | | |
| 103-23-1 | DIOCTYL ADIPATE | 180 mg/m ³ |
| 105-37-3 | ETHYL PROPIONATE | 69 ppm |
| 119-36-8 | methyl salicylate | 25 ppm |
| 100-52-7 | BENZALDEHYDE | 9.9 ppm |
| · PAC-3: | | |
| 103-23-1 | DIOCTYL ADIPATE | 1,100 mg/m ³ |
| 105-37-3 | ETHYL PROPIONATE | 410 ppm |
| 119-36-8 | methyl salicylate | 150 ppm |
| 100-52-7 | BENZALDEHYDE | 59 ppm |

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• *Additional information:* The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

| Information on basic physical and a General Information | chemical properties | |
|---|---------------------------------------|--|
| Appearance: Form: | Linuid | |
| Form: Color: | Liquid Clear pale yellow to yellow | |
| Odor: | Characteristic | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 214 °C (417.2 °F) | |
| Flash point: | >93 °C (>199.4 °F) | |

US

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

| | (Contd. of page 5) |
|--|--|
| · Flammability (solid, gaseous): | Not applicable. |
| · Ignition temperature: | 340 °C (644 °F) |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: Lower: Upper: | 0.3 Vol % 2.8 Vol % |
| · Vapor pressure at 197 °C (386.6 °F): | 2.6 hPa (2 mm Hg) |
| Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate | 0.98285 g/cm ³ (8.20188 lbs/gal) Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| • Partition coefficient (n-octanol/water) | : Not determined. |
| · Viscosity: Dynamic: Kinematic: | Not determined. Not determined. |
| • Solvent content: VOC content: | 0.00 % 0.0 g/l / 0.00 lb/gal |
| Solids content: | 0.2 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.

(Contd. on page 7)

US

(Contd. of page 6)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

103-23-1 DIOCTYL ADIPATE

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

| · UN-Number | | |
|------------------------------|---------------|--|
| · DOT, IMDG, IATA | not regulated | |
| · UN proper shipping name | | |
| · DOT, IMDG, IATĂ | not regulated | |
| · Transport hazard class(es) | | |
| · DOT, ADN, IMDG, IATA | | |
| · Class | not regulated | |

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

| | (Contd. of page 7 | |
|--|-------------------|--|
| · Packing group · DOT, IMDG, IATA | not regulated | |
| · Environmental hazards: | Not applicable. | |
| · Special precautions for user | Not applicable. | |
| • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. | | |
| · UN "Model Regulation": | not regulated | |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): All substances are active or exempt.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

103-23-1 DIOCTYL ADIPATE

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



С

Printing date 03/15/2023

· Signal word Danger

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

(Contd. of page 8)

| Signu woru Dungen |
|--|
| · Hazard-determining components of labeling: |
| CLOVE OIL |
| CINNAMON OIL |
| BAY OIL |
| BASIL OIL INDIAN |
| EUCALYPTUS OIL |
| ORANGE OIL |
| ISO E SUPER |
| · Hazard statements |
| Causes serious eye irritation. |
| May cause an allergic skin reaction. |
| May cause genetic defects. |
| May cause cancer. |
| May be fatal if swallowed and enters airways. |
| · Precautionary statements |
| Obtain special instructions before use. |
| Do not handle until all safety precautions have been read and understood. |
| Avoid breathing dust/fume/gas/mist/vapors/spray |
| Wash thoroughly after handling. |
| Contaminated work clothing must not be allowed out of the workplace. |
| Wear protective gloves/protective clothing/eye protection/face protection. |
| If swallowed: Immediately call a poison center/doctor. |
| Specific treatment (see on this label). |
| Do NOT induce vomiting. |
| If on skin: Wash with plenty of water. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing. |
| IF exposed or concerned: Get medical advice/attention. |
| If skin irritation or rash occurs: Get medical advice/attention. |
| If eye irritation persists: Get medical advice/attention. |
| Wash contaminated clothing before reuse. |
| Store locked up. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| · National regulations: |
| |

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/15/2023

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

Printing date 03/15/2023

Reviewed on 03/15/2023

Trade name: BAY RHUM FRAGRANCE OIL

| | (Contd. of page 9) |
|---|--------------------|
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Flammable Liquids 3: Flammable liquids – Category 3 | |
| Flammable Liquids 4: Flammable liquids – Category 4 | |
| Acute Toxicity - Oral 3: Acute toxicity – Category 3 | |
| Acute Toxicity - Oral 4: Acute toxicity – Category 4 | |
| Skin Irritation 2: Skin corrosion/irritation – Category 2 | |
| Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A | |
| Sensitization - Skin 1: Skin sensitisation – Category 1 | |
| Sensitization - Skin 1B: Skin sensitisation – Category 1B | |
| Germ Cell Mutagenicity 1A: Germ cell mutagenicity – Category 1A | |
| Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 | |
| Carcinogenicity 1A: Carcinogenicity – Category 1A | |
| Carcinogenicity 1B: Carcinogenicity – Category 1B | |
| Carcinogenicity 2: Carcinogenicity – Category 2 | |
| Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 | |
| Aspiration Hazard 1: Aspiration hazard – Category 1 | |
| • * Data compared to the previous version altered. | |
| | |