Page 1 (10) Issue date: 07/12/2022 Version: 1 (07/12/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BEACH BLANKET BINGO

Version:

1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: BEACH BLANKET BINGO

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name:	Scent MemoryÁLC
E-Mail address:	Op∕QUO ÙÔÒÞVT ÒT UÜŸ∕2ÜOÐŨÖÜODÐÔÒÈÔUT Á
Emergency	Within USA & Canada: 1.800.424.9300 CCN693143Á
Contact:	Outside USA & Canada: +1.703.527.3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

	Flammable Liquid, Hazard Category 4
danger:	Skin Corrosion / Irritation Category 2
	Eye Damage / Irritation Category 2
	Sensitization - Skin Category 1
	Aspiration Hazard Category 1
	Hazardous to the Aquatic Environment - Acute Hazard Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
	H227, Combustible liquid.
	H304, May be fatal if swallowed and enters airways.
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H319, Causes serious eye irritation.
	H410, Very toxic to aquatic life with long lasting effects.
2.2 Label elements	
Signal word:	Danger
Hazard statements:	H227, Combustible liquid.
	H304, May be fatal if swallowed and enters airways.

Page 2 (10) Issue date: 07/12/2022 Version: 1 (07/12/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	BEACH BLANKET BINGO
Version:	1
	H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H410, Very toxic to aquatic life with long lasting effects.
Precautionary statements:	 P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:	
2.3 Other haz	ards
Other hazards	
	Section 3. Composition / information on ingredients
3 2 Mixtures	

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4	23 40%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411

In accordance with UN GHS latest edition

Product: BEACH BLANKET BINGO

Version:

1

1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	23.40%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410
Methyl dihydrojasmonate	24851-98-7	15.67%	Aquatic Acute 3;H402
d-Limonene	5989-27-5	11.70%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
alpha-Hexylcinnamaldehyde	101-86-0	7.30%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411
LILIAL SUB		5.74%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319
2-Isobutyl-4-methyltetrahydro- 2H-pyran-4-ol	63500-71-0	4.74%	Eye Irrit. 2A;H319
Linalyl acetate	115-95-7	4.18%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402
beta-Pinene	127-91-3	1.96%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
p-Mentha-1,4-diene	99-85-4	1.46%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Repr. 2-Asp. Tox 1;H226-H303-H304-H316-H361
Hexyl salicylate	6259-76-3	1.08%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410
Linalool	78-70-6	1.07%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
2,2-Dimethyl-3-phenylpropanol	13351-61-6	0.73%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3- Aquatic Chronic 3;H302-H315-H319-H412
Butylated hydroxytoluene	128-37-0	0.52%	Aquatic Acute 1-Aquatic Chronic 1;H410
alpha-Pinene	80-56-8	0.33%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410
Myrcene (Naturally-Occurring)	123-35-3	0.28%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319- H400-H411
Coumarin	91-64-5	0.26%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402
Geranial	141-27-5	0.22%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H313-H315-H317-H319-H401
Geranyl acetate	105-87-3	0.20%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412
Neral	106-26-3	0.14%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H313-H315-H317-H319-H401
lβBisabolene	495-61-4	0.10%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 2-Aquatic Chronic 2;H304-H315-H317- H332-H411

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Page 4 (10) Issue date: 07/12/2022 Version: 1 (07/12/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BEACH BLANKET BINGO

Version:

1

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Page 5 (10) Issue date: 07/12/2022 Version: 1 (07/12/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BEACH BLANKET BINGO

Version:

1

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Free flowing liquid without sediment
Odour:	Characteristic
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	72 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	0.9680 - 0.9780
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined

Page 6 (10) Issue date: 07/12/2022 Version: 1 (07/12/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	BEACH BLANKET BING	GO					
Version:		1					
Viscosity:			Not determined				
Explosive properties:			Not expected				
Oxidising prop	perties:		Not expected				
9.2 Other infor	mation:						
Refractive Inde	x @ 20C:		1.5054 - 1.5154				
Flash Point (Fa	hrenheit):		161 °F				
Calculated VO	C:		17.20				
Color Range:			3 Very Pale Yellow - 5 Pale Yellow				
		<u>Se</u>	ction 10. Stability and reactivity				

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Based on available data the classification criteria are not met.		
Acute Toxicity Oral	>5000		
Acute Toxicity Dermal	>5000		
Acute Toxicity Inhalation	Not Available		
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2		
Serious eye damage/irritation:	Eye Damage / Irritation Category 2		
Respiratory or skin sensitisation:	Sensitization - Skin Category 1		
Germ cell mutagenicity:	Based on available data the classification criteria are not met.		
Carcinogenicity:	Based on available data the classification criteria are not met.		
Reproductive toxicity:	Based on available data the classification criteria are not met.		

Page 7 (10) Issue date: 07/12/2022 Version: 1 (07/12/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	BEACH BLANKET BIN	GO
Version:		1
STOT-single e	xposure:	Based on available data the classification criteria are not met.
STOT-repeate	d exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:		Aspiration Hazard Category 1
Information at	oout hazardous ingred	ients in the mixture
Not Applicable		
Refer to Sectio	ns 2 and 3 for additiona	l information.
		Section 12. Ecological information
12.1 Toxicity:		

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Other adverse effects:	Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, Benzyl benzoate)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, Benzyl benzoate) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, Benzyl benzoate)	9	-	111

In accordance with UN GHS latest edition

Product: BEACH BLANKET BINGO

Version:

1

ΙCAO ΤΙ	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, Benzyl benzoate)	9	-	111	
---------	--------	--	---	---	-----	--

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene (Naturally-Occurring)	123-35-3	0.2752

None additional

Essential Oil Components:

Name	CAS	%
LEMON OIL CALIFORNIA	8008-56-8	17.2
CORIANDER SEED OIL	8008-52-4	0.06
ORANGE OIL FLORIDA	8028-48-6	0.00016

Section 16. Other information

 Concentration % Limits:
 EH A1=35.74% EH A2=3.57% EH A3=0.35631064% EH C1=91.63% EH C2=8.24% EH C3=0.82048062% EH C4=35.88% SCI 2=50.92% SCI 3=4. 00% EDI 2A=64.66% SS 1=8.55% AH 1=62.43%

 Total Fractional Values:
 EH A1=2.80 EH A2=27.98 EH A3=280.65 EH C1=1.09 EH C2=12.14 EH C3=121.88 EH C4=2.79 SCI 2=1.96 SCI 3=25.00 EDI 2A=1.55 SS 1=11. 70 AH 1=1.60

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1

In accordance with UN GHS latest edition

Product: BEACH BLANKET BINGO

1

Version:

Aquatic Acute 2 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 3 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation H332 Harmful if inhaled H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life H401 Toxic to aquatic life H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment. P240 Use explosion-proof electrical, ventilating and lighting equipment. P241 P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.

In accordance with UN GHS latest edition

Product: BEACH BLANKET BINGO

1

Version:

P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P301/312 P302/352 IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P303/361/353 P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305/351/338 do. Continue rinsing P308/313 IF exposed or concerned: Get medical advice/attention. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Repr. 2 Toxic to Reproduction Category 2 Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1B Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.