



CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date:4/1/2022 Revision date:4/1/2022 :

Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CITRUS SQUEEZE

Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SCENT MEMORY LLC
info@scentmemoryfragrance.com

1.4. Emergency telephone number

Emergency number : 1-800-424-9300 24 Hours Emergency Chemtrec. ERR - CCN2624

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1B H314

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) : Danger

Hazardous ingredients : ALDEHYDE C-16, CITRAL, LINALOOL, HEXYLCINNAMIC ALDEHYDE, DIHYDRO FLORIFFONE TD, SCENTENAL, +d-Limonene

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.

Child-resistant fastening : Not applicable

Tactile warning : Not applicable

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Labelling according to Directive 67/548/EEC or 1999/45/EC

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ALDEHYDE C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8	5 – 10	Skin Corr. 1B, H314 Aquatic Chronic 2, H411
beta-Ionone	(CAS-No.) 79-77-6 (EC-No.) 201-224-3	1 – 5	Aquatic Chronic 2, H411
RASPBERRY KETONE	(CAS-No.) 5471-51-2 (EC-No.) 226-806-4	1 – 5	Acute Tox. 4 (Oral), H302
HEXYLCINNAMIC ALDEHYDE	(CAS-No.) 101-86-0	1 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
+d-Limonene substance with national workplace exposure limit(s) (BE)	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
CITRAL	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6 (EC Index-No.) 605-019-00-3	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
ETHYL MALTOL	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302
LINALOOL	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Decanal	(CAS-No.) 112-31-2 (EC-No.) 203-957-4	1 – 5	Eye Irrit. 2, H319
Octanal	(CAS-No.) 124-13-0	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
ALLYL HEPTANOATE	(CAS-No.) 142-19-8 (EC-No.) 205-527-1	1 – 5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:gas), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	1 – 5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
DIHYDRO FLORIFFONE TD	(CAS-No.) 71048-82-3 (EC-No.) 275-156-8	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
SCENTENAL	(CAS-No.) 86803-90-9 (EC-No.) 429-860-9 (EC Index-No.) 605-034-00-5	< 1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
L-LIMONENE substance with national workplace exposure limit(s) (BE)	(CAS-No.) 5989-54-8 (EC-No.) 227-815-6 (EC Index-No.) 601-029-00-7	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eucalyptol substance with national workplace exposure limit(s) (BE)	(CAS-No.) 470-82-6 (EC-No.) 207-431-5	< 1	Flam. Liq. 3, H226 Skin Sens. 1B, H317

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

beta-Pinene substance with national workplace exposure limit(s) (BE)	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
---	--	-----	---

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Combustible liquid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe gas, fumes, vapour or spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe gas, fumes, vapour or spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CITRAL (5392-40-5)		
USA - ACGIH	ACGIH OEL TWA [ppm]	5 ppm
USA - ACGIH	ACGIH OEL STEL [ppm]	5 ppm
+d-Limonene (5989-27-5)		
Belgium	OEL TWA [ppm]	20 ppm
L-LIMONENE (5989-54-8)		
Belgium	OEL TWA [ppm]	20 ppm
Eucalyptol (470-82-6)		
Belgium	OEL TWA	10 mg/m ³
beta-Pinene (127-91-3)		
Belgium	OEL TWA [ppm]	20 ppm
USA - ACGIH	ACGIH OEL TWA [ppm]	20 ppm
USA - ACGIH	ACGIH OEL STEL [ppm]	20 ppm

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Yellow.
Odour : No data available
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : 194 °F
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : 0.95
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Decanal (112-31-2)	
LD50 oral	3750 mg/kg bodyweight
ALDEHYDE C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Rat)
HEXYLCINNAMIC ALDEHYDE (101-86-0)	
LD50 oral rat	3100 mg/kg (Rat)
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Rabbit)
+d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg bodyweight
DIHYDRO FLORIFFONE TD (71048-82-3)	
LD50 oral	1400 mg/kg bodyweight
ALLYL HEPTANOATE (142-19-8)	
LD50 oral	218 mg/kg bodyweight
LD50 dermal	810 mg/kg bodyweight
L-LIMONENE (5989-54-8)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Assumed to cause serious eye damage
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

CITRAL (5392-40-5)	
LC50 - Fish [1]	4.6 – 10 mg/l (96 h; Leuciscus idus)
EC50 - Crustacea [1]	7 mg/l (48 h; Daphnia magna)
LINALOOL (78-70-6)	
LC50 - Fish [1]	22 – 46 mg/l (96 h; Leuciscus idus; Static system)
LC50 - Fish [2]	27.8 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 - Crustacea [1]	59 mg/l (48 h; Daphnia magna)
EC50 - Other aquatic organisms [1]	≥ 100 mg/l (3 h; Activated sludge)
+d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l (96 h; Pimephales promelas; Lethal)
LC50 - Fish [2]	702 µg/l (96 h; Pimephales promelas)
EC50 - Crustacea [1]	0.36 mg/l (48 h; Daphnia magna; GLP)
Threshold limit - Algae [1]	150 mg/l (72 h; Desmodesmus subspicatus; GLP)
Threshold limit - Algae [2]	2.62 mg/l (72 h; Desmodesmus subspicatus)
beta-Ionone (79-77-6)	
LC50 - Fish [1]	5.1 mg/l (96 h; Pimephales promelas)
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	4.6 mg/l (96 h; Pisces; GLP)
LC50 - Fish [2]	2.32 mg/l (96 h; Brachydanio rerio)
EC50 - Crustacea [1]	426 mg/l (24 h; Daphnia magna; Locomotor effect)
Threshold limit - Algae [1]	647 mg/l (72 h; Pseudokirchneriella subcapitata; Biomass)
Threshold limit - Algae [2]	247 mg/l (72 h; Pseudokirchneriella subcapitata; Growth rate)
L-LIMONENE (5989-54-8)	
LC50 - Fish [1]	0.702 mg/l (96 h; Pimephales promelas; Other isomer)
EC50 - Crustacea [1]	0.73 mg/l (48 h; Daphnia pulex; Other isomer)
Eucalyptol (470-82-6)	
LC50 - Fish [1]	102 mg/l (96 h; Pimephales promelas)
Threshold limit - Other aquatic organisms [1]	40.071 mg/l (720 h; Pimephales promelas; QSAR)
beta-Pinene (127-91-3)	
LC50 - Fish [1]	1 – 10 mg/l (96 h; Pisces)
LC50 - Fish [2]	2 mg/l (96 h; Pisces)
LC50 - Other aquatic organisms [1]	1 – 10 mg/l (96 h)
EC50 - Crustacea [1]	1 mg/l (48 h; Daphnia magna; QSAR)
Threshold limit - Other aquatic organisms [1]	1 - 10,96 h
Threshold limit - Algae [1]	0.6 mg/l (72 h; Algae)
12.2. Persistence and degradability	
ETHYL MALTOL (4940-11-8)	
Persistence and degradability	Biodegradability in water: no data available.
RASPBERRY KETONE (5471-51-2)	
Persistence and degradability	Not established.
Octanal (124-13-0)	
Persistence and degradability	easily degradable in the soil. Readily biodegradable in water. May cause long-term adverse effects in the environment.
Decanal (112-31-2)	
Persistence and degradability	Not established.
CITRAL (5392-40-5)	
Persistence and degradability	not readily degradable in water. Photodegradation in the air. Readily biodegradable in water. Effect on ozone layer.
Biochemical oxygen demand (BOD)	0.556 g O ₂ /g substance
Chemical oxygen demand (COD)	1.99 g O ₂ /g substance

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CITRAL (5392-40-5)	
ThOD	2.84 g O ₂ /g substance
HEXYLCINNAMIC ALDEHYDE (101-86-0)	
Persistence and degradability	Readily biodegradable in water.
LINALOOL (78-70-6)	
Persistence and degradability	Not established.
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance
+d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil. May cause long-term adverse effects in the environment.
ThOD	3.29 g O ₂ /g substance
beta-Ionone (79-77-6)	
Persistence and degradability	Readily biodegradable in water. May cause long-term adverse effects in the environment.
ThOD	2.91 g O ₂ /g substance
DIHYDRO FLORIFFONE TD (71048-82-3)	
Persistence and degradability	May cause long-term adverse effects in the environment.
ALLYL HEPTANOATE (142-19-8)	
Persistence and degradability	May cause long-term adverse effects in the environment.
SCENTENAL (86803-90-9)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Benzyl benzoate (120-51-4)	
Persistence and degradability	Low mobility (soil). Readily biodegradable in water.
L-LIMONENE (5989-54-8)	
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.
ThOD	3.29 g O ₂ /g substance
Eucalyptol (470-82-6)	
Persistence and degradability	Water : Not biodegradable.
beta-Pinene (127-91-3)	
Persistence and degradability	Not readily biodegradable in water. May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
ETHYL MALTOL (4940-11-8)	
Bioaccumulative potential	No data available.
RASPBERRY KETONE (5471-51-2)	
Bioaccumulative potential	Not established.
Octanal (124-13-0)	
BCF - Other aquatic organisms [1]	17 (Estimated value)
Bioaccumulative potential	No bioaccumulation. Not established.
Decanal (112-31-2)	
Bioaccumulative potential	Not established.
CITRAL (5392-40-5)	
BCF - Other aquatic organisms [1]	250 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	2.76 – 3.45 (Estimated value)
Bioaccumulative potential	bioaccumulative.
HEXYLCINNAMIC ALDEHYDE (101-86-0)	
BCF - Other aquatic organisms [1]	3120
Partition coefficient n-octanol/water (Log Pow)	4.7
Bioaccumulative potential	Bioaccumulative potential.
LINALOOL (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 – 3.145
Bioaccumulative potential	Not established.

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

+d-Limonene (5989-27-5)	
BCF - Fish [1]	864.8 – 1022 (Pisces; Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)
Bioaccumulative potential	Bioaccumulative potential. Not established.
beta-Ionone (79-77-6)	
Partition coefficient n-octanol/water (Log Pow)	4.1
Bioaccumulative potential	Not established.
DIHYDRO FLORIFFONE TD (71048-82-3)	
Bioaccumulative potential	Not established.
ALLYL HEPTANOATE (142-19-8)	
Bioaccumulative potential	Not established.
SCENTENAL (86803-90-9)	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
BCF - Fish [1]	2286 (Pisces)
Partition coefficient n-octanol/water (Log Pow)	3.88 – 4
Bioaccumulative potential	Low bioaccumulation potential.
L-LIMONENE (5989-54-8)	
Partition coefficient n-octanol/water (Log Pow)	4.83 (QSAR)
Bioaccumulative potential	bioaccumulative.
Eucalyptol (470-82-6)	
Partition coefficient n-octanol/water (Log Pow)	1.84 (Calculated)
Bioaccumulative potential	Low bioaccumulation potential.
beta-Pinene (127-91-3)	
BCF - Fish [1]	718 (Pimephales promelas; QSAR)
Partition coefficient n-octanol/water (Log Pow)	4.16 (Experimental value)
Bioaccumulative potential	Bioaccumable. Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable

Proper Shipping Name (IMDG) : Not applicable

Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Germany

Regulatory reference	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen	: DIHYDRO FLORIFFONE TD is listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed

Denmark

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
-----------------------------------	---

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

CITRUS SQUEEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.