

THC-P Prerolls

Certificate of Analysis

Sample ID:	HR20250490683	Received:	4/15/2025	Client:	CNBZY HMP LLC
Strain:	MP	Completed:	4/17/2025		
Matrix:	Plant	Type:	Preroll	Batch#:	mni8947

Summary

Test	Result
Batch	Pass
Foreign Material	Pass
Cannabinoids	Pass
Pesticides	Pass
Microbials	Pass
Mycotoxins	Pass
Heavy Metals	Pass
Residual Solvents	Pass

Cannabinoids

Analyte	LOD (% total)	LOQ (% total)	Limit (% total)	Result (% total)	Status
Δ9-THC	0.02000	0.04500	0.30 (Federal)	ND	Pass
Δ9-THC-A	0.01500	0.06100		0.13	
CBD	0.01500	0.04500		11.56	
CBD-A	0.01000	0.03100		8.43	
CBG	0.01300	0.03900		ND	
CBG-A	0.02900	0.08800		0.51	
CBN	0.01600	0.05000		10.56	
Δ8-THC	0.01400	0.04200		2.50	
Exo-THC	0.00330	0.01000		ND	
Δ10-THC	0.00330	0.01000		ND	
THC-OA	0.00330	0.01000		ND	
THC-O	0.00330	0.01000		ND	
THC-P	0.03600	0.06100		2.07	
HHC	0.00330	0.01000		ND	
Total CBD*				18.95	
Total THC**			0.368 (Georgia)	0.11	Pass

Determination of Cannabinoids by HPLC, HL223

*Total CBD = CBDa * 0.877 + CBD

**Total THC = Δ9-THCa * 0.877 + Δ9-THC ; Total THC Measurement Uncertainty (MU): ± 0.068%

Federal limit for hemp ≤ 0.3% Δ9-THC ; Georgia limit for hemp ≤ 0.3% Total THC + MU

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01.

THC-P Prerolls

Certificate of Analysis

Sample ID:	HR20250490683	Received:	4/15/2025	Client:	CNBZY HMP LLC
Strain:	MP	Completed:	4/17/2025		
Matrix:	Plant	Type:	Preroll	Batch#:	mni8947

Pesticides

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	(ppb)	(ppb)	(ppb)	(ppb)			(ppb)	(ppb)	(ppb)	(ppb)	
Abamectin	20	70	70	ND	Pass	Fludioxonil	20	70	70	ND	Pass
Acephate	20	70	70	ND	Pass	Hexythiazox	30	90	90	ND	Pass
Acequinocyl	30	80	80	ND	Pass	Imazalil	30	90	90	ND	Pass
Acetamiprid	20	70	70	ND	Pass	Imidacloprid	30	100	100	ND	Pass
Aldicarb	30	80	80	ND	Pass	Kresoxim Methyl	20	50	50	ND	Pass
Azoxystrobin	20	60	60	ND	Pass	Malathion	20	50	50	ND	Pass
Bifenazate	20	70	70	ND	Pass	Metalaxyl	30	100	100	ND	Pass
Bifenthrin	40	110	100	ND	Pass	Methiocarb	20	60	60	ND	Pass
Boscalid	20	70	70	ND	Pass	Methomyl	20	70	70	ND	Pass
Carbaryl	30	80	80	ND	Pass	Mevinphos	30	80	80	ND	Pass
Carbofuran	30	90	90	ND	Pass	Myclobutanil	20	60	60	ND	Pass
Chlorantraniliprole	20	60	60	ND	Pass	Oxamyl	30	90	90	ND	Pass
Chlordane	30	80	80	ND	Pass	Paclobutrazol	30	90	90	ND	Pass
Chlorpyrifos	10	40	40	ND	Pass	Permethrin	20	70	70	ND	Pass
Coumaphos	20	70	70	ND	Pass	Phosmet (Imidan)	30	90	90	ND	Pass
Cyfluthrin	20	70	70	ND	Pass	Piperonyl butoxide	30	80	80	ND	Pass
Cypermethrin	20	60	60	ND	Pass	Prallethrin	30	80	80	ND	Pass
Daminozide	20	70	70	ND	Pass	Propiconazole	30	90	90	ND	Pass
Diazinon	10	30	30	ND	Pass	Propoxur	30	80	80	ND	Pass
Dichlorvos	30	80	80	ND	Pass	Pyridaben	30	90	90	ND	Pass
Dimethoate	20	50	50	ND	Pass	Spinetoram	20	70	70	ND	Pass
Dimethomorph	30	80	80	ND	Pass	Spiromesifen	30	90	90	ND	Pass
Ethoprophos	30	80	80	ND	Pass	Spirotetramat	20	70	70	ND	Pass
Etofenprox	20	60	60	ND	Pass	Spiroxamine	30	80	80	ND	Pass
Etoazole	20	70	70	ND	Pass	Tebuconazole	30	80	80	ND	Pass
Fenhexamid	30	90	90	ND	Pass	Thiacloprid	20	60	60	ND	Pass
Fenoxycarb	20	70	70	ND	Pass	Thiamethoxam	30	80	80	ND	Pass
Fipronil	30	80	80	ND	Pass	Trifloxystrobin	30	100	100	ND	Pass
Flonicamid	20	70	70	ND	Pass						

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS,

THC-P Prerolls

Certificate of Analysis

Sample ID:	HR20250490683	Received:	4/15/2025	Client:	CNBZY HMP LLC
Strain:	MP	Completed:	4/17/2025		
Matrix:	Plant	Type:	Preroll	Batch#:	mni8947

Microbials

Analyte	Limit (cfu/g)	Result (cfu/g)	Status
<i>Aspergillus flavus</i>	1	0	Pass
<i>Aspergillus fumigatus</i>	1	0	Pass
<i>Aspergillus niger</i>	1	0	Pass
<i>Aspergillus terreus</i>	1	0	Pass
Bile-tolerant gram negative bacteria	1,000	<10	Pass
Shiga Toxin-producing <i>E. coli</i> (STEC)	1	0	Pass
Viable aerobic bacteria (APC)	100,000	11,000	Pass
Yeast and mold	10,000	5,000	Pass

NR = Not Reported; Aerobic Bacteria (Aerobic Plate Count): FDA BAM Jan 2001, Chapter 3. *E. coli* Plate Count: FDA BAM Jan 2001, Chapter 4. Yeast and Mold Plate Count: AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. *Aspergillus* sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	Result	Status
Aflatoxin B1	1.1	3.4	20	ND	Pass
Aflatoxin B2	1.3	4	20	ND	Pass
Aflatoxin G1	2.8	8.4	20	ND	Pass
Aflatoxin G2	1.4	4.2	20	ND	Pass
Ochratoxin A	2.8	8.4	20	ND	Pass

SOP HL 240. Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241.

THC-P Prerolls

Certificate of Analysis

Sample ID:	HR20250490683	Received:	4/15/2025	Client:	CNBZY HMP LLC
Strain:	MP	Completed:	4/17/2025		
Matrix:	Plant	Type:	Preroll	Batch#:	mni8947

Heavy Metals

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	Result (ppb)	Status
Arsenic	59	179	200	ND	Pass
Cadmium	5	14	200	ND	Pass
Lead	55	168	500	ND	Pass
Mercury	5	17	200	<LOQ	Pass

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237.

Solvents

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	Result (ppb)	Status
Butane	10120	30680	800,000	ND	Pass
Ethanol	2730	8270	5,000,000	12	Pass
Heptane	1730	5250	500,000	17	Pass
Hexane	3460	10500	100,000	ND	Pass

ND = Not Detected; SOP HL231. Headspace GC-FID.



Ming Li - General Manager

04/15/2025

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy,