

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/2/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name UFI Type of product Product group

: Mixture : PETOPIA : TX3M-KCTH-100N-4ER4 : Perfumes, fragrances

: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils Europe Calle Torrevieja 2, San Miguel de salinas Alicante 03193 Spain www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

1.4. Emergency telephone number

Emergency number

: 0034 711024907

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008	[CLP]
Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) Contains	 Warning benzyl benzoate; ACETYL HEXAMETHYL TETRALIN; Hexyl salicylate; Vertofix; COUMARIN; Floralozone; Heliotropine; CUPRESSUS FUNEBRIS WOOD OIL; Triplal (Vertocitral); Vertenex
Hazard statements (CLP)	 H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	34.2 – 68.41	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	5 – 10	Aquatic Chronic 2, H411
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	1.4 – 2.75	Eye Irrit. 2, H319
Verdyl acetate	CAS-No.: 5413-60-5 EC-No.: 226-501-6	1.1 – 2.1	Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	1 – 2	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	1 – 2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Vertofix	EC-No.: 251-020-3 Aqua		Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
COUMARIN	CAS-No.: 91-64-5 0.5 – 1 Acute Tox. 3 (Oral), H301 EC-No.: 202-086-7 Acute Tox. 3 (Dermal), H311 REACH-no: 01-2119943756- Acute Tox. 3 (Inhalation), H33 26 Skin Sens. 1, H317 Aquatic Chronic 2, H411			
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.3 – 0.6 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317		
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.3 – 0.5	0.5 Skin Sens. 1B, H317	
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.1 – 0.2	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412	
Ethyl benzoate substance with national workplace exposure limit(s) (RO)	CAS-No.: 93-89-0 EC-No.: 202-284-3	0.1 – 0.1	Not classified	
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.1 – 0.1	Skin Sens. 1B, H317	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects Symptoms/effects after skin contact	Not expected to present a significant hazard under anticipated conditions of normal use.May cause an allergic skin reaction.		
4.0 Indication of environmentics, medical effection and environment reacted			

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.			
5.2. Special hazards arising from the subst	tance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.			
5.3. Advice for firefighters				
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 			

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipr	nent and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			
Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.			

6.3. Methods and material for containment and cleaning up				
For containment	: Collect spillage.			
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.			
Other information	: Dispose of materials or solid residues at an authorized site.			
6.4. Reference to other sections				

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage						
7.1. Precautions for safe handling						
Precautions for safe handling Hygiene measures	soap and wa ventilation in Avoid breathi Contaminate contaminated	 Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 				
7.2. Conditions for safe storage, includir	ng any incompati	bilities				
Storage conditions Incompatible products Incompatible materials Storage temperature Storage area Special rules on packaging Packaging materials	 Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Strong bases. Strong acids. Sources of ignition. Direct sunlight. 25 °C Store in a well-ventilated place. Store away from heat. Store in a closed container. Do not store in corrodable metal. 					
Germany						
Storage class (LGK, TRGS 510) Joint storage table	: LGK 12 - Nor		•			
Joint storage table	¹ LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	: LGK 1, LGK : LGK 4.1A, LC : LGK 2A, LGP	LGK 10 LGK 11 LGK 12 LGK 13 LGK 10-13 : LGK 1, LGK 6.2, LGK 7				
Switzerland						
Storage class (LK)	: LK 10/12 - Li	quids				
7.3. Specific end use(s)						
No additional information available						
SECTION 8: Exposure controls/pers	onal protection					
8.1. Control parameters						
8.1.1 National occupational exposure and bio	logical limit values					
Ethyl benzoate (93-89-0)						
Romania - Occupational Exposure Limits						
OEL TWA	A 200 mg/m ³					

49 ppm 8.1.2. Recommended monitoring procedures

No additional information available

OEL STEL

33 ppm

300 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density Relative density	 Not available Not available > 93.3 °C Not available
Relative density Relative vapour density at 20°C Particle characteristics	: Not available : Not available : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal)	Harmful if swallowed. Not classified Not classified	
ΡΕΤΟΡΙΑ		
ATE CLP (oral)	665.209 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl benzoate (120-51-4)				
LD50 oral	1160 mg/kg bodyweight			
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)			
Ethylene brassylate (105-95-3)				
LD50 oral rat	> 5000 mg/kg (Source: ECHA)			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)			
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)				
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)			
Verdyl acetate (5413-60-5)				
LD50 oral	3050 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)			
ACETYL HEXAMETHYL TETRALIN (21145-77-	-7)			
LD50 oral rat	570 mg/kg (Source: NLM_CIP)			
LD50 oral	1000 mg/kg bodyweight			
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)			
Hexyl salicylate (6259-76-3)				
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)			
Vertofix (32388-55-9)				
LD50 oral	4500 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)			
COUMARIN (91-64-5)				
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)			
LD50 oral	290 mg/kg bodyweight			
LD50 dermal rat	293 mg/kg (Source: ECHA_API)			
Heliotropine (120-57-0)				
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)			
LD50 oral	2700 mg/kg bodyweight			
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)			
Triplal (Vertocitral) (68039-49-6)				
LD50 oral	3900 mg/kg bodyweight			
Ethyl benzoate (93-89-0)				
LD50 oral rat	2100 mg/kg (Source: NLM_CIP)			
LD50 oral	2500 mg/kg bodyweight			
Vertenex (32210-23-4)				
LD50 oral rat	5 g/kg (Source: NLM_CIP)			
LD50 oral	3370 mg/kg bodyweight			
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	, , ,
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	

data, the classification criteria are not met

11.2.2. Other information

Potential adverse human health effects and	: Based on available
symptoms	

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)
Ethyl benzoate (93-89-0)	
LC50 - Fish [1]	6.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
12.2. Persistence and degradability	
ΡΕΤΟΡΙΑ	
Persistence and degradability	Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl benzoate (120-51-4)				
Persistence and degradability	May cause long-term adverse effects in the environment.			
Ethylene brassylate (105-95-3)				
Persistence and degradability	Rapidly degradable			
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)				
Persistence and degradability	Rapidly degradable			
Verdyl acetate (5413-60-5)				
Persistence and degradability	Rapidly degradable			
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)			
Persistence and degradability	Rapidly degradable			
Hexyl salicylate (6259-76-3)				
Persistence and degradability	Rapidly degradable			
Vertofix (32388-55-9)				
Persistence and degradability	Rapidly degradable			
COUMARIN (91-64-5)				
Persistence and degradability	Rapidly degradable			
Floralozone (67634-15-5)				
Persistence and degradability	Rapidly degradable			
Heliotropine (120-57-0)				
Persistence and degradability	Rapidly degradable			
CUPRESSUS FUNEBRIS WOOD OIL (85085-29	9-6)			
Persistence and degradability	Rapidly degradable			
Triplal (Vertocitral) (68039-49-6)				
Persistence and degradability	Rapidly degradable			
Ethyl benzoate (93-89-0)				
Persistence and degradability	Rapidly degradable			
Vertenex (32210-23-4)				
Persistence and degradability	Rapidly degradable			
12.3. Bioaccumulative potential				
ΡΕΤΟΡΙΑ				
Bioaccumulative potential	Not established.			
benzyl benzoate (120-51-4)				
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)			
Bioaccumulative potential	Not established.			
Ethylene brassylate (105-95-3)				
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ted isomers (cis and trans) (63500-71-0)		
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)		
Verdyl acetate (5413-60-5)			
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 30 °C (at pH 5.92)		
ACETYL HEXAMETHYL TETRALIN (21145-77-7)			
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)		
Hexyl salicylate (6259-76-3)			
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)		
Vertofix (32388-55-9)			
BCF - Fish [1]	(3920 dimensionless (organ w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.6 - 5.9		
Heliotropine (120-57-0)			
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)		
Ethyl benzoate (93-89-0)			
Partition coefficient n-octanol/water (Log Pow)	2.59 (at 22.8 °C (at pH 6-7)		
Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
Additional information	Avoid release to the environment.		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecological information HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)	Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group				
111		111	111	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	on available		1	1

14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	M6
Special provisions (ADR)	:	274, 335, 375, 601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading	:	CV13
and handling (ADR)		
Hazard identification number (Kemler No.)	:	90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates	
	90
	90 3082
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F : A
Stowage category (IMDG)	. A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA) ERG code (IATA)	: A97, A158, A197, A215 : 9L
	. 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4 · TD1 TD20
Portable tank and bulk container special provisions	: TP1, TP29
(RID) Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
14.7 Maritime transport in bulk according t	o IMO instrumente

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	ΡΕΤΟΡΙΑ	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	PETOPIA ; benzyl benzoate ; tetrahydro-2- isobutyl-4-methylpyran-4- ol, mixed isomers (cis and trans) ; Vertofix ; Hexyl salicylate ; Floralozone ; Vertenex ; Triplal (Vertocitral) ; CUPRESSUS FUNEBRIS WOOD OIL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	PETOPIA ; benzyl benzoate ; Ethylene brassylate ; Verdyl acetate ; Vertofix ; Hexyl salicylate ; Floralozone ; Triplal (Vertocitral) ; CUPRESSUS FUNEBRIS WOOD OIL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex		
Piperonal		120-57-0	2932 93 00	Category 1		Annex I		
15.1.2. National regulations								
Germany								
Water hazard class (WGK)	: WGK 2, Sig	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).						
Hazardous Incident Ordinance (12. BImSchV)		: Is not subje	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)					
Netherlands								
ABM category		: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment						
SZW-lijst van kankerverwekkende stoffen		: Floralozone, CUPRESSUS FUNEBRIS WOOD OIL, Triplal (Vertocitral) are listed						
SZW-lijst van mutagene stoffen		: Floralozone	: Floralozone, CUPRESSUS FUNEBRIS WOOD OIL, Triplal (Vertocitral) are listed					
SZW-lijst van reprotoxische stoffen – Borstvoeding		g : None of the	: None of the components are listed					
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid		: None of the components are listed						
SZW-lijst van reprotoxische stoffen – Ontwikkeling		; None of the	: None of the components are listed					
Denmark								
Classification remarks Danish National Regulations		: Young peop Pregnant/bi	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product 					

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.