

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 1/25/2022 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Beach side at 10% in DPG:

Product code

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

No additional information available

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils

Calle Torrevieja 2, San Miguel de salinas

www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

### 1.4. Emergency telephone number

0034 711024907

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Warning Contains

: Benzyl salicylate, Cyclamal, Floralozone, Helional, Hexyl cinnamic aldehyde, Hexyl

salicylate, Linalool, Orange oil, Vertenex

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects. : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Precautionary statements (CLP) P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.675005 – 1.3501	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.3 – 0.6	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.25 – 0.5001	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.175 – 0.35	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.125 – 0.25	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
2-Hydroxybenzoic acid, benzyl ester	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442-31	0.1 – 0.2	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8; 600-006- 9; 616-926-9 REACH-no: 01-2119493353- 35	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.09 – 0.18	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.09 – 0.18	Skin Sens. 1B, H317

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.075 – 0.15	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Diphenyl oxide substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0.005 – 0.01	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

# 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

1/25/2022 (Issue date) EN (English) 3/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Diphenyl oxide (101-84-8)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	7 mg/m³		
IOEL TWA [ppm]	1 ppm		
IOEL STEL	14 mg/m³		
IOEL STEL [ppm]	2 ppm		
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	7 mg/m³		
MAK (OEL TWA) [ppm]	1 ppm		
MAK (OEL STEL)	14 mg/m³		
MAK (OEL STEL) [ppm]	2 ppm		
Belgium - Occupational Exposure Limits	Belgium - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapor)		
OEL TWA [ppm]	1 ppm (vapor)		
OEL STEL	14 mg/m³ (vapor)		
OEL STEL [ppm]	2 ppm (vapor)		
Bulgaria - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL STEL (ppm)         2 ppm           Croatia - Occupational Exposure Limits         7 mg/m²           GVI (OEL TWA) [2]         1 ppm           KGVI (OEL STEL) [ppm]         2 ppm           KGVI (OEL STEL) [ppm]         2 ppm           Cyprus - Occupational Exposure Limits         VERY (OEL STEL) [ppm]           OEL TWA (ppm)         1 ppm           OEL TWA (ppm)         1 ppm           OEL STEL [ppm]         2 ppm           Czech Republic - Occupational Exposure Limits         VERY (CEL TWA)           Denmark - Occupational Exposure Limits         Very (CEL TWA)           Denmark - Occupational Exposure Limits         Very (CEL TWA)           Denmark - Occupational Exposure Limits         Very (CEL TWA)           DEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits         Very (CEL TWA)           DEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits         Very (CEL TWA)           Printand - Occupational Exposure Limits         Very (CEL TWA)           Printand - Occupational Exposure Limits         Very (CEL TWA) [2]           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits         Very (CEL TWA) [2]           HTP (OEL STEL) [ppm]         1 ppm	Diphenyl oxide (101-84-8)		
Croatia - Occupational Exposure Limits  GVI (OEL TWA) [1] 7 mg/m²  GVI (OEL TWA) [2] 1 ppm  (KGVI (OEL STEL) 14 mg/m²  KGVI (OEL STEL) [ppm] 2 ppm  Cyprus - Occupational Exposure Limits  OEL TWA 7 mg/m²  OEL TWA [ppm] 1 ppm  OEL STEL [ppm] 2 ppm  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 5 mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 5 mg/m²  Denmark - Occupational Exposure Limits  OEL TWA [7] 1 ppm  DEL TWA [7] 1 ppm  Estonia - Occupational Exposure Limits  OEL TWA [8] 1 ppm  CEL TWA 7 mg/m²  OEL TWA [9] 1 ppm  CEL TWA 9 pmg/m²  DEL TWA 9 pmg/m²  DEL TWA 9 pmg/m²  DEL TWA 9 pmg/m²  DEL STEL [ppm] 1 ppm  OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL STEL) [ppm] 7 mg/m²  HTP (OEL STEL) 1 ppmg/m²  HTP (OEL STEL) 1 ppmg/m²  HTP (OEL TWA) 1 ppmg/m²  HTP (OEL STEL) 1 ppmg/m²  HTP	OEL STEL	14 mg/m³	
SVI (OEL TWA) [1]   7 mg/m²	OEL STEL [ppm]	2 ppm	
	Croatia - Occupational Exposure Limits		
KGVI (OEL STEL) [ppm] 2 ppm  Cyprus - Occupational Exposure Limits  OEL TWA 7 mg/m²  OEL TWA [ppm] 1 ppm  OEL STEL 14 mg/m²  OEL STEL 14 mg/m²  OEL STEL [ppm] 2 ppm  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 5 mg/m²  Denmark - Occupational Exposure Limits  OEL TWA [1] 7 mg/m²  OEL TWA [2] 1 ppm  Estonia - Occupational Exposure Limits  OEL TWA [2] 1 ppm  Estonia - Occupational Exposure Limits  OEL TWA [7] 2 ppm  OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m²  OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [2] 1 ppm  HTP (OEL STEL) [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL STEL) [ppm] 7 mg/m²  HTP (OEL STEL) [ppm] 9 ppm  AFW (OEL TWA) 1 ppm  OEL Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TROS 900)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapory)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m²  OEL TWA 7 mg/m²  OEL TWA 7 mg/m²	GVI (OEL TWA) [1]	7 mg/m³	
Cyprus - Occupational Exposure Limits	GVI (OEL TWA) [2]	1 ppm	
Cyprus - Occupational Exposure Limits	KGVI (OEL STEL)	14 mg/m³	
OEL TWA         7 mg/m³           OEL TWA [ppm]         1 ppm           OEL STEL         14 mg/m³           OEL STEL [ppm]         2 ppm           Czech Republic - Occupational Exposure Limits         5 mg/m³           Del TWA [7]         5 mg/m³           Denmark - Occupational Exposure Limits         0EL TWA [1]           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits         0EL TWA [2]           OEL TWA [2]         1 ppm           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         2 ppm           Finland - Occupational Exposure Limits         HTP (OEL TWA) [2]           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits         VME (OEL TWA) [2]           VME (OEL TWA) [7]         1 ppm           France - Occupational Exposure Limits (TRGS 900)         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 900)         AGW (OEL TWA) [1]         7 t mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           AGW (OEL TWA) [2]         1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Gibraltar - Occupational Exposure Limits <td>KGVI (OEL STEL) [ppm]</td> <td>2 ppm</td>	KGVI (OEL STEL) [ppm]	2 ppm	
OEL TWA [ppm]	Cyprus - Occupational Exposure Limits		
OEL STEL   14 mg/m²   2 ppm   2 ppm   2 ppm   3 ppm	OEL TWA	7 mg/m³	
OEL STEL (ppm)   2 ppm   2 ppm   Czech Republic - Occupational Exposure Limits	OEL TWA [ppm]	1 ppm	
Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 5 mg/m³  Denmark - Occupational Exposure Limits  OEL TWA [1] 7 mg/m³  OEL TWA [2] 1 1 ppm  Estonia - Occupational Exposure Limits  OEL TWA [2] 1 1 ppm  CEL TWA [2] 1 1 ppm  OEL TWA [2] 1 1 ppm  OEL TWA [2] 1 1 ppm  OEL STEL [2] 2 1 1 ppm  OEL STEL [2] 2 1 1 ppm  OEL STEL [2] 3 1 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) 15 ppm 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [2] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	OEL STEL	14 mg/m³	
PEL (OEL TWA) 5 mg/m³  Denmark - Occupational Exposure Limits  OEL TWA [1] 7 mg/m³  OEL TWA [2] 1 ppm  Estonia - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA 7 mg/m³  OEL TWA [2] 1 ppm  OEL STEL 0 14 mg/m³  OEL STEL [2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	OEL STEL [ppm]	2 ppm	
Demark - Occupational Exposure Limits  OEL TWA [1] 7 mg/m³  OEL TWA [2] 1 ppm  Estonia - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm  OEL STEL 14 mg/m³  OEL STEL 14 mg/m³  OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL TWA) [2] 1 ppm  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) 17 mg/m³  HTP (OEL STEL) 19 mg/m³  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA [ppm] 1 ppm	Czech Republic - Occupational Exposure Limits		
OEL TWA [1] 7 mg/m³ OEL TWA [2] 1 ppm  Estonia - Occupational Exposure Limits OEL TWA 7 mg/m³ OEL TWA [ppm] 1 ppm OEL STEL 14 mg/m³ OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 7 mg/m³ HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) 15 mg/m³ HTP (OEL STEL) 16 mg/m³ HTP (OEL STEL) 17 mg/m³ HTP (OEL STEL) 18 mg/m³ HTP (OEL STEL) 19 mg/m³ France - Occupational Exposure Limits VME (OEL TWA) [ppm] 1 ppm OEL chemical category Risk of cutaneous absorption Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ OEL TWA [ppm] 1 ppm	PEL (OEL TWA)	5 mg/m³	
DEL TWA [2] 1 ppm  Estonia - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm  OEL STEL 14 mg/m³  OEL STEL 14 mg/m³  OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL TWA) [2] 1 ppm  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) 12 ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	Denmark - Occupational Exposure Limits		
Estonia - Occupational Exposure Limits  OEL TWA  OEL TWA [ppm] 1 ppm  OEL STEL 14 mg/m²  OEL STEL 2 ppm 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m²  HTP (OEL TWA) [2] 1 ppm  HTP (OEL STEL) 14 mg/m²  HTP (OEL STEL) ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [7] 7 mg/m²  VME (OEL TWA) [8] 1 ppm  CEL CHANA [8] 1 ppm  AGW (OEL TWA) [9] 1 ppm  AGW (OEL TWA) [9] 1 ppm  AGW (OEL TWA) [1] 7 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA [7 mg/m²  1 ppm  1 ppm	OEL TWA [1]	7 mg/m³	
OEL TWA [ppm] 1 ppm OEL STEL 14 mg/m³ OEL STEL 14 mg/m³ OEL STEL 2 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 7 mg/m³ HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) [ppm] 2 ppm France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ VME (OEL TWA) [7] 1 ppm OEL chemical category Risk of cutaneous absorption Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ OEL TWA 7 mg/m³ OEL TWA [7 mg/m³	OEL TWA [2]	1 ppm	
OEL TWA [ppm] 1 ppm OEL STEL 14 mg/m³ OEL STEL [ppm] 2 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 7 mg/m³ HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) [ppm] 2 ppm France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ VME (OEL TWA) 7 mg/m³ OEL chemical category Risk of cutaneous absorption Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ OEL TWA 7 mg/m³ OEL TWA [ppm] 1 ppm	Estonia - Occupational Exposure Limits		
OEL STEL 14 mg/m³  OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 1 ppm  OEL CHMA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	OEL TWA	7 mg/m³	
DEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	OEL TWA [ppm]	1 ppm	
Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL TWA) [2] 1 ppm  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	OEL STEL	14 mg/m³	
HTP (OEL TWA) [1] 7 mg/m³ HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 1 ppm OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³ OEL TWA [ppm] 1 ppm	OEL STEL [ppm]	2 ppm	
HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	Finland - Occupational Exposure Limits		
HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	HTP (OEL TWA) [1]	7 mg/m³	
HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	HTP (OEL TWA) [2]	1 ppm	
France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	HTP (OEL STEL)	14 mg/m³	
VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	HTP (OEL STEL) [ppm]	2 ppm	
VME (OEL TWA) [ppm] 1 ppm  OEL chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	France - Occupational Exposure Limits		
OEL chemical category  Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1]  7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2]  1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA  7 mg/m³  OEL TWA [ppm]  1 ppm	VME (OEL TWA)	7 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1]  7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2]  1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA  7 mg/m³  OEL TWA [ppm]  1 ppm	VME (OEL TWA) [ppm]	1 ppm	
AGW (OEL TWA) [1]  7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2]  1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA  7 mg/m³  OEL TWA [ppm]  1 ppm	OEL chemical category	Risk of cutaneous absorption	
BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	Germany - Occupational Exposure Limits (TRGS 900)		
values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³  OEL TWA [ppm] 1 ppm	AGW (OEL TWA) [1]		
OEL TWA         7 mg/m³           OEL TWA [ppm]         1 ppm	AGW (OEL TWA) [2]		
OEL TWA [ppm] 1 ppm	Gibraltar - Occupational Exposure Limits		
	OEL TWA	7 mg/m³	
OEL STEL 14 mg/m³	OEL TWA [ppm]	1 ppm	
	OEL STEL	14 mg/m³	

# Marine Trend #EU43603F Beach side

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)		
OEL STEL [ppm]	200 ppm	
Greece - Occupational Exposure Limits	<u> </u>	
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	7 mg/m³	
CK (OEL STEL)	14 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	7 mg/m³ (vapour)	
OEL TWA [2]	1 ppm (vapour)	
OEL STEL	14 mg/m³ (vapour)	
OEL STEL [ppm]	2 ppm (vapour)	
Italy - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	
IPRV (OEL TWA) [ppm]	1 ppm	
TPRV (OEL STEL)	14 mg/m³	
TPRV (OEL STEL) [ppm]	2 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	7 mg/m³	
TGG-15min (OEL STEL)	14 mg/m³	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	7 mg/m³	
NDSCh (OEL STEL)	14 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm (vapor)	
OEL STEL	14 mg/m³ (indicative limit value)	
OEL STEL [ppm]	2 ppm (indicative limit value-vapor)	
Romania - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
OEL TWA [ppm]	0.7 ppm	
OEL STEL	10 mg/m³	
OEL STEL [ppm]	1.4 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	7 mg/m³	
NPHV (OEL TWA) [2]	1 ppm	
NPHV (OEL C)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	7.1 mg/m³ (vapor)	
VLA-ED (OEL TWA) [2]	1 ppm (vapor)	
VLA-EC (OEL STEL)	14.2 mg/m³ (vapor)	
VLA-EC (OEL STEL) [ppm]	2 ppm (vapor)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	7 mg/m³	
NGV (OEL TWA) [ppm]	1 ppm	
KTV (OEL STEL)	14 mg/m³	
KTV (OEL STEL) [ppm]	2 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	7.1 mg/m³ (vapour)	
WEL TWA (OEL TWA) [2]	1 ppm (vapour)	
WEL STEL (OEL STEL)	21.3 mg/m³ (calculated-vapour)	
WEL STEL (OEL STEL) [ppm]	3 ppm (calculated-vapour)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	7 mg/m³	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)		
Grenseverdi (OEL TWA) [2]	1 ppm	
Korttidsverdi (OEL STEL)	14 mg/m³ (value from the regulation)	
Korttidsverdi (OEL STEL) [ppm]	2 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	7 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	1 ppm (aerosol, vapour)	
KZGW (OEL STEL)	14 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	2 ppm (aerosol, vapour)	
OEL chemical category	Category 2 developmental toxin, Category 2 reproductive toxin	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	1 ppm (vapor)	
ACGIH OEL STEL [ppm]	2 ppm (vapor fraction)	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

# 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

# 8.2.2.3. Respiratory protection

# Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Odour : characteristic. Odour threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available : Not applicable Melting point Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

: No data available Auto-ignition temperature Decomposition temperature : No data available : Not applicable Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available **Explosive limits** No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# SECTION 11: Toxicological information

11.1 Information on toxicological effects		
Acute toxicity (oral) :	Not classified	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation) : Not classified  Amyl salicylate (2050-08-0)		
LD50 oral rat	4100 mg/kg	
LD50 oral	2000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
2-Hydroxybenzoic acid, benzyl ester (118-58-		
LD50 oral rat	2227 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg	
Diphenyl oxide (101-84-8)		
LD50 oral rat	2450 mg/kg	
LD50 oral	2830 mg/kg bodyweight	
LD50 dermal rabbit	> 7940 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg	

1/25/2022 (Issue date) EN (English) 10/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vertenex (32210-23-4)		
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(acute)

: Harmful to aquatic life with long lasting effects.

(chronic)

(om omo)		
2-Hydroxybenzoic acid, benzyl ester (118-58-1)		
LC50 - Fish [1] 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
Linalool (78-70-6)		
EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)		
Vertenex (32210-23-4)		
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	

## 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

Diphenyl oxide (101-84-8)	
BCF - Fish [1]	470
Partition coefficient n-octanol/water (Log Pow)	4.2

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1 UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Orange oil
3(b)	Marine Trend #EU43603F at 10% in DPG; Amyl salicylate; 2-Hydroxybenzoic acid, benzyl ester; Cyclamal; Floralozone; Helional; Hexyl cinnamic aldehyde; Hexyl salicylate; Linalool; Orange oil; Vertenex
3(c)	Marine Trend #EU43603F at 10% in DPG; Amyl salicylate; 2-Hydroxybenzoic acid, benzyl ester; Cyclamal; Floralozone; Helional; Hexyl cinnamic aldehyde; Hexyl salicylate; Orange oil
40.	Orange oil

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

Germany	,
---------	---

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907

Netherlands

SZW-lijst van kankerverwekkende stoffen : Floralozone,Orange oil are listed SZW-lijst van mutagene stoffen : Floralozone,Orange oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

1/25/2022 (Issue date) EN (English) 13/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.