

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: Black Cherry
UFI	: 2VJ6-G4H2-G008-P9FQ
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils  
Calle Torrevieja 2, San Miguel de salinas  
www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

#### 1.4. Emergency telephone number

Emergency number 0034 711024907

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Contains

: Aldehyde C-16, Hexyl cinnamic aldehyde, Geranyl acetate, Orange oil, Anisyl acetate, Linalool, Eugenol, Damascone Beta, Citronellol Pure, Cyclamyl, Liffarome, Triplal (Vertocitral)

Hazard statements (CLP) :

: H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

: P264 - Wash hands, forearms and face thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770-28	4.5 – 9	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Benzene carboxaldehyde	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-44	3 – 6	Acute Tox. 4 (Oral), H302
p-Tolualdehyde	CAS-No.: 104-87-0 EC-No.: 203-246-9	2.5 – 5	Acute Tox. 4 (Oral), H302
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50	2.5 – 5	Skin Sens. 1, H317 Aquatic Chronic 2, H411

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480-35	2.5 – 5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8; 600-006-9; 616-926-9 REACH-no: 01-2119493353-35	2.5 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Anisyl acetate	CAS-No.: 104-21-2 EC-No.: 203-185-8	2.475 – 4.95	Skin Sens. 1, H317
Benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272-42	2.225 – 4.45	Aquatic Chronic 3, H412
alpha-Ionone	CAS-No.: 127-41-3 EC-No.: 204-841-6 REACH-no: 01-2119965149-27	2 – 4	Aquatic Chronic 3, H412
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-42	2 – 4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
beta-Ionone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	2 – 4	Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314-33	1.925 – 3.85	Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802-33	1.575 – 3.15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Oxyphelylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	1.5 – 3	Acute Tox. 4 (Oral), H302
Damascone Beta	CAS-No.: 23726-92-3 EC-No.: 245-843-7	1.35 – 2.7	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Phenoxyethanol	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943-21	1.125 – 2.25	Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Eye Dam. 1, H318
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573-26	1.125 – 2.25	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Verdorex	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713-33	1 – 2	Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995-23	0.9 – 1.8	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582-32	0.9 – 1.8	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Ethyl acetate substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-46	0.45 – 0.9	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
Liffarome	CAS-No.: 67633-96-9 EC-No.: 266-797-4	0.225 – 0.45	Skin Sens. 1B, H317
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-33	0.11 – 0.22	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.08 – 0.16	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Benzene carboxaldehyde (100-52-7)</b>	
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	4.4 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	1 ppm
HTP (OEL C)	17.4 mg/m <sup>3</sup>
HTP (OEL C) [ppm]]	4 ppm
<b>Hungary - Occupational Exposure Limits</b>	
AK (OEL TWA)	5 mg/m <sup>3</sup>
CK (OEL STEL)	10 mg/m <sup>3</sup>
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	10 mg/m <sup>3</sup>
NDSCh (OEL STEL)	40 mg/m <sup>3</sup>
<b>Benzyl acetate (140-11-4)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	62 mg/m <sup>3</sup>
OEL TWA [ppm]	10 ppm
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	61 mg/m <sup>3</sup>
OEL TWA [2]	10 ppm
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [2]	10 ppm
OEL STEL [ppm]	30 ppm (calculated)
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA [ppm]	10 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	50 mg/m <sup>3</sup>
OEL TWA [ppm]	8 ppm
OEL STEL	80 mg/m <sup>3</sup>
OEL STEL [ppm]	13 ppm

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Benzyl acetate (140-11-4)</b>	
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	62 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	10 ppm
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>Phenoxyethanol (122-99-6)</b>	
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	110 mg/m <sup>3</sup>
MAK (OEL TWA) [ppm]	20 ppm
MAK (OEL STEL)	110 mg/m <sup>3</sup>
MAK (OEL STEL) [ppm]	20 ppm
OEL C	110 mg/m <sup>3</sup>
OEL C [ppm]	20 ppm
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	110 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	20 ppm
HTP (OEL STEL)	290 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	50 ppm
OEL chemical category	Potential for cutaneous absorption
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	5.7 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	230 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	5.7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	5.7 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	110 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	20 ppm (aerosol, vapour)
KZGW (OEL STEL)	110 mg/m <sup>3</sup> (aerosol, vapour)
KZGW (OEL STEL) [ppm]	20 ppm (aerosol, vapour)

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Ethyl acetate (141-78-6)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL TWA	734 mg/m <sup>3</sup>
IOEL TWA [ppm]	200 ppm
IOEL STEL	1468 mg/m <sup>3</sup>
IOEL STEL [ppm]	400 ppm
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	734 mg/m <sup>3</sup>
MAK (OEL TWA) [ppm]	200 ppm
MAK (OEL STEL)	1468 mg/m <sup>3</sup>
MAK (OEL STEL) [ppm]	400 ppm
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup>
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup>
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	734 mg/m <sup>3</sup>
GVI (OEL TWA) [2]	200 ppm
KGVI (OEL STEL)	1468 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	400 ppm
<b>Cyprus - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup>
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Czech Republic - Occupational Exposure Limits</b>	
PEL (OEL TWA)	700 mg/m <sup>3</sup>
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	540 mg/m <sup>3</sup>
OEL TWA [2]	150 ppm
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	500 mg/m <sup>3</sup>
OEL TWA [ppm]	150 ppm
OEL STEL	1100 mg/m <sup>3</sup>



# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Ethyl acetate (141-78-6)</b>	
OEL STEL [ppm]	300 ppm
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	730 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	200 ppm
HTP (OEL STEL)	1470 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	400 ppm
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	1400 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	400 ppm
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	730 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
<b>Gibraltar - Occupational Exposure Limits</b>	
OEL TWA	200 mg/m <sup>3</sup>
OEL TWA [ppm]	734 ppm
OEL STEL	400 mg/m <sup>3</sup>
OEL STEL [ppm]	1468 ppm
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup>
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Hungary - Occupational Exposure Limits</b>	
AK (OEL TWA)	734 mg/m <sup>3</sup>
CK (OEL STEL)	1468 mg/m <sup>3</sup>
OEL chemical category	Sensitizer
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	734 mg/m <sup>3</sup>
OEL TWA [2]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Italy - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup>
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	200 mg/m <sup>3</sup>

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Ethyl acetate (141-78-6)</b>	
OEL TWA [ppm]	54 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	500 mg/m <sup>3</sup>
IPRV (OEL TWA) [ppm]	150 ppm
NRV (OEL C)	1100 mg/m <sup>3</sup>
NRV (OEL C) [ppm]	300 ppm
<b>Luxembourg - Occupational Exposure Limits</b>	
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Malta - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup>
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm
<b>Netherlands - Occupational Exposure Limits</b>	
TGG-8u (OEL TWA)	734 mg/m <sup>3</sup>
TGG-15min (OEL STEL)	1468 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	734 mg/m <sup>3</sup>
NDSch (OEL STEL)	1468 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup> (indicative limit value)
OEL TWA [ppm]	200 ppm (indicative limit value)
OEL STEL	1468 mg/m <sup>3</sup> (indicative limit value)
OEL STEL [ppm]	400 ppm (indicative limit value)
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	400 mg/m <sup>3</sup>
OEL TWA [ppm]	111 ppm
OEL STEL	500 mg/m <sup>3</sup>
OEL STEL [ppm]	139 ppm
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (OEL TWA) [1]	734 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	200 ppm
NPHV (OEL C)	1100 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	734 mg/m <sup>3</sup>
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m <sup>3</sup>
OEL STEL [ppm]	400 ppm

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Ethyl acetate (141-78-6)</b>	
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	734 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	200 ppm
VLA-EC (OEL STEL)	1468 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	400 ppm
<b>Sweden - Occupational Exposure Limits</b>	
NGV (OEL TWA)	550 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	150 ppm
KTV (OEL STEL)	1100 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	300 ppm
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	734 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	1468 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	400 ppm
<b>Norway - Occupational Exposure Limits</b>	
Grenseverdi (OEL TWA) [1]	734 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	200 ppm
Korttidsverdi (OEL STEL)	1468 mg/m <sup>3</sup> (value from the regulation)
Korttidsverdi (OEL STEL) [ppm]	400 ppm (value from the regulation)
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	730 mg/m <sup>3</sup>
MAK (OEL TWA) [2]	200 ppm
KZGW (OEL STEL)	1460 mg/m <sup>3</sup>
KZGW (OEL STEL) [ppm]	400 ppm
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	400 ppm

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses

#### 8.2.2.2. Skin protection

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

Protective gloves

#### 8.2.2.3. Respiratory protection

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 61 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 0.99
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Aldehyde C-16 (77-83-8)

LD50 oral rat	5470 mg/kg
LD50 dermal rat	> 2000 mg/kg

#### Benzene carboxaldehyde (100-52-7)

LD50 oral rat	1292 mg/kg
LD50 dermal rabbit	> 1250 mg/kg

#### p-Tolualdehyde (104-87-0)

LD50 oral rat	1600 mg/kg
LD50 oral	1000 mg/kg bodyweight

#### Hexyl cinnamic aldehyde (101-86-0)

LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h

#### Geranyl acetate (105-87-3)

LD50 oral rat	6330 mg/kg
---------------	------------

#### Orange oil (8008-57-9)

LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Anisyl acetate (104-21-2)</b>	
LD50 dermal rat	> 2000 mg/kg
<b>Benzyl acetate (140-11-4)</b>	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
<b>alpha-Ionone (127-41-3)</b>	
LD50 oral	4590 mg/kg bodyweight
<b>Linalool (78-70-6)</b>	
LD50 oral	2790 mg/kg bodyweight
<b>beta-Ionone (14901-07-6)</b>	
LD50 oral rat	4590 mg/kg
LD50 oral	3490 mg/kg bodyweight
<b>Ethylene brassylate (105-95-3)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>Eugenol (97-53-0)</b>	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
<b>Oxypheylon (Raspberry ketone) crystals (5471-51-2)</b>	
LD50 oral rat	1320 mg/kg
LD50 dermal rat	> 2000 mg/kg
<b>Damascone Beta (23726-92-3)</b>	
LD50 oral	2920 mg/kg bodyweight
<b>Phenoxyethanol (122-99-6)</b>	
LD50 oral rat	1850 mg/kg
LD50 oral	1394 mg/kg bodyweight
LD50 dermal rabbit	5 ml/kg
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h)
<b>Allyl caproate (123-68-2)</b>	
LD50 oral	300 mg/kg bodyweight
LD50 dermal rabbit	820 mg/kg
LD50 dermal	300 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h
<b>Verdox (88-41-5)</b>	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Citronellol Pure (106-22-9)</b>	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight
<b>Cyclamal (103-95-7)</b>	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
<b>Ethyl acetate (141-78-6)</b>	
LD50 oral rat	5620 mg/kg
LD50 dermal rabbit	> 18000 mg/kg
LC50 Inhalation - Rat [ppm]	4000 ppm/4h
<b>Benzyl benzoate (120-51-4)</b>	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
<b>Triplal (Vertocitral) (68039-49-6)</b>	
LD50 oral	3900 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Benzyl acetate (140-11-4)</b>	
IARC group	3 - Not classifiable
<b>Eugenol (97-53-0)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
<b>Phenoxyethanol (122-99-6)</b>	
STOT-single exposure	May cause respiratory irritation.
<b>Ethyl acetate (141-78-6)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

<b>Aldehyde C-16 (77-83-8)</b>	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
<b>Benzene carboxaldehyde (100-52-7)</b>	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>Linalool (78-70-6)</b>	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
<b>Eugenol (97-53-0)</b>	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
<b>Phenoxyethanol (122-99-6)</b>	
LC50 - Fish [1]	337 – 352 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
<b>Allyl caproate (123-68-2)</b>	
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
<b>Ethyl acetate (141-78-6)</b>	
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
<b>Benzyl benzoate (120-51-4)</b>	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
<b>12.2. Persistence and degradability</b>	
<b>Benzyl benzoate (120-51-4)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>12.3. Bioaccumulative potential</b>	
<b>Benzene carboxaldehyde (100-52-7)</b>	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.48 (at 20 °C)
<b>Benzyl acetate (140-11-4)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.96
<b>Phenoxyethanol (122-99-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.13 (at 25 °C)



# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)	
BCF - Fish [1]	30
Partition coefficient n-octanol/water (Log Pow)	0.6
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1 UN number

UN-No. (ADR) : UN 3082  
UN-No. (IMDG) : UN 3082  
UN-No. (IATA) : UN 3082  
UN-No. (ADN) : UN 3082  
UN-No. (RID) : UN 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.  
Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Aldehyde C-16), 9, III, (-)  
Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Aldehyde C-16), 9, III, MARINE POLLUTANT  
Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Aldehyde C-16), 9, III  
Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Aldehyde C-16), 9, III  
Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Aldehyde C-16), 9, III

### 14.3. Transport hazard class(es)


#### ADR

Transport hazard class(es) (ADR) : 9  
Danger labels (ADR) : 9

# Black Cherry


## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830




### IMDG

Transport hazard class(es) (IMDG) : 9  
Danger labels (IMDG) : 9




### IATA

Transport hazard class(es) (IATA) : 9  
Danger labels (IATA) : 9




### ADN

Transport hazard class(es) (ADN) : 9  
Danger labels (ADN) : 9



### RID

Transport hazard class(es) (RID) : 9  
Danger labels (RID) : 9



## 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport


Classification code (ADR) : M6  
Special provisions (ADR) : 274, 335, 375, 601  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : -  
EAC code : •3Z

### Transport by sea

Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29  
Tank codes for RID tanks (RID) : LGBV

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Orange oil ; Ethyl acetate
3(b)	Black Cherry ; Aldehyde C-16 ; Benzene carboxaldehyde ; Hexyl cinnamic aldehyde ; p-Tolualdehyde ; Geranyl acetate ; Orange oil ; Anisyl acetate ; Linalool ; Cyclamal ; Phenoxyethanol ; Allyl caproate ; Ethyl acetate ; Damascone Beta ; Eugenol ; Citronellol Pure ; Liffarome
3(c)	Black Cherry ; Aldehyde C-16 ; Hexyl cinnamic aldehyde ; Geranyl acetate ; Orange oil ; Ethylene brassylate ; Benzyl acetate ; alpha-Ionone ; beta-Ionone ; Cyclamal ; Allyl caproate ; Verdox
40.	Orange oil ; Ethyl acetate

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Orange oil ,Liffarome,Triplal (Vertocitral) are listed

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van mutagene stoffen : Orange oil ,Liffarome,Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

### Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### Switzerland

Storage class (LK) : LK 10/12 - Liquids

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

# Black Cherry

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
H224	Extremely flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.