

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/22/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : Coconut Milk Hibiscus
UFI : FCJE-83VG-C00M-8V27
Type of product : Perfumes, fragrances
Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils

Calle Torrevieja 2, San Miguel de salinas

www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

## 1.4. Emergency telephone number

Emergency number 0034 711024907

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

## 2.2. Label elements

Signal word (CLP)

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

: Warning

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains : Iso E Super, Exaltolide, Cyclamal, Helional, HELIOTROPINE

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.75 – 3.5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410	
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.52 – 3.04	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	1.475 – 2.95	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	0.85 – 1.7	Aquatic Chronic 2, H411	
3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol	CAS-No.: 107898-54-4 EC-No.: 411-580-3 EC Index-No.: 603-150-00-0	0.225 – 0.45	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Butylated hydroxytoluene (BHT) crystals	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119480433-	0.125 – 0.25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
cis-3-Hexenyl salicylate	CAS-No.: 65405-77-8 EC-No.: 265-745-8	0.125 – 0.25	Aquatic Acute 1, H400 Aquatic Chronic 2, H411	
Exaltolide	CAS-No.: 106-02-5 EC-No.: 203-354-6	0.125 – 0.25	Skin Sens. 1B, H317 Aquatic Chronic 2, H411	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier %		Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.075 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	
OXACYCLOHEPTADEC-10-EN-2-ONE	CAS-No.: 28645-51-4 EC-No.: 249-120-7	0.075 – 0.15	Aquatic Chronic 1, H410 (M=10) Aquatic Acute 1, H400 (M=10)	
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.05 – 0.1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411	
Indoflor crystals	CAS-No.: 18096-62-3 EC-No.: 241-997-4	0.05 – 0.1	Repr. 2, H361	
Heliotropine crystals	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.05 – 0.1	Skin Sens. 1B, H317	

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Butylated hydroxytoluene (BHT) crystals (128-37-0)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA) 10 mg/m³			
Belgium - Occupational Exposure Limits  OEL TWA 2 mg/m³ (aerosol and vapor)			

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Butylated hydroxytoluene (BHT) crystals (128-37-0)				
Bulgaria - Occupational Exposure Limits				
OEL TWA	10 mg/m³			
OEL STEL	50 mg/m³			
Croatia - Occupational Exposure Limits				
GVI (OEL TWA) [1]	10 mg/m³			
Denmark - Occupational Exposure Limits				
OEL TWA [1]	10 mg/m³			
Finland - Occupational Exposure Limits				
HTP (OEL TWA) [1]	10 mg/m³			
HTP (OEL STEL)	20 mg/m³			
France - Occupational Exposure Limits				
VME (OEL TWA)	10 mg/m³			
Germany - Occupational Exposure Limits (TRGS 90	00)			
AGW (OEL TWA) [1]	10 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)			
Greece - Occupational Exposure Limits				
OEL TWA	10 mg/m³			
Ireland - Occupational Exposure Limits				
OEL TWA [1]	2 mg/m³			
OEL STEL	6 mg/m³ (calculated)			
Portugal - Occupational Exposure Limits				
OEL TWA	2 mg/m³ (inhalable fraction, aerosol and vapor)			
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen			
Slovenia - Occupational Exposure Limits				
OEL TWA	10 mg/m³ (inhalable fraction)			
OEL STEL	40 mg/m³ (inhalable fraction)			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [1]	10 mg/m³			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA) [1]	10 mg/m³			
WEL STEL (OEL STEL)	30 mg/m³ (calculated)			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA) [1]	mg/m³ (no elevated carcinogenic risk by keeping the MAK-value-aerosol, inhalable it, vapour)			
KZGW (OEL STEL)	40 mg/m³ (aerosol, inhalable dust, vapour)			
OEL chemical category	Category C1B carcinogen carcinogenic with threshold value			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	2 mg/m³ (inhalable fraction and vapor)			
ACGIH chemical category	Not Classifiable as a Human Carcinogen			

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Protective gloves

Boiling point

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

## **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.
Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Flash point : > 93.33 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available

: No data available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density :  $\approx 0.95$ 

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

, ,		
enzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethylene brassylate (105-95-3)				
LD50 oral rat	> 5000 mg/kg			
LD50 dermal rabbit	> 5000 mg/kg			
3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-	1-yl)-4-penten-2-ol (107898-54-4)			
LD50 oral rat	> 2000 mg/kg			
LD50 dermal rabbit	> 2000 mg/kg			
Butylated hydroxytoluene (BHT) crystals (128	-37-0)			
LD50 oral rat	> 2930 mg/kg			
LD50 dermal rat	> 2000 mg/kg			
cis-3-Hexenyl salicylate (65405-77-8)				
LD50 oral rat	5 g/kg			
LD50 oral	2500 mg/kg bodyweight			
LD50 dermal rabbit	> 2000 mg/kg			
Exaltolide (106-02-5)				
LD50 oral rat	> 5 g/kg			
Cyclamal (103-95-7)				
LD50 oral rat	3810 mg/kg			
LD50 oral	3810 mg/kg bodyweight			
LD50 dermal rat	> 5000 mg/kg			
OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4)				
LD50 dermal rat	> 2000 mg/kg			
Helional (1205-17-0)				
LD50 dermal rabbit	> 2000 mg/kg			
Indoflor crystals (18096-62-3)				
LD50 oral	2500 mg/kg bodyweight			
LD50 dermal rat	> 2000 mg/kg			
Heliotropine crystals (120-57-0)				
LD50 oral rat	2700 mg/kg			
LD50 oral	2700 mg/kg bodyweight			
LD50 dermal rat	> 5000 mg/kg			
	Not classified			
, ,	Not classified			
	May cause an allergic skin reaction.			
9	Not classified			
Carcinogenicity :  Butylated hydroxytoluene (BHT) crystals (128)	Not classified  -37-0)			
IARC group	3 - Not classifiable			
	Not classified			
	Not classified			
STOT-repeated exposure :	Not classified			
	Not classified			

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

chronic)				
Benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])  0.168 mg/l			
NOEC (chronic)				
Hexamethylindanopyran (1222-05-5)				
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682			
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas 260 µg/l REACH Dossier 0.131 mg/l REACH Dossier			
EC50 - Crustacea [2]				
EC50 - Other aquatic organisms [1]				
Butylated hydroxytoluene (BHT) crystals (128	-37-0)			
EC50 72h - Algae [1]	6 mg/l (Species: Pseudokirchneriella subcapitata)			
EC50 72h - Algae [2]	> 0.42 mg/l (Species: Desmodesmus subspicatus)			
Heliotropine crystals (120-57-0)				
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])			

## 12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
Butylated hydroxytoluene (BHT) crystals (128	-37-0)	
BCF - Fish [1]	230 – 2500	
Partition coefficient n-octanol/water (Log Pow)	4.17	

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1 UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : UN 3082

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E

SUPER), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E

SUPER), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III
Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E

CLIDED O III

SUPER), 9, III


Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E

SUPER), 9, III

## 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



### **IMDG**

Transport hazard class(es) (IMDG) : Danger labels (IMDG) :



### IATA

Transport hazard class(es) (IATA) Danger labels (IATA)



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



## 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

EAC code : •3Z

## Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

#### Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Coconut Milk Hibiscus #38476F; Iso E Super; Benzyl benzoate; 3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol; Exaltolide; Cyclamal; Helional	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EU restriction list (REA	ACH Annex XVII)
Reference code	Applicable on
3(c)	Coconut Milk Hibiscus #38476F; Iso E Super; Benzyl benzoate; Hexamethylindanopyran; Ethylene brassylate; 3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol; cis-3-Hexenyl salicylate; Exaltolide; Cyclamal; OXACYCLOHEPTADEC-10-EN-2-ONE; Helional

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : cis-3-Hexenyl salicylate is listed SZW-lijst van mutagene stoffen : cis-3-Hexenyl salicylate is listed : cis-3-Hexenyl salicylate is listed : None of the components are listed SZW-lijst van reprotoxische stoffen - : None of the components are listed

32 vv-lijst van reprotoxische stollen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.