

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 5/5/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Christmas Cranberry at 25% in DPG :

Type of product Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

No additional information available

#### 1.4. Emergency telephone number

No additional information available

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warn

Contains : Grapefruit oil, Geranyl acetate, Aldehyde C-16, Linalool, Hexyl salicylate, Hexyl cinnamic

aldehyde, Ethyl linalool, Citral, Damascenone Total

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	5.0675 – 10.135	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	1.0125 – 2.025	Aquatic Chronic 2, H411
Grapefruit oil	CAS-No.: 8016-20-4 EC-No.: 289-904-6;600-007-4	0.74375 – 1.4875	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.74375 – 1.4875	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.5625 – 1.125	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.51875 – 1.0375	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.2565625 – 0.51875	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.25625 – 0.5125	Skin Sens. 1, H317 Aquatic Chronic 2, H411

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isoamyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.1875 – 0.375	Flam. Liq. 3, H226
3,7-Dimethyl-1,6-nonadien-3-ol	CAS-No.: 10339-55-6 EC-No.: 233-732-6 REACH-no: 01-2119969272- 32	0.11875 – 0.2375	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.0625 – 0.125	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Acute Tox. 2 (Inhalation), H330
Citral	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.0625 – 0.125	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Damascenone Total	CAS-No.: 23696-85-7 EC-No.: 245-833-2	0.0625 – 0.125	Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

5/5/2022 (Issue date) EN (English) 3/16

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

Isoamyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m³	
IOEL TWA [ppm]	50 ppm	
IOEL STEL	540 mg/m³	
IOEL STEL [ppm]	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	

# Safety Data Sheet

MAK (OEL TWA) [ppm] 50 ppm (Pentyl acetate (all isomers))  MAK (OEL STEL) 540 mg/m³ (Pentylacetate)  MAK (OEL STEL) [ppm] 100 ppm (Pentylacetate)  Belgium - Occupational Exposure Limits  OEL TWA 270 mg/m³  OEL TWA [ppm] 50 ppm  OEL STEL 540 mg/m³  OEL STEL 540 mg/m³  DEL STEL [ppm] 100 ppm  Bulgaria - Occupational Exposure Limits		
MAK (OEL STEL) [ppm]         100 ppm (Pentylacetate)           Belgium - Occupational Exposure Limits           OEL TWA         270 mg/m³           OEL TWA [ppm]         50 ppm           OEL STEL         540 mg/m³           OEL STEL [ppm]         100 ppm		
Belgium - Occupational Exposure Limits           OEL TWA         270 mg/m³           OEL TWA [ppm]         50 ppm           OEL STEL         540 mg/m³           OEL STEL [ppm]         100 ppm		
OEL TWA       270 mg/m³         OEL TWA [ppm]       50 ppm         OEL STEL       540 mg/m³         OEL STEL [ppm]       100 ppm		
OEL TWA [ppm]     50 ppm       OEL STEL     540 mg/m³       OEL STEL [ppm]     100 ppm		
OEL STEL         540 mg/m³           OEL STEL [ppm]         100 ppm		
OEL STEL [ppm] 100 ppm		
Bulgaria - Occupational Exposure Limits		
OEL TWA 270 mg/m³		
OEL TWA [ppm] 50 ppm		
OEL STEL 540 mg/m³		
OEL STEL [ppm] 100 ppm		
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1] 270 mg/m³		
GVI (OEL TWA) [2] 50 ppm		
KGVI (OEL STEL) 540 mg/m³		
KGVI (OEL STEL) [ppm] 100 ppm		
Cyprus - Occupational Exposure Limits		
OEL TWA 270 mg/m³		
OEL TWA [ppm] 50 ppm		
OEL STEL 540 mg/m³		
OEL STEL [ppm] 100 ppm		
Denmark - Occupational Exposure Limits		
OEL TWA [1] 271 mg/m³ (Amyl acetate, all isomers)		
OEL TWA [2] 50 ppm (Amyl acetate, all isomers)		
Estonia - Occupational Exposure Limits		
OEL TWA 270 mg/m³		
OEL TWA [ppm] 50 ppm		
OEL STEL 540 mg/m³		
OEL STEL [ppm] 100 ppm		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acetate)		
HTP (OEL TWA) [2] 50 ppm (Pentyl acetate)		
HTP (OEL STEL) 540 mg/m³		
HTP (OEL STEL) [ppm] 100 ppm		
France - Occupational Exposure Limits		
VME (OEL TWA) 270 mg/m³ (restrictive limit)		
VME (OEL TWA) [ppm] 50 ppm (restrictive limit)		

# Safety Data Sheet

Isoamyl acetate (123-92-2)			
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)		
VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)		
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1]	270 mg/m³		
AGW (OEL TWA) [2]	50 ppm		
Gibraltar - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Greece - Occupational Exposure Limits			
OEL TWA	530 mg/m³		
OEL TWA [ppm]	100 ppm		
OEL STEL	800 mg/m³		
OEL STEL [ppm]	150 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	270 mg/m³		
CK (OEL STEL)	540 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	260 mg/m³		
OEL TWA [2]	50 ppm		
OEL STEL	520 mg/m³		
OEL STEL [ppm]	100 ppm		
Italy - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Latvia - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	270 mg/m³		
IPRV (OEL TWA) [ppm]	50 ppm		
TPRV (OEL STEL)	540 mg/m³		
TPRV (OEL STEL) [ppm]	100 ppm		
Luxembourg - Occupational Exposure Limits	Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		

# Safety Data Sheet

Isoamyl acetate (123-92-2)			
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Malta - Occupational Exposure Limits	Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Netherlands - Occupational Exposure Limits			
TGG-15min (OEL STEL)	530 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	250 mg/m³		
NDSCh (OEL STEL)	500 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	270 mg/m³ (indicative limit value)		
OEL TWA [ppm]	50 ppm (indicative limit value)		
OEL STEL	540 mg/m³ (indicative limit value)		
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)		
Romania - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA) [1]	270 mg/m³		
NPHV (OEL TWA) [2]	50 ppm		
NPHV (OEL C)	540 mg/m³		
Slovenia - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	270 mg/m³ (indicative limit value)		
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)		
VLA-EC (OEL STEL)	540 mg/m³		
VLA-EC (OEL STEL) [ppm]	100 ppm		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)		
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)		
KTV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	260 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)	
Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Physical state

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

: Liquid

Colour Standard. Odour characteristic. Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available : No data available Boiling point : > 93 °C

Flash point

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

5/5/2022 (Issue date) EN (English) 9/16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

# 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg	
LD50 oral	4600 mg/kg bodyweight	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Grapefruit oil (8016-20-4)		
LD50 oral rat	> 5 g/kg	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg	

5/5/2022 (Issue date) EN (English) 10/16

# Safety Data Sheet

Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-	6)
LD50 oral	5000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Damascenone Total (23696-85-7)	
LD50 dermal	2900 mg/kg bodyweight
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg bodyweight
Allyl amyl glycolate (67634-00-8)	
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	0.43 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation Additional information	<ul><li>Not classified</li><li>Based on available data, the classification criteria are not met</li></ul>
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Additional information	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity Additional information	<ul><li>Not classified</li><li>Based on available data, the classification criteria are not met</li></ul>
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(Citivitie)		
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)		
LC50 - Fish [1]	24 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
Citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	

# 12.2. Persistence and degradability

Christmas Cranberry at 25% in DPG		
Persistence and degradability	Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	

# 12.3. Bioaccumulative potential

Christmas Cranberry at 25% in DPG		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

5/5/2022 (Issue date) EN (English) 12/16

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials

Avoid release to the environment.

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1 UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

5/5/2022 (Issue date) EN (English) 13/16

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	Grapefruit oil ; Isoamyl acetate	
3(b)	Christmas Cranberry at 25% in DPG; Benzyl benzoate; Grapefruit oil; Geranyl acetate; Aldehyde C-16; Linalool; Hexyl salicylate; Hexyl cinnamic aldehyde; 3,7-Dimethyl-1,6-nonadien-3-ol; Allyl amyl glycolate; Citral; Damascenone Total	
3(c)	Christmas Cranberry at 25% in DPG; Benzyl benzoate; Verdox; Grapefruit oil; Geranyl acetate; Aldehyde C-16; Hexyl salicylate; Hexyl cinnamic aldehyde; Damascenone Total	
40.	Grapefruit oil ; Isoamyl acetate	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Grapefruit oil,Allyl amyl glycolate are listed SZW-lijst van mutagene stoffen : Grapefruit oil,Allyl amyl glycolate are listed

5/5/2022 (Issue date) EN (English) 14/16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

None of the components are listedNone of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.