

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 2/9/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product form : Mixture Product name : Dragonfruit Iced Tea at 10% in DPG : Product code : Perfumes, fragrances Type of product : Trade product

Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

| 1.2.1. Relevant identified uses | |
|----------------------------------|------------------------------------|
| Main use category | : Professional use, Industrial use |
| Industrial/Professional use spec | : Industrial |
| | For professional use only |
| Use of the substance/mixture | : Perfumes, fragrances |
| Function or use category | : Odour agents |

1.2.2. Uses advised against

No additional information available

| 1.3. Details of the supplier of the safety data sheet |
|---|
| Forget Me Not Oils |
| Calle Torrevieja 2,San Miguel de salinas |
| www.forgetmenotoilseurope.com & forgetmenothf@gmail.com |
| 1.4. Emergency telephone number |

0034 711024907

| SECTION 2: Hazards identification | |
|---|------|
| 2.1. Classification of the substance or mixture | |
| Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin sensitisation, Category 1 | H317 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 |

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

| Labelling according to Regulation (EC) No. 1272 | /2008 [CLP] |
|---|--|
| Hazard pictograms (CLP) | : GHS07 |
| Signal word (CLP) | : Warning |
| Contains | Hexyl cinnamic aldehyde, Neryl acetate, Vertenex, d-Limonene, Geranyl acetate, Linalyl acetate, Triplal (Vertocitral), Linalool, 2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)- |
| Hazard statements (CLP) | H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects. |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Precautionary statements (CLP) | P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. |
|--------------------------------|---|
| | |

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------------|---|---------------|---|
| Aldehyde C-14 | CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34 | 0.38 – 7.6 | Aquatic Chronic 3, H412 |
| Verdox | CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33 | 0.38 – 7.6 | Aquatic Chronic 2, H411 |
| Linalyl acetate | CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19 | 0.2215 – 4.43 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| Hexyl cinnamic aldehyde | CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50 | 0.1425 – 2.85 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Benzyl acetate | CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42 | 0.1425 – 2.85 | Aquatic Chronic 3, H412 |
| Linalool | CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42 | 0.1175 – 2.35 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| beta-lonone | CAS-No.: 14901-07-6 EC-No.: 238-969-9 | 0.095 – 1.9 | Aquatic Chronic 2, H411 |
| Vertenex | CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24 | 0.07 – 1.4 | Skin Sens. 1B, H317 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|--------------|--|
| Geranyl acetate | CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35 | 0.037 – 0.74 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| Isoamyl acetate substance with a Community workplace exposure limit | CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32 | 0.035 – 0.7 | Flam. Liq. 3, H226 |
| d-Limonene | CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35 | 0.025 – 0.5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Neryl acetate | CAS-No.: 141-12-8 EC-No.: 205-459-2 | 0.02 - 0.4 | Skin Sens. 1B, H317 |
| Benzyl benzoate | CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33 | 0.02 - 0.4 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Triplal (Vertocitral) | CAS-No.: 68039-49-6 EC-No.: 268-264-1 | 0.015 – 0.3 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| Damascone alpha- (E)-1-(2,6,6-Trimethyl-2- cyclohexen-1-yl)-2-buten-1-one (24720-09-0) | CAS-No.: 24720-09-0 EC-No.: 246-430-4 | 0.005 – 0.1 | Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| First-aid measures after inhalation First-aid measures after skin contact | Remove person to fresh air and keep comfortable for breathing.Wash skin with plenty of water. |
|--|--|
| First-aid measures after eye contact First-aid measures after ingestion | Rinse eyes with water as a precaution.Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

| SECTION 5: Firefighting measures | |
|----------------------------------|--|
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 5.2. Special hazards arising from the subst | tance or mixture |
|--|--|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
| 5.3. Advice for firefighters | |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

| SECTION 6: Accidental release measures | | |
|--|---|--|
| 6.1. Personal precautions, protective e | equipment and emergency procedures | |
| 6.1.1. For non-emergency personnel Emergency procedures | : Ventilate spillage area. | |
| 6.1.2. For emergency responders Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | |
| 6.2. Environmental precautions | | |
| Avoid release to the environment. | | |
| 6.3. Methods and material for containing | nent and cleaning up | |
| Methods for cleaning up Other information | Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site. | |
| 6.4. Reference to other sections | | |

For further information refer to section 13.

| SECTION 7: Handling and storag | e |
|--|---|
| 7.1. Precautions for safe handling | |
| Precautions for safe handling Hygiene measures | Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, incl | uding any incompatibilities |
| Storage conditions Storage temperature Storage area Special rules on packaging Packaging materials | Store in a well-ventilated place. Keep cool. 25 °C Store in a well-ventilated place. Store away from heat. Store in a closed container. Do not store in corrodable metal. |

7.3. Specific end use(s)

No additional information available

| SECTION 8: Exposure controls/personal protection | | |
|--|--|--|
| 8.1. Control parameters | | |
| 8.1.1 National occupational exposure and biological limit values | | |
| Benzyl acetate (140-11-4) | | |
| Belgium - Occupational Exposure Limits | | |
| 62 mg/m ³ | | |
| | | |

Safety Data Sheet

| Benzyl acetate (140-11-4) | |
|--|--|
| OEL TWA [ppm] | 10 ppm |
| Denmark - Occupational Exposure Limits | |
| OEL TWA [1] | 61 mg/m ³ |
| OEL TWA [2] | 10 ppm |
| Ireland - Occupational Exposure Limits | |
| OEL TWA [2] | 10 ppm |
| OEL STEL [ppm] | 30 ppm (calculated) |
| Latvia - Occupational Exposure Limits | |
| OEL TWA | 5 mg/m³ |
| Lithuania - Occupational Exposure Limits | 5 mg/m² |
| IPRV (OEL TWA) | 5 mg/m³ |
| | 5 mg/m² |
| Portugal - Occupational Exposure Limits | 10 |
| OEL TWA [ppm] | 10 ppm |
| OEL chemical category | A4 - Not Classifiable as a Human Carcinogen |
| Romania - Occupational Exposure Limits | |
| OEL TWA | 50 mg/m ³ |
| OEL TWA [ppm] | 8 ppm |
| OEL STEL | 80 mg/m ³ |
| OEL STEL [ppm] | 13 ppm |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) [1] | 62 mg/m³ |
| VLA-ED (OEL TWA) [2] | 10 ppm |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA [ppm] | 10 ppm |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen |
| Isoamyl acetate (123-92-2) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOEL TWA | 270 mg/m³ |
| IOEL TWA [ppm] | 50 ppm |
| IOEL STEL | 540 mg/m³ |
| IOEL STEL [ppm] | 100 ppm |
| Austria - Occupational Exposure Limits | |
| MAK (OEL TWA) | 270 mg/m ³ (Pentyl acetate (all isomers)) |
| MAK (OEL TWA) [ppm] | 50 ppm (Pentyl acetate (all isomers)) |
| MAK (OEL STEL) | 540 mg/m³ (Pentylacetate) |
| MAK (OEL STEL) [ppm] | 100 ppm (Pentylacetate) |
| Belgium - Occupational Exposure Limits | |
| OEL TWA | 270 mg/m³ |
| OEL TWA [ppm] | 50 ppm |
| | 1 |

Safety Data Sheet

| Isoamyl acetate (123-92-2) | |
|---|---|
| OEL STEL | 540 mg/m ³ |
| OEL STEL [ppm] | 100 ppm |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA | 270 mg/m ³ |
| OEL TWA [ppm] | 50 ppm |
| OEL STEL | 540 mg/m ³ |
| OEL STEL [ppm] | 100 ppm |
| Croatia - Occupational Exposure Limits | |
| GVI (OEL TWA) [1] | 270 mg/m ³ |
| GVI (OEL TWA) [2] | 50 ppm |
| KGVI (OEL STEL) | 540 mg/m³ |
| KGVI (OEL STEL) [ppm] | 100 ppm |
| Cyprus - Occupational Exposure Limits | |
| OEL TWA | 270 mg/m³ |
| OEL TWA [ppm] | 50 ppm |
| OEL STEL | 540 mg/m³ |
| OEL STEL [ppm] | 100 ppm |
| Denmark - Occupational Exposure Limits | |
| OEL TWA [1] | 271 mg/m ³ (Amyl acetate, all isomers) |
| OEL TWA [2] | 50 ppm (Amyl acetate, all isomers) |
| Estonia - Occupational Exposure Limits | |
| OEL TWA | 270 mg/m ³ |
| OEL TWA [ppm] | 50 ppm |
| OEL STEL | 540 mg/m ³ |
| OEL STEL [ppm] | 100 ppm |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) [1] | 270 mg/m ³ (Pentyl acetate) |
| HTP (OEL TWA) [2] | 50 ppm (Pentyl acetate) |
| HTP (OEL STEL) | 540 mg/m ³ |
| HTP (OEL STEL) [ppm] | 100 ppm |
| France - Occupational Exposure Limits | · |
| VME (OEL TWA) | 270 mg/m ³ (restrictive limit) |
| VME (OEL TWA) [ppm] | 50 ppm (restrictive limit) |
| VLE (OEL C/STEL) | 540 mg/m ³ (restrictive limit) |
| VLE (OEL C/STEL) [ppm] | 100 ppm (restrictive limit) |
| Germany - Occupational Exposure Limits (TRGS 90 |)0) |
| AGW (OEL TWA) [1] | 270 mg/m ³ |
| AGW (OEL TWA) [2] | 50 ppm |

Safety Data Sheet

| Isoamyl acetate (123-92-2) | Isoamyl acetate (123-92-2) | |
|---|----------------------------|--|
| Gibraltar - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m ³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL STEL | 540 mg/m ³ | |
| OEL STEL [ppm] | 100 ppm | |
| Greece - Occupational Exposure Limits | | |
| OEL TWA | 530 mg/m ³ | |
| OEL TWA [ppm] | 100 ppm | |
| OEL STEL | 800 mg/m ³ | |
| OEL STEL [ppm] | 150 ppm | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 270 mg/m ³ | |
| CK (OEL STEL) | 540 mg/m ³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA [1] | 260 mg/m ³ | |
| OEL TWA [2] | 50 ppm | |
| OEL STEL | 520 mg/m ³ | |
| OEL STEL [ppm] | 100 ppm | |
| Italy - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m ³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL STEL | 540 mg/m ³ | |
| OEL STEL [ppm] | 100 ppm | |
| Latvia - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m ³ | |
| OEL TWA [ppm] | 50 ppm | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 270 mg/m ³ | |
| IPRV (OEL TWA) [ppm] | 50 ppm | |
| TPRV (OEL STEL) | 540 mg/m ³ | |
| TPRV (OEL STEL) [ppm] | 100 ppm | |
| Luxembourg - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| OEL STEL | 540 mg/m³ | |
| OEL STEL [ppm] | 100 ppm | |
| Malta - Occupational Exposure Limits | | |
| OEL TWA | 270 mg/m³ | |
| OEL TWA [ppm] | 50 ppm | |
| | | |

Safety Data Sheet

| Isoamyl acetate (123-92-2) | |
|--|---|
| OEL STEL | 540 mg/m³ |
| OEL STEL [ppm] | 100 ppm |
| Netherlands - Occupational Exposure Limits | |
| TGG-15min (OEL STEL) | 530 mg/m³ |
| Poland - Occupational Exposure Limits | |
| NDS (OEL TWA) | 250 mg/m ³ |
| NDSCh (OEL STEL) | 500 mg/m³ |
| Portugal - Occupational Exposure Limits | |
| OEL TWA | 270 mg/m ³ (indicative limit value) |
| OEL TWA [ppm] | 50 ppm (indicative limit value) |
| OEL STEL | 540 mg/m³ (indicative limit value) |
| OEL STEL [ppm] | 100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers) |
| Romania - Occupational Exposure Limits | · |
| OEL TWA | 270 mg/m³ |
| OEL TWA [ppm] | 50 ppm |
| OEL STEL | 540 mg/m³ |
| OEL STEL [ppm] | 100 ppm |
| Slovakia - Occupational Exposure Limits | |
| NPHV (OEL TWA) [1] | 270 mg/m³ |
| NPHV (OEL TWA) [2] | 50 ppm |
| NPHV (OEL C) | 540 mg/m³ |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 270 mg/m³ |
| OEL TWA [ppm] | 50 ppm |
| OEL STEL | 540 mg/m³ |
| OEL STEL [ppm] | 100 ppm |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) [1] | 270 mg/m ³ (indicative limit value) |
| VLA-ED (OEL TWA) [2] | 50 ppm (indicative limit value) |
| VLA-EC (OEL STEL) | 540 mg/m³ |
| VLA-EC (OEL STEL) [ppm] | 100 ppm |
| Sweden - Occupational Exposure Limits | |
| NGV (OEL TWA) | 270 mg/m ³ (Pentyl acetates) |
| NGV (OEL TWA) [ppm] | 50 ppm (Pentyl acetates) |
| KTV (OEL STEL) | 540 mg/m ³ (Pentyl acetates) |
| KTV (OEL STEL) [ppm] | 100 ppm (Pentyl acetates) |
| Norway - Occupational Exposure Limits | |
| Grenseverdi (OEL TWA) [1] | 260 mg/m ³ |
| Grenseverdi (OEL TWA) [2] | 50 ppm |

Safety Data Sheet

| Isoamyl acetate (123-92-2) | |
|---|---|
| Korttidsverdi (OEL STEL) | 325 mg/m ³ (value calculated) |
| Korttidsverdi (OEL STEL) [ppm] | 75 ppm (value calculated) |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH OEL TWA [ppm] | 50 ppm (Pentyl acetate, all isomers) |
| ACGIH OEL STEL [ppm] | 100 ppm (Pentyl acetate, all isomers) |
| d-Limonene (5989-27-5) | <u>.</u> |
| Finland - Occupational Exposure Limits | |
| HTP (OEL TWA) [1] | 140 mg/m ³ |
| HTP (OEL TWA) [2] | 25 ppm |
| HTP (OEL STEL) | 280 mg/m ³ |
| HTP (OEL STEL) [ppm] | 50 ppm |
| Germany - Occupational Exposure Limits (TRGS 90 | 0) |
| AGW (OEL TWA) [1] | 28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| AGW (OEL TWA) [2] | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
| Chemical category | Skin notation, Skin sensitization |
| Slovenia - Occupational Exposure Limits | |
| OEL TWA | 28 mg/m³ |
| OEL TWA [ppm] | 5 ppm |
| OEL STEL | 112 mg/m ³ |
| OEL STEL [ppm] | 20 ppm |
| OEL chemical category | Potential for cutaneous absorption |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) [1] | 168 mg/m ³ |
| VLA-ED (OEL TWA) [2] | 30 ppm |
| OEL chemical category | Sensitizer, skin - potential for cutaneous absorption |
| Norway - Occupational Exposure Limits | |
| Grenseverdi (OEL TWA) [1] | 140 mg/m ³ |
| Grenseverdi (OEL TWA) [2] | 25 ppm |
| Korttidsverdi (OEL STEL) | 175 mg/m ³ (value calculated) |
| Korttidsverdi (OEL STEL) [ppm] | 37.5 ppm (value calculated) |
| OEL chemical category | Allergenic substance |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) [1] | 40 mg/m³ |
| MAK (OEL TWA) [2] | 7 ppm |
| KZGW (OEL STEL) | 80 mg/m³ |
| KZGW (OEL STEL) [ppm] | 14 ppm |
| OEL chemical category | Sensitizer |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : light yellow. amber. Odour : characteristic. Odour threshold : No data available : No data available pН Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available : No data available Boiling point Flash point : > 93 °C Auto-ignition temperature : No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Decomposition temperature Flammability (solid, gas) | : No data available : No data available |
|--|--|
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

| SECTION 10: Stability and reactivity | |
|---|--|
| 10.1. Reactivity | |
| The product is non-reactive under normal conditions of use, starage and transport | |

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information | |
|---|--|
| 11.1 Information on toxicological effects | |
| Acute toxicity (dermal) : | Not classified Not classified Not classified |
| LD50 oral rat | 4600 mg/kg |
| LD50 oral | 4600 mg/kg bodyweight |
| Aldehyde C-14 (104-67-6) | |
| LD50 oral rat | 18500 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| Linalyl acetate (115-95-7) | |
| LD50 oral rat | 14550 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |

Safety Data Sheet

| Benzyl acetate (140-11-4) | |
|--|--|
| LD50 oral rat | 2490 mg/kg |
| LD50 oral | 2490 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg |
| Hexyl cinnamic aldehyde (101-86-0) | |
| LD50 oral rat | 3100 mg/kg |
| LD50 oral | 3100 mg/kg bodyweight |
| LD50 dermal rabbit | > 3000 mg/kg |
| LC50 Inhalation - Rat | > 5 mg/l/4h |
| Linalool (78-70-6) | |
| LD50 oral | 2790 mg/kg bodyweight |
| beta-Ionone (14901-07-6) | |
| LD50 oral rat | 4590 mg/kg |
| Vertenex (32210-23-4) | |
| LD50 oral rat | 5 g/kg |
| LD50 oral | 3370 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg |
| Geranyl acetate (105-87-3) | |
| LD50 oral rat | 6330 mg/kg |
| d-Limonene (5989-27-5) | |
| LD50 oral rat | 4400 mg/kg |
| LD50 dermal rabbit | > 5 g/kg |
| Benzyl benzoate (120-51-4) | |
| LD50 oral rat | 500 mg/kg |
| LD50 oral | 1500 mg/kg bodyweight |
| LD50 dermal rabbit | 4000 mg/kg |
| LD50 dermal | 4000 mg/kg bodyweight |
| Neryl acetate (141-12-8) | |
| LD50 oral rat | > 5 g/kg |
| LD50 dermal rabbit | > 6 ml/kg |
| Triplal (Vertocitral) (68039-49-6) | |
| LD50 oral | 3900 mg/kg bodyweight |
| Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0) | |
| LD50 oral | 1670 mg/kg bodyweight |
| LD50 dermal rat | 2150 – 2780 mg/kg |
| LD50 dermal | 2900 mg/kg bodyweight |
| | Not classified |
| Serious eye damage/irritation : Respiratory or skin sensitisation : | Not classified May cause an allergic skin reaction. |

Safety Data Sheet

| Germ cell mutagenicity : | Not classified |
|---------------------------|----------------------|
| Carcinogenicity : | Not classified |
| Benzyl acetate (140-11-4) | |
| IARC group | 3 - Not classifiable |
| d-Limonene (5989-27-5) | |
| IARC group | 3 - Not classifiable |
| Reproductive toxicity : | Not classified |
| STOT-single exposure : | Not classified |
| STOT-repeated exposure : | Not classified |
| Aspiration hazard : | Not classified |

| SECTION 12: Ecological information | |
|--|---|
| 12.1. Toxicity | |
| Hazardous to the aquatic environment, short-term : (acute) | The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Harmful to aquatic life with long lasting effects. |
| Aldehyde C-14 (104-67-6) | |
| LC50 - Fish [1] | 569 mg/l 96 h |
| EC50 - Crustacea [1] | 5.85 mg/l 48 h |
| EC50 - Other aquatic organisms [1] | 5.94 mg/l 72 h |
| Linalyl acetate (115-95-7) | |
| LC50 - Fish [1] | 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through]) |
| Linalool (78-70-6) | |
| EC50 96h - Algae [1] | 88.3 mg/l (Species: Desmodesmus subspicatus) |
| Vertenex (32210-23-4) | |
| LC50 - Fish [1] | 8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static]) |
| d-Limonene (5989-27-5) | |
| LC50 - Fish [1] | 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 - Fish [2] | 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| Benzyl benzoate (120-51-4) | |
| LC50 - Fish [1] | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| NOEC (chronic) | 0.168 mg/l |
| 12.2. Persistence and degradability | |
| Benzyl benzoate (120-51-4) | |
| Persistence and degradability | May cause long-term adverse effects in the environment. |

| Persistence and degradability | May cause long-term adverse effects in the environment. |
|---|---|
| 12.3. Bioaccumulative potential | |
| Benzyl acetate (140-11-4) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.96 |

Safety Data Sheet

| Benzyl benzoate (120-51-4) | |
|--|--|
| Partition coefficient n-octanol/water (Log Pow) | 4 |
| Bioaccumulative potential | Not established. |
| 12.4. Mobility in soil | |
| No additional information available | |
| 12.5. Results of PBT and vPvB assessment | |
| No additional information available | |
| 12.6. Other adverse effects | |
| No additional information available | |
| SECTION 13: Disposal considerations | |
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| SECTION 14: Transport information | |
| In accordance with ADR / IMDG / IATA / ADN / RID | |
| 14.1 UN number | |
| UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID) | Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) | Not applicable Not applicable Not applicable Not applicable Not applicable |
| 14.3. Transport hazard class(es) | |
| ADR Transport hazard class(es) (ADR) | : Not applicable |
| IMDG Transport hazard class(es) (IMDG) | : Not applicable |
| IATA Transport hazard class(es) (IATA) | : Not applicable |
| ADN Transport hazard class(es) (ADN) | : Not applicable |
| RID Transport hazard class(es) (RID) | : Not applicable |
| 14.4. Packing group | |
| Packing group (ADR) | : Not applicable |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Packing group (IMDG) | : Not applicable |
|-------------------------------|--|
| Packing group (IATA) | : Not applicable |
| Packing group (ADN) | : Not applicable |
| Packing group (RID) | : Not applicable |
| 14.5. Environmental hazards | |
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | : No supplementary information available |

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| EU restriction list (REACH Annex XVII) | | |
|--|---|--|
| Reference code | Applicable on | |
| 3(a) | Isoamyl acetate ; d-Limonene | |
| 3(b) | Dragonfruit Iced Tea #EU45172F at 10% in DPG ; Hexyl cinnamic aldehyde ; Neryl acetate ; Vertenex ; d-Limonene ; Geranyl acetate ; Linalyl acetate ; Triplal (Vertocitral) ; Linalool ; Benzyl benzoate ; Damascone alpha- (E)-1-(2,6,6- Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) | |
| 3(c) | Dragonfruit Iced Tea #EU45172F at 10% in DPG ; Hexyl cinnamic aldehyde ; Aldehyde C-14 ; Benzyl acetate ; d- Limonene ; Verdox ; Geranyl acetate ; Triplal (Vertocitral) ; beta-Ionone ; Benzyl benzoate ; Damascone alpha- (E)-1- (2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) | |
| 40. | Isoamyl acetate ; d-Limonene | |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

Germany

| Employment restrictions | : Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG) |
|--|--|
| Water hazard class (WGK) | : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1) |
| Hazardous Incident Ordinance (12. BImSchV) | : Is not subject of the Hazardous Incident Ordinance (12. BImSchV) |
| Netherlands | |
| SZW-lijst van kankerverwekkende stoffen | : Triplal (Vertocitral) is listed |
| SZW-lijst van mutagene stoffen | : Triplal (Vertocitral) is listed |
| SZW-lijst van reprotoxische stoffen – Borstvoeding | : None of the components are listed |
| SZW-lijst van reprotoxische stoffen – | : None of the components are listed |
| Vruchtbaarheid | |
| SZW-lijst van reprotoxische stoffen – Ontwikkeling | : None of the components are listed |
| Denmark | |
| Classification remarks | : Emergency management guidelines for the storage of flammable liquids must be followed |
| Danish National Regulations | : Young people below the age of 18 years are not allowed to use the product |
| Switzerland | |
| Storage class (LK) | : LK 10/12 - Liquids |
| | |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Liq. 3 | Flammable liquids, Category 3 | |
| H226 | Flammable liquid and vapour. | |
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| Skin Sens. 1 | Skin sensitisation, Category 1 | |
| Skin Sens. 1B | Skin sensitisation, category 1B | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.