

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 2/9/2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier** Product form : Mixture Product name : Dragonfruit Iced Tea at 25% in DPG : Product code EU45172F-25% Type of product : Perfumes, fragrances Product group Trade product ÷ 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use, Industrial use Industrial/Professional use spec Industrial For professional use only Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Forget Me Not Oils Calle Torrevieja 2,San Miguel de salinas www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

**1.4. Emergency telephone number** 

0034 711024907

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
Hazard pictograms (CLP)	: GHS07	
Signal word (CLP)	: Warning	
Contains	<ul> <li>Hexyl cinnamic aldehyde, Neryl acetate, Vertenex, d-Limonene, Geranyl acetate, Linalyl acetate, Triplal (Vertocitral), Linalool, 2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-</li> </ul>	
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	<ul> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0.95 – 7.6	Aquatic Chronic 3, H412
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.95 – 7.6	Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	EC-No.: 204-116-4 4.43 Eye REACH-no: 01-2119454789- Ski	
Hexyl cinnamic aldehyde			Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.35625 – 2.85	Aquatic Chronic 3, H412
Linalool	EC-No.: 201-134-4 2.35 Eye		Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.2375 – 1.9	Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.175 – 1.4	Skin Sens. 1B, H317

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.0925 – 0.74	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Isoamyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.0875 – 0.7	Flam. Liq. 3, H226
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.0625 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Neryl acetate	CAS-No.: 141-12-8 EC-No.: 205-459-2	0.05 – 0.4	Skin Sens. 1B, H317
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.05 – 0.4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.0375 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2- cyclohexen-1-yl)-2-buten-1-one (24720-09-0)	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.0125 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.		
First-aid measures after skin contact	: Wash skin with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.		
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.		
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
4.2. Most important symptoms and eff	4.2. Most important symptoms and effects, both acute and delayed		

Symptoms/effects

fects : Not expected to present a significant hazard under anticipated conditions of normal use.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide. Sand.</li><li>Do not use a heavy water stream.</li></ul>		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire : Toxic fumes may be released.			
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.		

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.			
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage area	:	Store in a well-ventilated place. Store away from heat.
Special rules on packaging	:	Store in a closed container.
Packaging materials	:	Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m <sup>3</sup>	
OEL TWA [2]	10 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	10 ppm	
OEL STEL [ppm]	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m <sup>3</sup>		
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
OEL TWA [ppm]	8 ppm	
OEL STEL	80 mg/m³	
OEL STEL [ppm] 13 ppm		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1] 62 mg/m <sup>3</sup>		
VLA-ED (OEL TWA) [2] 10 ppm		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm] 10 ppm		
ACGIH chemical category Not Classifiable as a Human Carcinogen		
Isoamyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 270 mg/m <sup>3</sup>		

## Safety Data Sheet

Isoamyl acetate (123-92-2)		
IOEL TWA [ppm]	50 ppm	
IOEL STEL	540 mg/m³	
IOEL STEL [ppm]	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetate (all isomers))	
MAK (OEL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m <sup>3</sup> (Pentylacetate)	
MAK (OEL STEL) [ppm]	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Croatia - Occupational Exposure Limits	·	
GVI (OEL TWA) [1]	270 mg/m <sup>3</sup>	
GVI (OEL TWA) [2]	50 ppm	
KGVI (OEL STEL)	540 mg/m³	
KGVI (OEL STEL) [ppm]	100 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	271 mg/m <sup>3</sup> (Amyl acetate, all isomers)	
OEL TWA [2]	50 ppm (Amyl acetate, all isomers)	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	270 mg/m <sup>3</sup> (Pentyl acetate)	
HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)	

## Safety Data Sheet

HTP (QEL STEJ.) [pm]         540 mg/m <sup>2</sup> HTP (QEL STEJ.) [pm]         100 pm           France - Occupational Exposure Limits         270 mg/m <sup>2</sup> (restrictive limit)           VME (QEL TVA).         500 pm (restrictive limit)           VME (QEL CSTEJ.)         540 mg/m <sup>2</sup> (restrictive limit)           VLE (QEL CSTEJ.) [pm]         100 ppm (restrictive limit)           VLE (QEL CSTEJ.) [pm]         100 ppm (restrictive limit)           Germany - Occupational Exposure Limits (TRGS 900)         AGW (QEL TWA) [1]           AGW (QEL TWA) [2]         50 ppm           Gibratar - Occupational Exposure Limits         500 ppm           OEL TWA [2]         50 ppm           OEL TWA [2]         50 ppm           OEL TWA [pm]         60 ppm           OEL STEL         640 mg/m <sup>2</sup> OEL TWA [pm]         60 ppm           OEL STEL         540 mg/m <sup>2</sup> OEL TWA [pm]         100 ppm           OEL TWA [ppm]         270 mg/m <sup>2</sup>	Isoamyl acetate (123-92-2)		
France - Occupational Exposure Limits           VME (OEL TWA)         270 mg/m² (restrictive limit)           VME (OEL TWA) [ppm]         50 ppm (restrictive limit)           VLE (OEL CXFEL)         540 mg/m² (restrictive limit)           VLE (OEL CXFEL) [ppm]         100 ppm (restrictive limit)           Germany - Occupational Exposure Limits (TROS 900)         AGW (OEL TWA) [1]           AGW (OEL TWA) [2]         50 ppm           Gibratar - Occupational Exposure Limits (TROS 900)         AGW (OEL TWA) [2]           OEL TWA (Ifpm]         270 mg/m²           OEL TWA (Ippm]         50 ppm           OEL TWA (Ippm]         50 ppm           OEL TWA (Ippm]         100 ppm           Gereco - Occupational Exposure Limits         CE           OEL TWA (Ippm]         100 ppm           OEL TWA (Ippm]         270 mg/m²           OEL TWA (Ippm]         270 mg/m²           OEL STEL (Ippm]         100 ppm           OEL TWA (2]         50 ppm	HTP (OEL STEL)	540 mg/m <sup>3</sup>	
VME (OEL TWA)         270 mg/m² (restrictive limit)           VME (OEL TWA) (ppm)         50 ppm (restrictive limit)           VLE (OEL CSTEL)         540 mg/m² (restrictive limit)           VLE (OEL CSTEL) (ppm)         100 ppm (restrictive limit)           Germany - Occupational Exposure Limits (TRGS 900)         AGW (OEL TWA) [2]           AGW (OEL TWA) [2]         50 ppm           Gibraltar - Occupational Exposure Limits         270 mg/m²           OEL TWA         50 ppm           OEL TWA (ppm]         50 ppm           OEL STEL         540 mg/m²           OEL STEL [ppm]         100 ppm           OEL TWA         530 mg/m²           OEL TWA         530 mg/m²           OEL TWA         500 ppm           OEL TWA         530 mg/m²           OEL TWA         530 mg/m²           OEL TWA         500 ppm           OEL TWA         500 pg/m²           OEL TWA         270 mg/m²           OEL TWA         270 mg/m²           CK (OEL STEL)         540 mg/m²<	HTP (OEL STEL) [ppm]	100 ppm	
VME (OEL TWA) [ppm]50 ppm (restrictive limit)VLE (OEL CYSTEL)640 mg/m² (restrictive limit)VLE (OEL CYSTEL) (ppm]100 ppm (restrictive limit)Germany - Occupational Exposure Limits (TROS 900)AGW (OEL TWA) [1]270 mg/m²AGW (OEL TWA) [2]50 ppmGibrattar - Occupational Exposure Limits50 ppmOEL TWA270 mg/m²OEL TWA100 ppmOEL TWA50 ppmOEL STEL540 mg/m²OEL STEL [ppm]100 ppmOEL TWA530 mg/m²OEL TWA530 mg/m²OEL TWA540 mg/m²OEL STEL [ppm]100 ppmOEL TWA530 mg/m²OEL TWA530 mg/m²OEL TWA540 mg/m²OEL TWA540 mg/m²OEL TWA270 mg/m²OEL TWA270 mg/m²OEL TWA540 mg/m²OEL TWA270 mg/m²OEL TWA270 mg/m²OEL TWA [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]540 mg/m²OEL TWA [ppm]260 mg/m²OEL TWA [0E STEL]540 mg/m²OEL TWA [1]260 mg/m²OEL TWA [2]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m²OEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmItaly	France - Occupational Exposure Limits	·	
VLE (OEL C/STEL)         S40 mg/m³ (restrictive limit)           VLE (OEL C/STEL) (ppm)         100 ppm (restrictive limit)           Germany - Occupational Exposure Limits (TRGS 900)         AGW (OEL TWA) [1]         270 mg/m³           AGW (OEL TWA) [2]         50 ppm         Gibralar - Occupational Exposure Limits           OEL TWA         [2]         50 ppm           OEL TWA         270 mg/m³         OEL TWA           OEL TWA         540 mg/m³         OEL TWA           OEL TWA         540 mg/m³         OEL TWA           OEL STEL         540 mg/m³         OEL TWA           OEL STEL (ppm)         100 ppm         Gerees - Occupational Exposure Limits           OEL TWA         530 mg/m³         OEL TWA           OEL STEL (ppm)         100 ppm         OEL STEL (ppm)           OEL TWA         530 mg/m³         OEL STEL (ppm)           OEL STEL (ppm)         100 ppm         OEL STEL (ppm)           OEL STEL (ppm)         100 ppm         OEL STEL (ppm)           Hungary - Occupational Exposure Limits         AK (OEL TWA)         270 mg/m³           OEL STEL (ppm)         540 mg/m³         OEL TWA (ppm)           OEL TWA (1]         260 mg/m³         OEL TWA (ppm)           OEL TWA (1]         50 ppm         OEL STEL	VME (OEL TWA)	270 mg/m <sup>3</sup> (restrictive limit)	
VLE (OEL C/STEL) (ppm]         100 ppm (restrictive limit)           Germany - Occupational Exposure Limits (TRGS 900)         AGW (OEL TWA) [1]         270 mg/m³           AGW (OEL TWA) [2]         50 ppm         Gibralar - Occupational Exposure Limits           OEL TWA         270 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA         270 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA         50 ppm         Gibralar - Occupational Exposure Limits           OEL STEL         540 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA         500 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA         500 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA         500 mg/m³         Gibralar - Occupational Exposure Limits           OEL STEL         800 mg/m³         Gibralar - Occupational Exposure Limits           AK (OEL TWA)         270 mg/m³         Gibralar - Occupational Exposure Limits           AK (OEL TWA)         270 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA [1]         260 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA [1]         260 mg/m³         Gibralar - Occupational Exposure Limits           OEL TWA [2]         50 ppm         Gibralar - Occupational Exposu	VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 900)           AGW (OEL TWA) [1]         270 mg/m³           Gibrattar - Occupational Exposure Limits         50 ppm           Gibrattar - Occupational Exposure Limits         70 mg/m³           OEL TWA         270 mg/m³           OEL TWA (ppm)         50 ppm           OEL STEL         540 mg/m³           OEL STEL (ppm]         100 ppm           Greece - Occupational Exposure Limits         OEL TWA           OEL TWA         530 mg/m³           OEL STEL [ppm]         100 ppm           OEL TWA         530 mg/m³           OEL TWA         530 mg/m³           OEL TWA         530 mg/m³           OEL TWA         500 ppm           OEL STEL [ppm]         100 ppm           Hungary - Occupational Exposure Limits         70 mg/m³           OEL STEL [ppm]         50 ppm           OEL TWA [1]         280 mg/m³           OEL TWA [2]         50 ppm	VLE (OEL C/STEL)	540 mg/m <sup>3</sup> (restrictive limit)	
AGW (OEL TWA) [1]Z70 mg/m³AGW (OEL TWA) [2]50 ppmGibraltar - Occupational Exposure LimitsOEL TWAZ70 mg/m³OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA530 mg/m³OEL TWA530 mg/m³OEL TWA500 mg/m³OEL STEL [ppm]100 ppmOEL STEL [ppm]500 mg/m³OEL STEL [ppm]540 mg/m³CK (OEL STEL)540 mg/m³CK (OEL STEL)540 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL TWA [2]50 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL TWA [2]50 ppmOEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmCatvia - Occupational Exposure LimitsOEL TWA270 mg/m³ <td>VLE (OEL C/STEL) [ppm]</td> <td>100 ppm (restrictive limit)</td>	VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)	
AGW (OEL TWA) [2]50 ppmGibraltar - Occupational Exposure Limits270 mg/m³OEL TWA270 mg/m³OEL TWA (ppm]50 ppmOEL STEL540 mg/m³OEL STEL (ppm)100 ppmGreece - Occupational Exposure LimitsOEL TWA (ppm]100 ppmOEL STEL800 mg/m³OEL STEL800 mg/m³OEL STEL (ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³OEL TWA (1)260 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL (ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA [2]50 ppmOEL TWA [0pm]50 ppmOEL TWA [0pm]50 ppmOEL STEL [0pm]100 ppmItaly - Occupational Exposure LimitsOEL TWA [0pm]50 ppmOEL TWA [0pm]50 ppm	Germany - Occupational Exposure Limits (TRGS 90	)0)	
Gibratar - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA (ppm)50 ppmOEL STEL540 mg/m³OEL STEL (ppm)100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA630 mg/m³OEL TWA (ppm)100 ppmOEL STEL800 mg/m³OEL STEL800 mg/m³OEL STEL800 mg/m³OEL STEL (ppm)150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL TWA (ppm]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppm <td>AGW (OEL TWA) [1]</td> <td>270 mg/m³</td>	AGW (OEL TWA) [1]	270 mg/m³	
OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA630 mg/m³OEL TWA630 mg/m³OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [1]60 ppmOEL TWA [2]60 ppmOEL TWA [2]60 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmDEL TWA [2]50 ppmOEL STEL [ppm]100 ppmDEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA50 ppmOEL STEL [ppm]100 ppmUL STEL [ppm]100 ppmOEL STEL [ppm]50 ppmOEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL TWA [ppm]50 ppmOEL TWA [ppm] <td< td=""><td>AGW (OEL TWA) [2]</td><td>50 ppm</td></td<>	AGW (OEL TWA) [2]	50 ppm	
OEL TWA [ppm]         50 ppm           OEL STEL         540 mg/m³           OEL STEL [ppm]         100 ppm           Greece - Occupational Exposure Limits         530 mg/m³           OEL TWA         530 mg/m³           OEL TWA         500 mg/m³           OEL TWA         500 mg/m³           OEL TWA         500 mg/m³           OEL TWA         500 mg/m³           OEL STEL         800 mg/m³           OEL STEL [ppm]         150 ppm           Hungary - Occupational Exposure Limits         270 mg/m³           CK (OEL STEL)         540 mg/m³           Ireland - Occupational Exposure Limits         540 mg/m³           OEL TWA [1]         260 mg/m³           OEL STEL         520 mg/m³           OEL STEL [ppm]         100 ppm           OEL STEL [ppm]         100 ppm           OEL STEL [ppm]         50 ppm           OEL STEL [ppm]         100 ppm           Italy - Occupational Exposure Limits         50 ppm           OEL TWA [2]         50 ppm           OEL TWA         270 mg/m³           OEL TWA         270 mg/m³           OEL STEL [ppm]         50 ppm           OEL STEL [ppm]         50 ppm           OEL S	Gibraltar - Occupational Exposure Limits	·	
OEL STEL540 mg/m³OEL STEL [ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA800 mg/m³OEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³OEL TWA [1]260 mg/m³OEL STEL [ppm]100 ppmOEL STEL50 ppmOEL TWA [2]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]100 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppm	OEL TWA	270 mg/m³	
OEL STEL [ppm]         100 ppm           Greece - Occupational Exposure Limits         530 mg/m³           OEL TWA         530 mg/m³           OEL TWA [ppm]         100 ppm           OEL STEL         800 mg/m³           OEL STEL [ppm]         150 ppm           Hungary - Occupational Exposure Limits         270 mg/m³           CK (OEL STEL)         540 mg/m³           OEL TWA [1]         260 mg/m³           OEL STEL [ppm]         50 ppm           OEL TWA [2]         50 ppm           OEL STEL [ppm]         100 ppm           Iteland - Occupational Exposure Limits         50 ppm           OEL STEL [ppm]         100 ppm           Iteland - Occupational Exposure Limits         50 ppm           OEL STEL [ppm]         100 ppm           Italy - Occupational Exposure Limits         50 ppm           OEL STEL [ppm]         100 ppm           Italy - Occupational Exposure Limits         CEI TWA           OEL TWA         270 mg/m³           OEL STEL         540 mg/m³           OEL STEL         540 mg/m³           OEL STEL [ppm]         100 ppm           Latvia - Occupational Exposure Limits         CEI TWA [ppm]           OEL STEL [ppm]         100 ppm	OEL TWA [ppm]	50 ppm	
Greece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]0 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL TWA270 mg/m³OEL TWA540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure Limits540 mg/m³OEL TWA [ppm]50 ppmOEL TWA [ppm]100 ppmCEL TWA270 mg/m³OEL STEL [ppm]100 ppmCEL TWA [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL TWA270 mg/m³OEL TWA50 ppmOEL TWA50 ppm	OEL STEL	540 mg/m³	
OEL TWA530 mg/m³OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL520 mg/m³OEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmCEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmCEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmCEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA50 ppm	OEL STEL [ppm]	100 ppm	
OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure Limits270 mg/m³AK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure Limits500 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmDEL STEL [ppm]100 ppmCEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmCEL TWA [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppm	Greece - Occupational Exposure Limits	·	
OEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL TWA270 mg/m³OEL TWA50 ppmOEL TWA50 ppmOEL STEL [ppm]100 ppmDEL TWA270 mg/m³OEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmCEL TWA270 mg/m³OEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL TWA270 mg/m³OEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppm	OEL TWA	530 mg/m <sup>3</sup>	
OEL STEL [ppm]150 ppmHungary - Occupational Exposure Limits270 mg/m³AK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure Limits000 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmOEL TWA [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmDEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmCEL TWA270 mg/m³OEL STEL [ppm]50 ppmOEL TWA270 mg/m³OEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppm	OEL TWA [ppm]	100 ppm	
Hungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure Limits560 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppmOEL TWA50 ppmOEL TWA100 ppmItaly - Occupational Exposure LimitsOEL TWA100 ppmOEL TWA50 ppmOEL STEL540 mg/m³OEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA270 mg/m³OEL TWA50 ppm	OEL STEL	800 mg/m <sup>3</sup>	
AK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA [ppm]50 ppmOEL STEL520 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL TWA [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL STEL540 mg/m³OEL STEL [ppm]100 ppmCEL TWA270 mg/m³OEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL TWA270 mg/m³OEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppmOEL TWA50 ppm	OEL STEL [ppm]	150 ppm	
CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL STEL540 mg/m³OEL STEL540 mg/m³OEL TWA270 mg/m³OEL STEL540 mg/m³OEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppm	Hungary - Occupational Exposure Limits	·	
Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL STEL [ppm]100 ppmDEL STEL [ppm]500 ppmOEL STEL [ppm]100 ppmDEL STEL [ppm]500 ppmOEL STEL [ppm]500 ppmOEL TWA270 mg/m³OEL TWA500 ppmOEL TWA500 ppmOEL TWA500 ppm	AK (OEL TWA)	270 mg/m³	
OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]540 mg/m³OEL STEL [ppm]100 ppmDEL STEL [ppm]50 ppmOEL STEL [ppm]100 ppmDEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmOEL STEL [ppm]50 ppmDEL TWA270 mg/m³OEL TWA50 ppm	CK (OEL STEL)	540 mg/m <sup>3</sup>	
OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits270 mg/m³OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL STEL [ppm]270 mg/m³OEL STEL [ppm]50 ppmDEL STEL [ppm]50 ppm	Ireland - Occupational Exposure Limits	·	
OEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits100 ppmOEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppm	OEL TWA [1]	260 mg/m <sup>3</sup>	
OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits270 mg/m³OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppm	OEL TWA [2]	50 ppm	
Italy - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA50 ppm	OEL STEL	520 mg/m <sup>3</sup>	
OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA [ppm]50 ppm	OEL STEL [ppm]	100 ppm	
OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA [ppm]50 ppm	Italy - Occupational Exposure Limits		
OEL STEL540 mg/m³OEL STEL [ppm]100 ppmLatvia - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA [ppm]50 ppm	OEL TWA	270 mg/m <sup>3</sup>	
OEL STEL [ppm]     100 ppm       Latvia - Occupational Exposure Limits     270 mg/m³       OEL TWA     270 mg/m³       OEL TWA [ppm]     50 ppm	OEL TWA [ppm]	50 ppm	
Latvia - Occupational Exposure Limits       OEL TWA     270 mg/m³       OEL TWA [ppm]     50 ppm	OEL STEL	540 mg/m <sup>3</sup>	
OEL TWA     270 mg/m³       OEL TWA [ppm]     50 ppm	OEL STEL [ppm]	100 ppm	
OEL TWA [ppm] 50 ppm	Latvia - Occupational Exposure Limits		
	OEL TWA	270 mg/m <sup>3</sup>	
Lithuania - Occupational Exposure Limits	OEL TWA [ppm]	50 ppm	
	Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 270 mg/m <sup>3</sup>	IPRV (OEL TWA)	270 mg/m <sup>3</sup>	
IPRV (OEL TWA) [ppm] 50 ppm	IPRV (OEL TWA) [ppm]	50 ppm	

## Safety Data Sheet

Isoamyl acetate (123-92-2)		
TPRV (OEL STEL)	540 mg/m <sup>3</sup>	
TPRV (OEL STEL) [ppm]	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	530 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m³	
NDSCh (OEL STEL)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m³ (indicative limit value)	
OEL TWA [ppm]	50 ppm (indicative limit value)	
OEL STEL	540 mg/m³ (indicative limit value)	
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
OEL STEL [ppm]	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	270 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	270 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	

## Safety Data Sheet

Isoamyl acetate (123-92-2)	
VLA-EC (OEL STEL)	540 mg/m³
VLA-EC (OEL STEL) [ppm]	100 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetates)
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)
KTV (OEL STEL)	540 mg/m <sup>3</sup> (Pentyl acetates)
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	260 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	50 ppm
Korttidsverdi (OEL STEL)	325 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
d-Limonene (5989-27-5)	·
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	140 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	25 ppm
HTP (OEL STEL)	280 mg/m³
HTP (OEL STEL) [ppm]	50 ppm
Germany - Occupational Exposure Limits (TRGS 90	0)
AGW (OEL TWA) [1]	28 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m <sup>3</sup>
OEL TWA [ppm]	5 ppm
OEL STEL	112 mg/m <sup>3</sup>
OEL STEL [ppm]	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	168 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m³

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)		
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m <sup>3</sup> (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m <sup>3</sup>	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

**8.2. Exposure controls** 

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Safety glasses. Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

### Hand protection:

Protective gloves. Wear protective gloves.

## 8.2.2.3. Respiratory protection

**Respiratory protection:** 

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point	<ul> <li>Liquid</li> <li>light yellow. amber.</li> <li>characteristic.</li> <li>No data available</li> </ul>
Freezing point	: No data available
Boiling point Flash point	: No data available : > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions. Not established.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials** 

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

## Safety Data Sheet

SECTION 11: Toxicological information	
11.1 Information on toxicological effects	
Acute toxicity (dermal) :	Not classified Not classified Not classified
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight
Aldehyde C-14 (104-67-6)	
LD50 oral rat	18500 mg/kg
LD50 dermal rat	> 2000 mg/kg
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg
Vertenex (32210-23-4)	
LD50 oral rat	5 g/kg
LD50 oral	3370 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)		
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
Neryl acetate (141-12-8)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 6 ml/kg	
Triplal (Vertocitral) (68039-49-6)		
LD50 oral	3900 mg/kg bodyweight	
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cy	/clohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0)	
LD50 oral	1670 mg/kg bodyweight	
LD50 dermal rat	2150 – 2780 mg/kg	
LD50 dermal	2900 mg/kg bodyweight	
Skin corrosion/irritation       :         Additional information       :         Serious eye damage/irritation       :         Additional information       :         Additional information       :         Respiratory or skin sensitisation       :         Additional information       :         Germ cell mutagenicity       :         Additional information       :         Carcinogenicity       :         Additional information       :         Benzyl acetate (140-11-4)       :         IARC group       :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 3 - Not classifiable	
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity:Additional information:STOT-single exposure:Additional information:STOT-repeated exposure:Additional information:Aspiration hazard:Additional information:Potential adverse human health effects and:symptoms:	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met	

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(		
Aldehyde C-14 (104-67-6)		
LC50 - Fish [1]	569 mg/l 96 h	
EC50 - Crustacea [1]	5.85 mg/l 48 h	
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Vertenex (32210-23-4)		
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
12.2. Persistence and degradability		
Dragonfruit Iced Tea #EU45172F at 25% in D	PG	
Persistence and degradability	Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Dragonfruit Iced Tea #EU45172F at 25% in DPG		
Bioaccumulative potential	Not established.	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information evolution		

No additional information available

### **12.6. Other adverse effects**

Additional information

: Avoid release to the environment.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations Ecology - waste materials

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	<ul><li>No</li><li>No</li><li>No supplementary information available</li></ul>
14.6. Special precautions for user	
Overland transport	

## Overland transport

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Transport by sea

Not applicable

#### Air transport

Not applicable

## Inland waterway transport

Not applicable

## Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(b)	Linalyl acetate ; Hexyl cinnamic aldehyde ; Linalool ; Vertenex
3(c)	Verdox ; Aldehyde C-14 ; Benzyl acetate ; Hexyl cinnamic aldehyde ; beta-Ionone

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

### 15.1.2. National regulations

#### Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Triplal (Vertocitral) is listed
SZW-lijst van mutagene stoffen	: Triplal (Vertocitral) is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.