

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Product name : Egg Nog at 25% in DPG

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

No additional information available

## 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Precautionary statements (CLP)

## 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Contains : Eugenol, Cinnamic aldehyde, Ginger oil, beta-Caryophyllene

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

EN (English) 1/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

EN (English) 2/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	12 – 17	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	1.05 – 2.2	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.7 – 1.4	Eye Irrit. 2, H319
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.6 – 1.2	Eye Irrit. 2, H319
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.51 – 1.04	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.3 – 0.5875	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.11 – 0.32	Skin Sens. 1B, H317 Asp. Tox. 1, H304
Oenanthic ether (Ethyl heptanoate)	CAS-No.: 106-30-9 EC-No.: 203-382-9	0.1 – 0.2	Flam. Liq. 3, H226 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
zingiber officinale (ginger) root oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2, 616-904-9	0.075 – 0.15	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ethyl acetate substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-	0.025 – 0.0625	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

EN (English) 3/17

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### **6.2. Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

EN (English) 4/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

Ethyl acetate (141-78-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	734 mg/m³	
IOEL TWA [ppm]	200 ppm	
IOEL STEL	1468 mg/m³	
IOEL STEL [ppm]	400 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	734 mg/m³	
MAK (OEL TWA) [ppm]	200 ppm	
MAK (OEL STEL)	1468 mg/m³	
MAK (OEL STEL) [ppm]	400 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	734 mg/m³	
GVI (OEL TWA) [2]	200 ppm	
KGVI (OEL STEL)	1468 mg/m³	
KGVI (OEL STEL) [ppm]	400 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	

EN (English) 5/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)		
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	700 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	540 mg/m³	
OEL TWA [2]	150 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	500 mg/m³	
OEL TWA [ppm]	150 ppm	
OEL STEL	1100 mg/m³	
OEL STEL [ppm]	300 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	730 mg/m³	
HTP (OEL TWA) [2]	200 ppm	
HTP (OEL STEL)	1470 mg/m³	
HTP (OEL STEL) [ppm]	400 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	1400 mg/m³	
VME (OEL TWA) [ppm]	400 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
OEL TWA [ppm]	734 ppm	
OEL STEL	400 mg/m³	
OEL STEL [ppm]	1468 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	734 mg/m³	
CK (OEL STEL)	1468 mg/m³	
OEL chemical category	Sensitizer	

EN (English) 6/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)		
Ireland - Occupational Exposure Limits		
OEL TWA [1]	734 mg/m³	
OEL TWA [2]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
OEL TWA [ppm]	54 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	500 mg/m³	
IPRV (OEL TWA) [ppm]	150 ppm	
NRV (OEL C)	1100 mg/m³	
NRV (OEL C) [ppm]	300 ppm	
Luxembourg - Occupational Exposure Limits		
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	734 mg/m³	
TGG-15min (OEL STEL)	1468 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	734 mg/m³	
NDSCh (OEL STEL)	1468 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	734 mg/m³ (indicative limit value)	
OEL TWA [ppm]	200 ppm (indicative limit value)	
OEL STEL	1468 mg/m³ (indicative limit value)	
OEL STEL [ppm]	400 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	400 mg/m³	

EN (English) 7/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)		
OEL TWA [ppm]	111 ppm	
OEL STEL	500 mg/m³	
OEL STEL [ppm]	139 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	734 mg/m³	
NPHV (OEL TWA) [2]	200 ppm	
NPHV (OEL C)	1100 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	734 mg/m³	
VLA-ED (OEL TWA) [2]	200 ppm	
VLA-EC (OEL STEL)	1468 mg/m³	
VLA-EC (OEL STEL) [ppm]	400 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	550 mg/m³	
NGV (OEL TWA) [ppm]	150 ppm	
KTV (OEL STEL)	1100 mg/m³	
KTV (OEL STEL) [ppm]	300 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	734 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	1468 mg/m³	
WEL STEL (OEL STEL) [ppm]	400 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	734 mg/m³	
Grenseverdi (OEL TWA) [2]	200 ppm	
Korttidsverdi (OEL STEL)	1468 mg/m³ (value from the regulation)	
Korttidsverdi (OEL STEL) [ppm]	400 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	730 mg/m³	
MAK (OEL TWA) [2]	200 ppm	
KZGW (OEL STEL)	1460 mg/m³	
KZGW (OEL STEL) [ppm]	400 ppm	

EN (English) 8/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	400 ppm

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

## 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

## Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Standard.
Odour
Odour threshold : Characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available

EN (English) 9/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

: No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure No data available Relative vapour density at 20 °C No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic : No data available Explosive properties Oxidising properties : No data available Explosive limits : No data available

## 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Not established.

# 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight

EN (English) 10/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2000 (REACH) with its amendment Regulation (ED) 2013/030		
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg	
LD50 oral	2500 mg/kg bodyweight	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	1260 mg/kg	
LD50 dermal	1100 mg/kg bodyweight	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg	
LD50 dermal	2600 mg/kg bodyweight	
Oenanthic ether (Ethyl heptanoate) (106-30-9)		
LD50 oral rat	> 34640 mg/kg	
Ethyl acetate (141-78-6)		
LD50 oral rat	5620 mg/kg	
LD50 dermal rabbit	> 18000 mg/kg	
LC50 Inhalation - Rat [ppm]	4000 ppm/4h	
zingiber officinale (ginger) root oil (8007-08-7)		
LD50 oral rat	> 5 g/kg	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
	Not classified	
Additional information : Serious eye damage/irritation :	Based on available data, the classification criteria are not met  Not classified	
	Based on available data, the classification criteria are not met	
	May cause an allergic skin reaction.	
•	Based on available data, the classification criteria are not met	
Germ cell mutagenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Carcinogenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
•	Not classified	
	Based on available data, the classification criteria are not met	
9 1	Not classified	
Additional information :	Based on available data, the classification criteria are not met	

EN (English) 11/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)		
STOT-single exposure		May cause drowsiness or dizziness.
STOT-repeated exposure Additional information Aspiration hazard	:	Not classified Based on available data, the classification criteria are not met Not classified
Additional information	:	Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Vanillin (121-33-5)		
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	
Ethyl acetate (141-78-6)		
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	

# 12.2. Persistence and degradability

Egg Nog at 25% in DPG	
Persistence and degradability	Not established.

EN (English) 12/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential		
Egg Nog at 25% in DPG			
Bioaccumulative potential	Not established.		
Benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Cinnamic aldehyde (104-55-2)			
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)		
Ethyl vanillin (121-32-4)			
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)		
Vanillin (121-33-5)			
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)		
Oenanthic ether (Ethyl heptanoate) (106-30-9)			
Partition coefficient n-octanol/water (Log Pow)	3.98 (at 35 °C (at pH 7)		
Ethyl acetate (141-78-6)			
BCF - Fish [1]	(30 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	0.73 (at 20 °C (at pH 7)		
Hexamethylindanopyran (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
12.4. Mobility in soil			

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

EN (English) 13/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## 14.1 UN number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

# 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

#### **Overland transport**

Not applicable

## Transport by sea

Not applicable

#### Air transport

Not applicable

EN (English) 14/17

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### 15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

# Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ginger oil is listed SZW-lijst van mutagene stoffen : Ginger oil is listed

27M list van matagene stonen - Derstreeding - None of the component and

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

EN (English) 15/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Switzerland

Storage class (LK) : LK 10/12 - Liquids

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
H224	Extremely flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

EN (English) 16/17

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 17/17