

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 1/25/2022 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

: Mixture

: Flowerbomb at 25% in DPG :

Product form Product name Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

No additional information available

#### 1.2.2. Uses advised against

No additional information available

<b>1.3. Details of the supplier of the safety data sheet</b>				
Forget Me Not Oils Calle Torrevieja 2, San Miguel de salinas www.forgetmenotoilseurope.com & forgetmenothf@gmail.com				
1.4. Emergency telephone number				

0034 711024907

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

	i ta
	GHS07 GHS09
Signal word (CLP)	: Warning
Contains	<ul> <li>Linalool, Benzyl salicylate, Cedramber, Iso E Super, Linalyl acetate, d-Limonene, Helional, Coumarin crystals</li> </ul>
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P321 - Specific treatment (see supplemental first aid instruction on this label).

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	3.83125 – 7.6625	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.36875 – 2.7375	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
2-Hydroxybenzoic acid, benzyl ester	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	1.175 – 2.35	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2- buten-1-ol	CAS-No.: 28219-60-5 EC-No.: 248-907-2	0.9125 – 1.825	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Skin Irrit. 2, H315
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.83125 – 1.6625	Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.65 – 1.3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	0.65 – 1.3	Aquatic Chronic 2, H411
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.625 – 1.25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.39375 – 0.7875	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.34375 – 0.6875	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.05625 – 0.1125	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.05625 – 0.1125	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Coumarin crystals	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.05 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact First-aid measures after ingestion	<ul><li>Rinse eyes with water as a precaution.</li><li>Call a poison center or a doctor if you feel unwell.</li></ul>
4.2. Most important symptoms and effects, both acute and delayed	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medical attention and special treatment needed	

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the subst	tance or mixture	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containment a	B. Methods and material for containment and cleaning up			
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>			
6.4. Reference to other sections				
For further information refer to section 13.				

7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid
	breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash
	contaminated clothing before reuse. Do not eat, drink or smoke when using this product
	Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m <sup>3</sup>	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	28 mg/m $^{\rm 3}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m <sup>3</sup>	
OEL TWA [ppm]	5 ppm	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)		
OEL STEL	112 mg/m <sup>3</sup>	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m <sup>3</sup>	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m <sup>3</sup>	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Safety glasses

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
•	

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1	04	Con	ditio	ne to	avoi	Ы
	10.4.	COIL	ullio	15 10	avu	u

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
2-Hydroxybenzoic acid, benzyl ester (118-58-1	)	
LD50 oral rat	2227 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
beta-lonone (14901-07-6)		
LD50 oral rat	4590 mg/kg	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
Ethylene brassylate (105-95-3)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Coumarin crystals (91-64-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	293 mg/kg	
Skin corrosion/irritation	Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Coumarin crystals (91-64-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity	Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

## **SECTION 12: Ecological information**

## 12.1. Toxicity

12.1. I oxicity	
Ecology - general : Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified
	Toxic to aquatic life with long lasting effects.
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
2-Hydroxybenzoic acid, benzyl ester (118-58-	1)
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		

12.6. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA / ADN / RIE	
14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	<ul> <li>: UN 3082</li> </ul>
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA)	<ul> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.</li> <li>UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-)</li> <li>UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT</li> <li>UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9,</li> </ul>
Transport document description (ADN)	III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.3. Transport hazard class(es)


### ADR

Transport hazard class(es) (ADR) Danger labels (ADR)



### IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)



### ΙΑΤΑ


ADN

Transport hazard class(es) (IATA) Danger labels (IATA)

Transport hazard class(es) (ADN)

Danger labels (ADN)

# 



### RID

Transport hazard class(es) (RID) Danger labels (RID)



14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	: III : III : III : III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: Yes : Yes : No supplementary information available
14.6. Special precautions for user Overland transport	
Classification code (ADR)	: M6

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (ADR):274, 335, 375, 601Limited quantities (ADR):51Excepted quantities (ADR):P01, IBC03, LP01, R001Special packing provisions (ADR):PP1Nixed packing provisions (ADR):T4Portable tank and bulk container instructions (ADR):T4Portable tank and bulk container instructions (ADR):ILTank code (ADR):L GBVVehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Loading, unloading:V12and handling (ADR):90Drange plates:90Orange plates::Packa (MDG)::Packa (MDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packang instructions (IMDG)::Packang instructions (IMDG)::Packang instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packang instructions (IMTA)::Packang instructions (IATA) <td:< td<="" th=""><th>according to Regulation (EC) No. 1907/2006 (REACH) with</th><th>its amendment Regulation (EU) 2015</th></td:<>	according to Regulation (EC) No. 1907/2006 (REACH) with	its amendment Regulation (EU) 2015
Limited quantities (ADR):51Excepted quantities (ADR):E1Packing instructions (ADR):PP1Mixed packing provisions (ADR):MP19Portable tank and bulk container instructions (ADR):TAPortable tank and bulk container special provisions:TT1, TP29(ADR):LGBVLGBVVehicle for tank carriage:ATTransport carge of carriage - Loading, unloading:CV13and handling (ADR):90Hazard identification number (Kemler No.):90Orange plates:-EAC code::32Tunnel restriction code (ADR):-Excepted quantities (IMDG)::Excepted quantities (IMTA):Showage category (IMDG)::Excepted quantities (IMTA):Packing instructions (IMDG):Excepted quantities (IATA):Excepted quantities (IATA):Packing instructions (IMDG):Excepted quantities (IATA):Packing instructions (IATA):PCA Excepted quantities (IATA): <t< td=""><td>Special provisions (ADR)</td><td>: 274, 335, 375, 601</td></t<>	Special provisions (ADR)	: 274, 335, 375, 601
Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Special packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : UGBV Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : 00 Orange plates : 00 Orange plates : 00 Orange plates : 00 Tunnel restriction code (ADR) : - EAC code : 3Z Tansport by sea Special provisions (IMDG) : 274, 335, 969 Limited quantities (MDG) : E1 Packing instructions (IMDG) : LP01, P001 Special provisions (IMDG) : LP01, P001 Special packing instructions (IMDG) : T4 Tank special provisions (IMDG) : T4 Tank special provisions (IMDG) : A A Ar transport : CA ENS-No. (Spillage) : S-F Stowage category (IMDG) : A A Ar transport : CA CA excepted quantities (IATA) : 964 CA max net quantity (IATA) : 964 CA max net quantity (IATA) : 450L Special provisions (IATA) : 450L Special provision	,	
Packing instructions (ADR) : P001, IBC03, LP01, R001 Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : P1 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1, TP29 (ADR) : LGBV Vehicle for tank carriage : ACR Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13 and handling (ADR) Hazard identification number (Kemler No.) : 90 Orange plates : 90 Job Job Job Job Job Job Job Job Job Job		: E1
Special packing provisions (ADR):PP1Mixed packing provisions (ADR):MP19Portable tank and bulk container instructions (ADR):T4Portable tank and bulk container ispecial provisions:TP1, TP29(ADR):LGBVVehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Packages (ADR):U12Special provisions for carriage - Loading, unloading:CV13and handling (ADR):::Hazard identification number (Kemier No.):90Orange plates:::Special provisions (IMDG):::EAC code:::Special provisions (IMDG):::Packing instructions (IMDG):::Packing instructions (IMDG):::Packing instructions (IMDG):::Packing instructions (IMDG):::Prashou (Fire):::Prashou (Fire):::Packing instructions (IMDG):::Prashou (Fire):::Prashou (Fire):::Prashou (Fire):::Prashou (Fire):::Preshou (Fire)		: P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : HP19 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1, TP29 (ADR) : LGBV Vehicle for tank carriage : Loading, unloading : AT Transport category (ADR) : LGBV Vehicle for tank carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : Special provisions for carriage - Loading, unloading : Special provisions for carriage - Loading, unloading : Special provisions for carriage - Carding, unloading : Special provisions for carriage - Loading, unloading : Special provisions for carriage - Loading, unloading : Mixed packing (ADR) : 90 Orange plates : 90 Tunnel restriction code (ADR) : - EAC code : 32Z Transport by sea Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : 51 Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : TP1, TP29 EmS-No. (Spillage) : T4 Tank special provisions (IMDG) : T4 Tank special provisions (IMDG) : T4 Tank special provisions (IMDG) : A Air transport PCA Limited quantities (IATA) : 450L CAO packing instructions (IATA) : 450L CAO max net quantity (ATA) : 5L Excepted quantities (ADN) : C1 Excepted quantities (ADN) : C1 Excepted quantities (ADN) : C1 Excepted quantities (ADN)	<b>-</b>	
Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1, TP29 Tank code (ADR) : LGBV Vehicle for tank carriage : Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13 and handling (ADR) Hazard identification number (Kemler No.) : 90 Orange plates : 90 Orange plates : 90 Tunnel restriction code (ADR) : - EAC code : 322 Tunnel restriction code (ADR) : - EAC code : 322 Transport by sea Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special provisions (IMDG) : LP01, P001 Special provisions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : FA Excepted quantities (IMDG) : FA EmS-No. (Fire) : F-A EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : S-F Stowage category (IMDG) : S-F Excepted quantities (IATA) : Y964 PCA Limited quantities (IATA) : Y964 PCA Limited quantities (IATA) : Y964 PCA compared (IATA) : Y964 PCA max net quantity (IATA) : Y964 PCA ma		: MP19
Portable tank and bulk container special provisions : TP1, TP29 (ADR) Tank code (ADR) : LGBV Vehicle for tank carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : CV13 and handling (ADR) Hazard identification number (Kemler No.) : 90 Orange plates : 90 Orange plates : 90 Orange plates : - EAC code : • 32 Tunnel restriction code (ADR) : EAC code : • 32 Timsport by sea Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : BC03 Tank instructions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : S-F Stowage		: T4
(ADR):LGBVTank code (ADR):LGBVVehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Loading, unloading:V12Special provisions for carriage - Loading, unloading:CV13and handling (ADR):90Hazard identification number (Kemler No.):90Orange plates:90Tunnel restriction code (ADR):-EAC code::32Tensport by sea::Special provisions (IMDG)::Excepted quantities (IMDG)::Excepted quantities (IMDG)::Packing instructions (IMDG)::IBC packing instructions (IMDG)::IBC packing instructions (IMDG)::Tank instructions (IMDG)::Tank special provisions (IMDG)::Tank special provisions (IMDG)::Transport::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA code instructions (IATA)::PCA code instruction		
Vehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Loading, unloading:CV13and handling (ADR)::90Urage plates:90Tunnel restriction number (Kemler No.):90Carage plates::-EAC code:::Special provisions (IMDG):::Excepted quantities (IMDG):::Excepted quantities (IMDG):::Excepted quantities (IMDG):::Bic packing instructions (IMDG):::Chained quantities (IATA):::Chained quantities (IATA):::Chained quantities (IATA):::CA imited quantities (IATA)<		
Transport category ( $ADR$ ): 3Special provisions for carriage - Loading, unloading: V12Special provisions for carriage - Loading, unloading: CV13and handling ( $ADR$ ):Hazard Identification number (Kemler No.): 90Orange plates:Data:Pacadition code ( $ADR$ ): -EAC code: -3ZTransport by sea:Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): E1Packing instructions (IMDG): BEC03Tank special provisions (IMDG): T44Instructions (IMDG): T44Packing instructions (IMDG): T44Tank special provisions (IMDG): T44Pack special provisions (IMDG): S-FStowage category (IMDG): APCA Limited quantities (IATA): 964PCA compace target (IATA): 964PCA Limited quantities (IATA): 964PCA acking instructions (IATA): 964PCA max net quantity (IATA): 450LCAC ing instructions (IATA): 964PCA max net quantity (IATA): 450LSpecial provisions (ADN): TEqusification code (ADN): T	Tank code (ADR)	: LGBV
Special provisions for carriage - Loading, unloading: V12Special provisions for carriage - Loading, unloading: CV13and handling (ADR): 90Orange plates: 90Orange plates: 90Tunnel restriction code (ADR): -EAC code: 3ZTransport by sea: 274, 335, 969Special provisions (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): E1Packing instructions (IMDG): BC03Special packing provisions (IMDG): BC03Tank instructions (IMDG): BC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): FAAEmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): Y964PCA Limited quantities (IATA): Y964PCA limited quantities (IATA): 964CA omax net quantity (IATA): 450LCAp cacking instructions (IATA): 964PCA max net quantity (IATA): 964CA omax net quantity (IATA): 964CA omax net quantity (IATA): 450LSpecial provisions (IATA): 91LPland waterway transport: A97, A158, A197, A215ERG code (IATA): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 6Can ax net quantity (ADN): 74, 335, 375, 601 </td <td>Vehicle for tank carriage</td> <td>: AT</td>	Vehicle for tank carriage	: AT
Special provisions for carriage - Loading, unloading:CV13and handling (ADR):90Orange plates:90Junnel restriction number (Kemler No.):90Junnel restriction code (ADR)::EAC code:•3ZTransport by sea::Special provisions (IMDG)::Packing instructions (IMDG)::Excepted quantities (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Tank instructions (IMDG)::Packing instructions (IMDG)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA limited quantities (IATA)::PCA acking instructions (IATA):: <td>Transport category (ADR)</td> <td>: 3</td>	Transport category (ADR)	: 3
and handling (ADR) Hazard identification number (Kemler No.) Orange plates 2 2 2 2 2 2 2 2 2 2 2 2 2	Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.):90Orange plates: $90$ Junnel restriction code (ADR)::EAC code:·3ZTransport by sea:Special provisions (IMDG)::Excepted quantities (IMDG)::Excepted quantities (IMDG)::Excepted quantities (IMDG)::Excepted quantities (IMDG)::ElC packing instructions (IMDG)::IBC packing instructions (IMDG)::IBC packing instructions (IMDG)::Tank special provisions (IMDG)::EmS-No. (Spillage)::EmS-No. (Spillage)::Stowage category (IMDG)::PCA Excepted quantities (IATA)::PCA acking instructions (IATA)::PCA cating instru		: CV13
Orange plates: $90$ 3082Tunnel restriction code (ADR)::EAC code::3ZTransport by sea::Special provisions (IMDG)::Limited quantities (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing provisions (IMDG)::Packing provisions (IMDG)::Popcial provisions (IMDG)::Packing instructions (IMDG)::Tank special provisions (IMDG)::Packing instructions (IMDG)::Tank special provisions (IMDG)::Tank special provisions (IMDG)::Pop EmS-No. (Fire)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA imited quantity max net quantity (IATA)::PCA packing instructions (IATA)::PCA imited quantity (IATA)::PCA imited quantity (IATA)::P	and handling (ADR)	
Yunnel restriction code (ADR)       :         EAC code       : 3Z         Transport by sea       :         Special provisions (IMDG)       :       274, 335, 969         Limited quantities (IMDG)       :       5 L         Excepted quantities (IMDG)       :       E1         Packing instructions (IMDG)       :       LP01, P001         Special packing provisions (IMDG)       :       PP1         IBC packing instructions (IMDG)       :       TP4         Tank special provisions (IMDG)       :       FA         Tank special provisions (IMDG)       :       FA         EmS-No. (Fire)       :       F-A         EmS-No. (Spillage)       :       S-F         Stowage category (IMDG)       :       A         PCA Excepted quantities (IATA)       :       Y964         PCA limited quantities (IATA)       :       Y964         PCA apaking instructions (IATA)       :       964         CAO max net quantity (IATA) <td>Hazard identification number (Kemler No.)</td> <td>90</td>	Hazard identification number (Kemler No.)	90
Tunnel restriction code (ADR):EAC code::3ZTransport by sea:Special provisions (IMDG):274, 335, 969Limited quantities (IMDG):5 LExcepted quantities (IMDG):E1Packing instructions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):IBC03Tank instructions (IMDG):T4Tank special provisions (IMDG):F-AEmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAr transport:Y964PCA Limited quantities (IATA):Y964PCA coepted quantities (IATA):964PCA packing instructions (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964PCA max net quantity (IATA):964CAO max net quantity (IATA):964PCA coepted quantities (ADN)::ERG code (IATA):964CAO max net quantity (IATA):Special provisions (IADN):ERG code (IATA):Special provisions (IADN):Classification code (ADN):Excepted quantities (ADN):Excepted quantities (ADN):Equipme	Orange plates	- 00
Tunnel restriction code (ADR):EAC code::3ZTransport by sea:Special provisions (IMDG):274, 335, 969Limited quantities (IMDG):5 LExcepted quantities (IMDG):E1Packing instructions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):IBC03Tank instructions (IMDG):T4Tank special provisions (IMDG):F-AEmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAr transport:Y964PCA Limited quantities (IATA):Y964PCA coepted quantities (IATA):964PCA packing instructions (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964PCA max net quantity (IATA):964CAO max net quantity (IATA):964PCA coepted quantities (ADN)::ERG code (IATA):964CAO max net quantity (IATA):Special provisions (IADN):ERG code (IATA):Special provisions (IADN):Classification code (ADN):Excepted quantities (ADN):Excepted quantities (ADN):Equipme		90
Tunnel restriction code (ADR):EAC code::3ZTransport by sea:Special provisions (IMDG):274, 335, 969Limited quantities (IMDG):5 LExcepted quantities (IMDG):E1Packing instructions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):IBC03Tank instructions (IMDG):T4Tank special provisions (IMDG):F-AEmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAr transport:Y964PCA Limited quantities (IATA):Y964PCA coepted quantities (IATA):964PCA packing instructions (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964PCA max net quantity (IATA):964CAO max net quantity (IATA):964PCA coepted quantities (ADN)::ERG code (IATA):964CAO max net quantity (IATA):Special provisions (IADN):ERG code (IATA):Special provisions (IADN):Classification code (ADN):Excepted quantities (ADN):Excepted quantities (ADN):Equipme		3082
EAC code: •3ZTransport by seaSpecial provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E11Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): T4Tank instructions (IMDG): T4, Tank special provisions (IMDG)EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): Y964PCA Limited quantity max net quantity (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LSpecial provisions (IATA): 964PCA max net quantity (IATA): 964PCA max net quantity (IATA): 964PCA on ax net quantity (IATA): 964PCA on ax net quantity (IATA): 964CAO max net quantity (IATA): 91Inflam waterway transport:Classification code (ADN): TExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): 7Equipment required (ADN): 7Quantities (RID): 0Classification code (RID): 744, 335, 375, 601Limim		5002
Transport by seaSpecial provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4.Tank special provisions (IMDG): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA)PCA Excepted quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transportInited quantities (ADN)Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): DNumber of blue cones/lights (ADN): 0Rail transport: 274, 335, 375, 601Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5 LExcepted quantities (RID): 5 LExcepted quantities (RID): 5 L </td <td>Tunnel restriction code (ADR)</td> <td>: -</td>	Tunnel restriction code (ADR)	: -
Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): F-AEmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport:PCA Excepted quantities (IATA): Y964PCA limited quantities (IATA): 30kgGPCA acking instructions (IATA): 964PCA apacking instructions (IATA): 964PCA max net quantity (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 91Special provisions (IATA): 91Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5L	EAC code	: •3Z
Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): F-AEmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport:PCA Excepted quantities (IATA): Y964PCA limited quantities (IATA): 30kgGPCA acking instructions (IATA): 964PCA apacking instructions (IATA): 964PCA max net quantity (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 91Special provisions (IATA): 91Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5L		
Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank instructions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport:PCA Excepted quantities (IATA): Y964PCA limited quantities (IATA): 964PCA acking instructions (IATA): 964PCA acking instructions (IATA): 964PCA acking instructions (IATA): 964PCA acking instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport:Classification code (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LEquipment required (ADN): 7TEquipment required (ADN): 7TEquipment required (ADN): 7TEquipment required (ADN): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5L<	Transport by sea	
Excepted quantities (IMDG):E1Packing instructions (IMDG):LP01, P001Special packing provisions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:Y964PCA Excepted quantities (IATA):Y964PCA limited quantities (IATA):964PCA acking instructions (IATA):964PCA packing instructions (IATA):964PCA packing instructions (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):91LInland waterway transport::Classification code (ADN)::Limited quantities (ADN):5 <l< td="">Excepted quantities (ADN)::Equipment required (ADN):PPNumber of blue cones/lights (ADN):0Classification code (RID)::Special provisions (RID)::Special provisions (RID)::Excepted quantities (ADN)::Excepted quantities (ADN)::Excepted quantities (RID)::<t< td=""><td>Special provisions (IMDG)</td><td>: 274, 335, 969</td></t<></l<>	Special provisions (IMDG)	: 274, 335, 969
Packing instructions (IMDG):LP01, P001Special packing provisions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):T4Tank special provisions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transportPCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantities (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964CAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):91Special provisions (ADN)::ERG code (IATA):9LInland waterway transport:Inland waterway transportClassification code (ADN)::E1Carriage permitted (ADN)::TEquipment required (ADN)::PPNumber of blue cones/lights (ADN):0Classification code (RID)::Special provisi	Limited quantities (IMDG)	: 5 L
Special packing provisions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):T4Tank special provisions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:E1PCA Excepted quantities (IATA):Y964PCA limited quantities (IATA):Y964PCA acking instructions (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964CAO max net quantity (IATA):964CAO max net quantity (IATA):964CAO max net quantity (IATA):964CAO max net quantity (IATA):91ERG code (IATA):91Inland waterway transport:Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):TEquipment required (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5L::Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID)::Special provisions (RID)	Excepted quantities (IMDG)	: E1
IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Spillage): S-FStowage category (IMDG): AAAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantities (IATA): 964PCA apacking instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport:Classification code (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 7Equipment required (ADN): 7Equipment required (ADN): 0Number of blue cones/lights (ADN): 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5 LExcepted quantities (RID): 5 L	Packing instructions (IMDG)	: LP01, P001
Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantities (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport:Classification code (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport:Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5L	Special packing provisions (IMDG)	: PP1
Tank special provisions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:CAPCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO max net quantity (IATA):450LSpecial provisions (IATA):450LSpecial provisions (IATA):944Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (ADN):DExcepted quantities (RID):274, 335, 375, 601Limited quantities (RID)::Limited quantities (RID)::Excepted quantities (RID)::Excepted quantities (RID)::Excepted quantities (RID)::Excepted quantities (RID):E1Excepted quantities (RID)::Excepted quantities (RID):: <tr<< td=""><td>IBC packing instructions (IMDG)</td><td>: IBC03</td></tr<<>	IBC packing instructions (IMDG)	: IBC03
EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:CAPCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA packing instructions (IATA):964CAO max net quantity (IATA):450LCAO max net quantity (IATA):450LSpecial provisions (IATA):94Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (ADN):DExcepted quantities (RID):274, 335, 375, 601Limited quantities (RID)::Special provisions (RID)::Excepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID)::Excepted quantities (RID):	Tank instructions (IMDG)	: T4
EmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:APCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LCAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):91Special provisions (IATA):91Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5Excepted quantities (ADN):0Number of blue cones/lights (ADN):0Rail transport:274, 335, 375, 601Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5L::Special provisions (RID):5L::Special provisions (RID)::Special provisions (RID)::Special provisions (RID)::Special provisions (RID)::Special provisions (RID) <td>Tank special provisions (IMDG)</td> <td>: TP1, TP29</td>	Tank special provisions (IMDG)	: TP1, TP29
Stowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LCAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transport: 274, 335, 375, 601Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5L	EmS-No. (Fire)	: F-A
Air transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 947, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5 LExcepted quantities (RID): 5 L		: S-F
PCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):450LSpecial provisions (IATA):450LSpecial provisions (IATA):9LInland waterway transportClassification code (ADN):Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):Milter approxisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5L	Stowage category (IMDG)	: A
PCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):450LSpecial provisions (IATA):450LSpecial provisions (IATA):9LInland waterway transportClassification code (ADN):Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):Milter approxisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5L		
PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5L	•	
PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 497, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): E11Carriage permitted (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): 274, 335, 375, 601Limited quantities (RID): 5 LExcepted quantities (RID): 5 L		: E1
PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Classification code (RID)Special provisions (RID): 274, 335, 375, 601Limited quantities (ADN): E1Carriage permitted (ADN): 274, 335, 375, 601Limited required (ADN): DEquipment required (ADN): DClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5L		
PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Carriage permitted (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Classification code (RID)Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5 LExcepted quantities (RID): 5 L		•
CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L Special provisions (IATA) : 99L Inland waterway transport Classification code (ADN) : M6 Special provisions (ADN) : 274, 335, 375, 601 Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T Equipment required (ADN) : 7 Equipment required (ADN) : 0 Number of blue cones/lights (ADN) : 0 Rail transport Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601 Limited quantities (ADN) : 5 L Excepted quantities (ADN) : 27 Equipment required (ADN) : 27 Special provisions (RID) : 5L Excepted quantities (RID) : 5L Excepted quantities (RID) : E1		
CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Carriage permitted (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5L		
Special provisions (IATA):A97, A158, A197, A215ERG code (IATA):9LInland waterway transportClassification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):5 LCarriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Classification code (RID)Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5L		
ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5L		
Inland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5L		
Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1	ERG code (IATA)	: 9L
Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1		
Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1		
Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0 <b>Rail transport</b> Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601 Limited quantities (RID) : 5L Excepted quantities (RID) : E1		: M6
Excepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1		
Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1		
Equipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1		
Number of blue cones/lights (ADN): 0Rail transport:Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1		
Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1		
Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1	Number of blue cones/lights (ADN)	: 0
Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1		
Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): E1		
Limited quantities (RID): 5LExcepted quantities (RID): E1		
Excepted quantities (RID) E1		
Packing instructions (KID) : P001, IBC03, LP01, R001		
	Packing Instructions (RID)	: P001, IBC03, LP01, R001

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special packing provisions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions	:	PP1 MP19 T4 TP1, TP29
(RID) Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID) Special provisions for carriage – Packages (RID)	-	3 W12
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW13, CW31
Colis express (express parcels) (RID) Hazard identification number (RID)	-	CE8 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code Applicable on		
3(a)	d-Limonene	
3(b)	Flowerbomb #EU40392F at 25% in DPG ; Benzyl benzoate ; Linalool ; 2-Hydroxybenzoic acid, benzyl ester ; 2-Methyl- 4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol ; Cedramber ; Iso E Super ; Linalyl acetate ; d-Limonene ; Helional	
3(c)	Flowerbomb #EU40392F at 25% in DPG ; Benzyl benzoate ; 2-Hydroxybenzoic acid, benzyl ester ; 2-Methyl-4-(2,2,3- trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol ; beta-lonone ; Hexamethylindanopyran ; Ethylene brassylate ; Cedramber ; Iso E Super ; d-Limonene ; Helional	
40.	d-Limonene	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH	Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.