

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 5/18/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Lemon Lavender AT 25% in DPG

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, fragrent : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warnir

Contains : d-Limonene, Lavandin abrialis oil, Hexyl cinnamic aldehyde, Lemon oil , COUMARIN, Hexyl

salicylate, Citral, Benzyl salicylate, Lime oil distilled , Citronellol Pure, Eugenol, Methyl

cinnamate

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0.725 – 1.45	Skin Irrit. 2, H315 Eye Irrit. 2, H319
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.5625 – 1.125	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Lavandin oil	CAS-No.: 8022-15-9 EC-No.: 617-009-6	0.5625 – 1.125	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.51875 – 1.0375	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	0.3125 – 0.625	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.20625 – 0.4125	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.188 – 0.385	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citral	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.15625 – 0.3125	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.1 – 0.2	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Methyl cinnamate	CAS-No.: 103-26-4 EC-No.: 203-093-8 REACH-no: 01-2119979458- 16	0.05 – 0.1	Skin Sens. 1B, H317
Ethyl acetate substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-	0.01875 – 0.0375	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Ventilate area. **Emergency procedures**

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Methods for cleaning up

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

5/18/2022 (Issue date) EN (English) 4/18

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

de Limican - Occupational Exposure Limits HTP (OEL TWA) [1] 140 mg/m³ HTP (OEL STEL) 280 mg/m² HTP (OEL STEL) [ppm] 50 ppm Germany - Occupational Exposure Limits (TRSS 900) AGW (OEL TWA) [1] 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 8 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 8 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 8 ppm Chemical category 9 ppm Chemical category 9 ppm Chemical category 9 ppm Chemical category 9 ppm Chemical category<	o. 1.1 National occupational exposure and biological limit values		
HTP (OEL TWA) [1] 140 mg/m² HTP (OEL STEL) 25 ppm HTP (OEL STEL) 250 mg/m² HTP (OEL STEL) [pm] 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 5 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 5 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m² OEL TWA [2] 5 ppm OEL STEL [pm] 5 ppm OEL STEL [pm] 60 ppm OEL STEL [pm] 60 ppm OEL OCCUPATIONAL [2] 70 ppm OEL OCCUPATIONAL [2] 70 ppm OEL OCCUPATIONAL [2] 70 ppm OEL Chemical category Potential for cutaneous absorption Norway - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m² VLA-ED (OEL TWA) [2] 50 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Genseverit (OEL TWA) [2] 25 ppm Nortidsverid (OEL STEL) [pm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits WAK (OEL TWA) [1] 40 mg/m² MAK (OEL TWA) [2] 47 ppm MAK (OEL STEL) [pm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	d-Limonene (5989-27-5)		
HTP (OEL TWA) [2]	Finland - Occupational Exposure Limits		
HTP (OEL STEL) ppm	HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL STEL) [ppm] 50 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 5 kin notation, Skin sensitization Siovenia - Occupational Exposure Limits OEL TWA 28 mg/m² OEL TWA [ppm] 5 ppm OEL STEL (ppm) 20 ppm OEL STEL (ppm) 20 ppm OEL STEL (ppm) 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m² VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m² Grenseverdi (OEL TWA) [2] 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) Kortidsverdi (OEL STEL) ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits Witzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m² MAK (OEL TWA) [2] 49 ppm MAK (OEL TWA) [2] 40 ppm AKK (OEL TWA) [2] 50 ppm KZGW (OEL STEL) 50 ppm] 14 ppm OEL chemical category 50 sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	HTP (OEL TWA) [2]	25 ppm	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ OEL TWA 28 mg/m³ OEL STEL 112 mg/m³ OEL STEL 12 mg/m³ OEL STEL 12 mg/m³ OEL Genrical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) Kortidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits WAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [1] 40 mg/m³ KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) 90 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	HTP (OEL STEL)	280 mg/m³	
ASW (OEL TWA) [1] 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) ASW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Stovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ OEL TWA [ppm] 5 ppm OEL STEL [ppm] 20 ppm OEL STEL [ppm] 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Genseverdi (OEL TWA) [1] 140 mg/m³ Genseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Alexanore MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [1] 40 mg/m³ ASW (OEL STEL) [ppm] 37.5 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 40 mg/m³ MAK (OEL TWA) [1] 40 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	HTP (OEL STEL) [ppm]	50 ppm	
BGW values are observed AGW (OEL TWA) [2]	Germany - Occupational Exposure Limits (TRGS 90	0)	
Values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA OEL TWA [ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL [ppm] 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL TWA) [2] Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	AGW (OEL TWA) [1]		
Slovenia - Occupational Exposure Limits OEL TWA	AGW (OEL TWA) [2]		
OEL TWA 28 mg/m³ OEL TWA (ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL (ppm) 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TSTEL) [ppm] 40 mg/m³ MAK (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposur	Chemical category	Skin notation, Skin sensitization	
OEL TWA [ppm] 5 ppm OEL STEL 112 mg/m³ OEL STEL [ppm] 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	Slovenia - Occupational Exposure Limits		
OEL STEL OEL STEL [ppm] OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Norttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	OEL TWA	28 mg/m³	
OEL STEL [ppm] 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	OEL TWA [ppm]	5 ppm	
OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	OEL STEL	112 mg/m³	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	OEL STEL [ppm]	20 ppm	
VLA-ED (OEL TWA) [1] 168 mg/m³ VLA-ED (OEL TWA) [2] 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	OEL chemical category	Potential for cutaneous absorption	
VLA-ED (OEL TWA) [2] OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belglum - Occupational Exposure Limits	Spain - Occupational Exposure Limits		
OEL chemical category Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] Grenseverdi (OEL TWA) [2] Korttidsverdi (OEL STEL) Korttidsverdi (OEL STEL) Korttidsverdi (OEL STEL) Korttidsverdi (OEL STEL) [ppm] OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] MAK (OEL TWA) [2] KZGW (OEL STEL) So mg/m³ KZGW (OEL STEL) So mg/m³ KZGW (OEL STEL) So mg/m³ CEL Chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	VLA-ED (OEL TWA) [1]	168 mg/m³	
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	VLA-ED (OEL TWA) [2]	30 ppm	
Grenseverdi (OEL TWA) [1] 140 mg/m³ Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Grenseverdi (OEL TWA) [2] 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	Norway - Occupational Exposure Limits		
Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	Grenseverdi (OEL TWA) [1]	140 mg/m³	
Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	Grenseverdi (OEL TWA) [2]	25 ppm	
OEL chemical category Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
MAK (OEL TWA) [1] 40 mg/m³ MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	OEL chemical category	Allergenic substance	
MAK (OEL TWA) [2] 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	MAK (OEL TWA) [1]	40 mg/m³	
KZGW (OEL STEL) [ppm] 14 ppm OEL chemical category Sensitizer Citral (5392-40-5) Belgium - Occupational Exposure Limits	MAK (OEL TWA) [2]	7 ppm	
OEL chemical category Citral (5392-40-5) Belgium - Occupational Exposure Limits	KZGW (OEL STEL)	80 mg/m³	
Citral (5392-40-5) Belgium - Occupational Exposure Limits	KZGW (OEL STEL) [ppm]	14 ppm	
Belgium - Occupational Exposure Limits	OEL chemical category	Sensitizer	
	Citral (5392-40-5)		
OEL TWA 32 mg/m³ (vapor and aerosol)	Belgium - Occupational Exposure Limits		
	OEL TWA	32 mg/m³ (vapor and aerosol)	

Safety Data Sheet

Citral (5392-40-5)		
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Ethyl acetate (141-78-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	734 mg/m³	
IOEL TWA [ppm]	200 ppm	
IOEL STEL	1468 mg/m³	
IOEL STEL [ppm]	400 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	734 mg/m³	
MAK (OEL TWA) [ppm]	200 ppm	
MAK (OEL STEL)	1468 mg/m³	
MAK (OEL STEL) [ppm]	400 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	

Safety Data Sheet

Ethyl acetate (141-78-6)		
OEL STEL [ppm]	400 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	734 mg/m³	
GVI (OEL TWA) [2]	200 ppm	
KGVI (OEL STEL)	1468 mg/m³	
KGVI (OEL STEL) [ppm]	400 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	700 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	540 mg/m³	
OEL TWA [2]	150 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	500 mg/m³	
OEL TWA [ppm]	150 ppm	
OEL STEL	1100 mg/m³	
OEL STEL [ppm]	300 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	730 mg/m³	
HTP (OEL TWA) [2]	200 ppm	
HTP (OEL STEL)	1470 mg/m³	
HTP (OEL STEL) [ppm]	400 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	1400 mg/m³	
VME (OEL TWA) [ppm]	400 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
OEL TWA [ppm]	734 ppm	
OEL STEL	400 mg/m³	
OEL STEL [ppm]	1468 ppm	

Safety Data Sheet

Ethyl acetate (141-78-6)		
Greece - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	734 mg/m³	
CK (OEL STEL)	1468 mg/m³	
OEL chemical category	Sensitizer	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	734 mg/m³	
OEL TWA [2]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
OEL TWA [ppm]	54 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	500 mg/m³	
IPRV (OEL TWA) [ppm]	150 ppm	
NRV (OEL C)	1100 mg/m³	
NRV (OEL C) [ppm]	300 ppm	
Luxembourg - Occupational Exposure Limits		
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	734 mg/m³	
TGG-15min (OEL STEL)	1468 mg/m³	

Safety Data Sheet

Ethyl acetate (141-78-6)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	734 mg/m³	
NDSCh (OEL STEL)	1468 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	734 mg/m³ (indicative limit value)	
OEL TWA [ppm]	200 ppm (indicative limit value)	
OEL STEL	1468 mg/m³ (indicative limit value)	
OEL STEL [ppm]	400 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	400 mg/m³	
OEL TWA [ppm]	111 ppm	
OEL STEL	500 mg/m³	
OEL STEL [ppm]	139 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	734 mg/m³	
NPHV (OEL TWA) [2]	200 ppm	
NPHV (OEL C)	1100 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	734 mg/m³	
VLA-ED (OEL TWA) [2]	200 ppm	
VLA-EC (OEL STEL)	1468 mg/m³	
VLA-EC (OEL STEL) [ppm]	400 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	550 mg/m³	
NGV (OEL TWA) [ppm]	150 ppm	
KTV (OEL STEL)	1100 mg/m³	
KTV (OEL STEL) [ppm]	300 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	734 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	1468 mg/m³	
WEL STEL (OEL STEL) [ppm]	400 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	734 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)		
Grenseverdi (OEL TWA) [2]	200 ppm	
Korttidsverdi (OEL STEL)	1468 mg/m³ (value from the regulation)	
Korttidsverdi (OEL STEL) [ppm]	400 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	730 mg/m³	
MAK (OEL TWA) [2]	200 ppm	
KZGW (OEL STEL)	1460 mg/m³	
KZGW (OEL STEL) [ppm]	400 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	400 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Standard. Colour Odour characteristic. Odour threshold No data available No data available рΗ Relative evaporation rate (butylacetate=1) No data available Melting point No data available Freezing point No data available **Boiling point** : No data available : > 93 °C Flash point

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

5/18/2022 (Issue date) EN (English) 11/18

Safety Data Sheet

Dihydromyrcenol (18479-58-8)		
LD50 oral rat	3600 mg/kg	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Lavandin oil (8022-15-9)		
LD50 oral rat	> 5 g/kg	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Lemon oil (8008-56-8)		
LD50 oral rat	2840 mg/kg	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	293 mg/kg	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Citral (5392-40-5)		
LD50 oral rat	4960 mg/kg	
LD50 dermal rabbit	2250 mg/kg	
LD50 dermal	2250 mg/kg bodyweight	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Lime oil distilled (8008-26-2)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

•	
Citronellol Pure (106-22-9)	
LD50 dermal	2650 mg/kg bodyweight
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
Methyl cinnamate (103-26-4)	
LD50 oral rat	2610 mg/kg
LD50 oral	2610 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Ethyl acetate (141-78-6)	
LD50 oral rat	5620 mg/kg
LD50 dermal rabbit	> 18000 mg/kg
LC50 Inhalation - Rat [ppm]	4000 ppm/4h
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Additional information : STOT-single exposure :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met
STOT-single exposure	May cause drowsiness or dizziness.
Additional information :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

5/18/2022 (Issue date) EN (English) 13/18

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

d-Limonene (5989-27-5)	
	0.640 0.706 mg/l/Evpeques times 06 h. Species Dimenholes promoles (flow through)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Methyl cinnamate (103-26-4)	
LC50 - Fish [1]	2.76 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Ethyl acetate (141-78-6)	
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and degradability

Lemon Lavender AT 25% in DPG	
Persistence and degradability Not established.	
Methyl cinnamate (103-26-4)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Lemon Lavender AT 25% in DPG		
Bioaccumulative potential	Not established.	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Methyl cinnamate (103-26-4)		
Bioaccumulative potential	Not established.	
Ethyl acetate (141-78-6)		
BCF - Fish [1]	30	
Partition coefficient n-octanol/water (Log Pow)	0.6	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

5/18/2022 (Issue date) EN (English) 15/18

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	d-Limonene; Lemon oil; Lime oil distilled; Ethyl acetate	
3(b)	Lemon Lavender AT 25% in DPG; Dihydromyrcenol; d-Limonene; Lavandin oil; Hexyl cinnamic aldehyde; Lemon oil; Hexyl salicylate; Citral; Benzyl salicylate; Lime oil distilled; Citronellol Pure; Eugenol; Ethyl acetate	
3(c)	Lemon Lavender AT 25% in DPG; d-Limonene; Lavandin oil; Hexyl cinnamic aldehyde; Lemon oil; Hexyl salicylate; Benzyl salicylate; Lime oil distilled	
40.	d-Limonene; Lemon oil; Lime oil distilled; Ethyl acetate	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

: Lemon oil is listed

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)

WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

Lemon oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

: None of the components are listed : None of the components are listed

Vruchtbaarheid

Classification remarks

: None of the components are listed

SZW-lijst van reprotoxische stoffen - Ontwikkeling

Denmark

: Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations

Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
H224	Extremely flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.