

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/26/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name : Mixture

: OUD at 25% in DPG

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

Forget Me Not Oils Europe
Calle Torrevieja 2,
San Miguel de Salinas
03193
www.forgetmenotoilseurope.com
Email - forgetmenothf@gmail.com
1.4. Emergency telephone number
0034 – 711024907

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411 Full text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. Hating a figure of the statement of the statem

2.2. Label elements

2.2. Label elements	
Labelling according to Regulation (EC) I	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS07 GHS09
Signal word (CLP)	: Warning
Contains	: Iso E Super; Cinnamic alcohol; Amberwood F; beta-Caryophyllene; Balsam oil, Peru; delta- Damascone
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.875 – 3.75	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.75 – 1.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.6125 – 1.225	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496- 29	0.25 – 0.5	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Bacdanol	CAS-No.: 28219-61-6 EC-No.: 248-908-8 REACH-no: 01-2119529224- 45	0.15625 – 0.3125	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 1, H410
Amberwood F	CAS-No.: 58567-11-6 EC-No.: 261-332-1	0.15 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4- penten-2-ol	CAS-No.: 107898-54-4 EC-No.: 411-580-3 EC Index-No.: 603-150-00-0	0.125 – 0.25	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.125 – 0.25	Asp. Tox. 1, H304 Aquatic Chronic 4, H413 Skin Sens. 1B, H317
Balsam oil, Peru	CAS-No.: 8007-00-9 EC-No.: 232-352-8	0.0625 – 0.125	Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0.05625 – 0.1125	Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	\$
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3 Indication of any immediate med	ical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment a	and cleaning up	
For containment Methods for cleaning up	Collect spillage.Take up liquid spill into absorbent material.	

s for cleaning up	: Take up liquid spill into absorbent material.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.

•

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Dipropylene glycol monomethyl ether (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m ³	
IOEL TWA [ppm]	50 ppm	
Notes	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m ³ (mixed isomers)	
MAK (OEL TWA) [ppm]	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
MAK (OEL STEL) [ppm]	100 ppm (isomers mixtures)	
Chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
Chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	308 mg/m ³	
GVI (OEL TWA) [2]	50 ppm	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
Chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m ³	
Chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	309 mg/m ³	
OEL TWA [2]	50 ppm	
Chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
Chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	310 mg/m ³	
HTP (OEL TWA) [2]	50 ppm	
Chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m ³ (restrictive limit)	
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
Chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 90)0)	
AGW (OEL TWA) [1]	310 mg/m ³ (isomer mixture)	
AGW (OEL TWA) [2]	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m ³	
OEL TWA [ppm]	50 ppm	
Chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m ³	
OEL TWA [ppm]	100 ppm	
OEL STEL	900 mg/m ³	
OEL STEL [ppm]	150 ppm	
Chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m ³	

Safety Data Sheet

Ireland - Occupational Exposure Limits 608 mg/m² (2.4wthoxymethy/ethoxy)propanol) OEL TWA [2] 60 pm (2.4wthoxymethy/ethoxy)propanol) OEL STEL [ppm] 150 pm (calculated (2.42 Muthoxymethy/ethoxy)propany) - propanol) OEL STEL [ppm] 150 pm (calculated (2.42 Muthoxymethy/ethoxy)propany) - propanol) OEL STEL [ppm] 150 pm (calculated (2.42 Muthoxymethy/ethoxy)propany) - propanol) OEL TWA [pm] 080 mg/m² OEL TWA [pm] 50 pm Chemical category skin - potential for cutaneous absorption Latvia - Occupational Exposure Limits 080 mg/m² OEL TWA [pm] 50 pm Chemical category skin - potential for cutaneous exposure Litvia - Occupational Exposure Limits 080 mg/m² OEL TWA [pm] 50 pm Chemical category skin - potential for cutaneous exposure Litvia - Occupational Exposure Limits 50 pm PRV (OEL TWA) [pm] 50 pm (2.42 Methoxypropoxy)-propanol) PRV (OEL TWA) [pm] 50 pm Chemical category skin exposure Dimits OEL TWA [pm] 50 pm Chemical category pospint OEL TWA [pm]	Dipropylene glycol monomethyl ether (34590-	94-8)
OEL TWA [2]50 prm (22-Methoxynethylerhoxylpropand)OEL STEL524 mg/m² (calculated (2-(2-Methoxypropoxy)-1-propand)OEL STEL150 prm (calculated (2-(2-Methoxypropoxy)-1-propand)OEL TWA150 prm (calculated (2-(2-Methoxypropoxy)-1-propand)Chemical category20 prmOEL TWA308 mg/m²OEL TWA [prm]50 ppmChemical category308 mg/m²OEL TWA [prm]50 ppmChemical category308 mg/m²OEL TWA [prm]50 ppmOEL TWA [prm]50 ppm (2-(2-Methoxypropoxy)-propand)OEL TWA [prm]50 ppm (2-(2-Methoxypropoxy)-propand)PRV (OEL TWA)300 mg/m² (2-(2-Methoxypropoxy)-propand)PRV (OEL TWA)50 mg/m² (2-(2-Methoxypropoxy)-propand)TRV (OEL STEL)450 mg/m² (2-(2-Methoxypropoxy)-propand)TRV (OEL STEL)50 mg/m² (2-(2-Methoxypropoxy)-propand)TRV (OEL STEL) [prm]75 ppm (2-(2-Methoxypropoxy)-propand)Chemical category080 mg/m² (2-(2-Methoxypropoxy)-propand)Chemical category090 ppmOEL TWA308 mg/m²OEL TWA309 mg/m²OEL	Ireland - Occupational Exposure Limits	
OEL STEL024 mg/m² (calculated (2-(2-Methoxypropoxy)-1-propanol)OEL STEL (ppm)150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)Chemical categoryPotential for culaneous absorptionItaly - Occupational Exposure Limits026 mg/m²OEL TWA020 mg/m²Chemical categoryskin - potential for culaneous absorptionChemical categoryskin - potential for culaneous absorptionChemical categoryskin - potential for culaneous absorptionChemical categoryskin - potential for culaneous absorptionCativia - Occupational Exposure Limits00 mg/m²DEL TWA000 mg/m² (2-(2-Methoxypropoxy)-propanol)Chemical categoryskin - potential for culaneous exposureLithuania - Occupational Exposure Limits000 mg/m² (2-(2-Methoxypropoxy)-propanol)PRV (OEL TWA)000 mg/m² (2-(2-Methoxypropoxy)-propanol)PRV (OEL TWA) (ppm]50 ppm (2-(2-Methoxypropoxy)-propanol)TPRV (OEL TWA) (ppm]50 ppm (2-(2-Methoxypropoxy)-propanol)TPRV (OEL TWA) (ppm]50 ppm (2-(2-Methoxypropoxy)-propanol)Chemical categorybin notationChemical categorybin notationCurrentional Exposure Limits000 mg/m² (2-(2-Methoxypropoxy)-propanol)Chemical categorybin notationCurrentional Exposure Limits000 mg/m² (2-(2-Methoxypropoxy)-propanol)Chemical categorybin notationCurrentional Exposure Limits000 mg/m² (2-(2-Methoxy)-mopanol)Chemical categorybin notationCurrentional Exposure Limits000 mg/m² (2-(2-Methoxy)-mopanol) <td>OEL TWA [1]</td> <td>308 mg/m³ ((2-Methoxymethylethoxy)propanol)</td>	OEL TWA [1]	308 mg/m ³ ((2-Methoxymethylethoxy)propanol)
DEL STEL [ppm] 150 ppm (calculated (2 (2 Methoxypropox))-1 propanol) Chemical category Potential for cutaneous absorption taty - occupational Exposure Limits 308 mg/m ³ DEL TWA 308 mg/m ³ CEL TWA 308 mg/m ³ DEL TWA 309 mg/m ³ (2-(2-Methoxypropoxy)-propanol) TPRV (OEL TWA) 50 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm] 75 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm] 50 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm] 50 ppm Chemical category S08 mg/m ³ OEL TWA 308 mg/m ³ OEL TWA 308 mg/m ³	OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)
Chemical category Potential for cutaneous absorption Italy - Occupational Exposure Limits 308 mg/m³ OEL TWA 308 mg/m³ OEL TWA (ppm) 50 ppm Chemical category skin - potential for cutaneous absorption Latvia - Occupational Exposure Limits 08 mg/m³ OEL TWA (ppm) 50 ppm OEL TWA (ppm) 50 ppm Chemical category skin - potential for cutaneous absorption Lithuania - Occupational Exposure Limits 100 mg/m² (2/2 Methoxypropoxy)-propanol) IPRV (OEL TWA) (ppm) 50 ppm (2/2 Methoxypropoxy)-propanol) TPRV (OEL TWA) (ppm) 50 ppm (2/2 Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm) 75 ppm (2/2 Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm) 75 ppm (2/2 Methoxypropoxy)-propanol) Chemical category So mg/m³ Chemical category 308 mg/m³ Chemical category So ppm Chemical category 0 ppm Chemical category 0 ppm Chemical category 0 possibility of significant uptake through the skin Mata - Occupational Exposure Limits 0 mg/m³ <td< td=""><td>OEL STEL</td><td>924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)</td></td<>	OEL STEL	924 mg/m ³ (calculated (2-(2-Methoxypropoxy)-1-propanol)
Italy - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL TWA (pm) 50 ppm Chemical category skin - potential for cutaneous absorption Latvia - Occupational Exposure Limits 308 mg/m³ OEL TWA (ppm) 50 ppm Chemical category skin - potential for cutaneous exposure Chemical category skin - potential for cutaneous exposure Lithuana - Occupational Exposure Limits 300 mg/m² (2:(2:Methoxypropoxy)-propanol) PRV (OEL TWA) 300 mg/m² (2:(2:Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m² (2:(2:Methoxypropoxy)-propanol) CPRV (DEL STEL) 450 mg/m² (2:(2:Methoxypropoxy)-propanol) CPRV (OEL STEL) 450 mg/m² (2:(2:Methoxypropoxy)-propanol) CPRV (OEL STEL) 50 ppm CPRV (DEL STEL) 50 ppm CPRV (DEL TWA) 308 mg/m² OEL TWA (ppm) 50 ppm	OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)
OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryskin - potential for cutaneous absorptionLatvia - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA50 ppmChemical categoryskin - potential for cutaneous exposureLittuania - Occupational Exposure LimitsUPRV (OEL TWA)300 mg/m³ (2-(2-Methoxypropoxy)-propanol)IPRV (OEL TWA)50 ppm (2-(2-Methoxypropoxy)-propanol)PRV (OEL TWA)50 pg/m (2-(2-Methoxypropoxy)-propanol)TPRV (OEL TWA)50 mg/m² (2-(2-Methoxypropoxy)-propanol)TPRV (OEL STEL)450 mg/m² (2-(2-Methoxypropoxy)-propanol)TPRV (OEL STEL) [ppm]75 ppm (2-(2-Methoxypropoxy)-propanol)Chemical categorySkin notationLuxembourg - Occupational Exposure Limits50 ppmOEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinMatta - Occupational Exposure Limits50 ppmChemical categoryPossibility of significant uptake through the skinMatta - Occupational Exposure Limits50 ppmChemical categoryPossibility of significant uptake through the skinNoterinal Exposure Limits50 ppmOEL TWA300 mg/m²OEL TWA300 mg/m²OEL TWA300 mg/m²No Cole TWA)240 mg/m² (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol,	Chemical category	Potential for cutaneous absorption
OEL TWA (ppm) 50 ppm Chemical category skin - potential for cutaneous absorption Latvia - Occupational Exposure Limits 308 mg/m ² OEL TWA 308 mg/m ² OEL TWA (ppm) 50 ppm Chemical category skin - potential for cutaneous exposure Lithuania - Occupational Exposure Limits 100 mg/m ² (2-(2-Methoxypropoxy)-propanol) IPRV (OEL TWA) 300 mg/m ² (2-(2-Methoxypropoxy)-propanol) IPRV (OEL TWA) (ppm) 50 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m ² (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm) 75 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm] 75 ppm (2-(2-Methoxypropoxy)-propanol) Chemical category Skin notation Luxembourg - Occupational Exposure Limits 000 mg/m ³ OEL TWA 308 mg/m ³ OEL TWA (ppm) 50 ppm Chemical category Possibility of significant uptake through the skin Mafar - Occupational Exposure Limits 100 mg/m ³ OEL TWA 308 mg/m ³ OEL TWA 308 mg/m ³ OEL TWA 308 mg/m ³	Italy - Occupational Exposure Limits	
Chemical category skin - potential for cutaneous absorption Latvia - Occupational Exposure Limits 308 mg/m³ OEL TWA (ppm) 60 ppm Chemical category skin - potential for cutaneous exposure Lithuania - Occupational Exposure Limits 300 mg/m² (2-(2-Methoxypropoxy)-propanol) IPRV (OEL TWA) (ppm) 60 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL TWA) (ppm) 60 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m² (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm) 75 ppm (2-(2-Methoxypropoxy)-propanol) Chemical category skin notation Luxembourg - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL TWA (ppm) 50 ppm Chemical category Posibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 308 mg/m³ OE	OEL TWA	308 mg/m ³
Latvia - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL TWA [ppm] 50 ppm Chemical category skin - potential for cutaneous exposure Lithuania - Occupational Exposure Limits 900 mg/m³ (2-(2-Methoxypropoxy)-propanol) IPRV (OEL TWA) [ppm] 50 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL TWA) [ppm] 50 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL TWA) [ppm] 75 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm] 75 ppm (2-(2-Methoxypropoxy)-propanol) Chemical category Skin notation Luxembourg - Occupational Exposure Limits 008 mg/m³ OEL TWA 308 mg/m³	OEL TWA [ppm]	50 ppm
OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryskin - potential for cutaneous exposureLithuania - Occupational Exposure LimitsIPRV (OEL TWA)300 mg/m³ (2-(2-Methoxypropoxy)-propanol)IPRV (OEL TWA) [ppm]50 ppm (2-(2-Methoxypropoxy)-propanol)TPRV (OEL STEL)450 mg/m³ (2-(2-Methoxypropoxy)-propanol)TPRV (OEL STEL) [ppm]75 ppm (2-(2-Methoxypropoxy)-propanol)Chemical categorySkin notationLuxembourg - Occupational Exposure Limits008 mg/m³OEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA080 mg/m³OEL TWA080 mg/m³OEL TWA308 mg/m³OEL TWA300 mg/m³Possibility of significant uptake through the skinMata - Occupational Exposure LimitsOEL TWA300 mg/m³OEL TWA300 mg/m³Notherlands - Occupational Exposure LimitsNot Cocupational Exposure LimitsNos (OEL TWA)300 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)	Chemical category	skin - potential for cutaneous absorption
OEL TWA (ppm] 50 ppm Chemical category skin - potential for cutaneous exposure Lithuania - Occupational Exposure Limits 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) PRV (OEL TWA) 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) PRV (OEL TWA) (ppm) 50 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m² (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) (ppm] 75 ppm (2-(2-Methoxypropoxy)-propanol) Chemical category Skin notation Luxembourg - Occupational Exposure Limits 00EL TWA (ppm] OEL TWA (ppm] 50 ppm Chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits 00E ng/m² OEL TWA (ppm] 50 ppm Chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits 00E ng/m² (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Metho	Latvia - Occupational Exposure Limits	
Chemical category skin - potential for cutaneous exposure Lithuania - Occupational Exposure Limits 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) IPRV (OEL TWA) 50 ppm (2-(2-Methoxypropoxy)-propanol) IPRV (OEL STEL) 450 mg/m³ (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m³ (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 50 ppm (2-(2-Methoxypropoxy)-propanol) Chemical category Skin notation Luxembourg - Occupational Exposure Limits 00EL TWA OEL TWA 308 mg/m³ OEL TWA (ppm) 50 ppm Chemical category Possibility of significant uptake through the skin Mata - Occupational Exposure Limits 00E Nd mg/m³ OEL TWA (ppm) 50 ppm Chemical category Possibility of significant uptake through the skin Mata - Occupational Exposure Limits 00E ndm m³ OEL TWA (ppm) 50 ppm Chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits 100 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan	OEL TWA	308 mg/m³
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) IPRV (OEL TWA) (ppm] 50 ppm (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m³ (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) [ppm] 75 ppm (2-(2-Methoxypropoxy)-propanol) Chemical category Skin notation Luxembourg - Occupational Exposure Limits 08 mg/m³ OEL TWA 308 mg/m³ OEL TWA (ppm] 50 ppm Chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits 08 mg/m³ OEL TWA 308 mg/m³ OEL TWA 300 mg/m³ Polar - Occupational Exposure Limits TG6-8u (OEL TWA) TG6-8u (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-0, 1-(2-Methoxy-2-methylethoxy)propan	OEL TWA [ppm]	50 ppm
IPRV (OEL TWA)300 mg/m² (2-(2-Methoxypropoxy)-propanol)IPRV (OEL TWA) [ppm]50 ppm (2-(2-Methoxypropoxy)-propanol)TPRV (OEL STEL)450 mg/m² (2-(2-Methoxypropoxy)-propanol)TPRV (OEL STEL) [ppm]75 ppm (2-(2-Methoxypropoxy)-propanol)Chemical categorySkin notationLuxembourg - Occupational Exposure Limits308 mg/m³OEL TWA308 mg/m³OEL TWA (ppm]50 ppmChemical categoryPossibility of significant uptake through the skinMatta - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA50 ppmChemical categoryPossibility of significant uptake through the skinMatta - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m³Poland - Occupational Exposure Limits300 mg/m³Poland - Occupational Exposure Limits240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits308 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Me	Chemical category	skin - potential for cutaneous exposure
IPRV (QEL TWA) [ppm]50 ppm (2-(2-Methoxypropoxy)-propanol)TPRV (QEL STEL)450 mg/m³ (2-(2-Methoxypropoxy)-propanol)TPRV (QEL STEL) [ppm]75 ppm (2-(2-Methoxypropoxy)-propanol)Chemical categorySkin notationLuxembourg - Occupational Exposure Limits08 mg/m³OEL TWA308 mg/m³OEL TWA50 ppmChemical categoryPossibility of significant uptake through the skinMalta - Occupational Exposure Limits50 ppmOEL TWA308 mg/m³OEL TWA308 mg/m³Cet TWA (ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m³TGG-8u (OEL TWA)300 mg/m³Poland - Occupational Exposure Limits240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-1-ol)NDS (OEL TWA)208 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits208 mg/m³ (indicative limit value)OEL TWA308 mg/m³ (indicative limit value)OEL TWA308 mg/m³ (indicative limit value)OEL TWA (p	Lithuania - Occupational Exposure Limits	
TPRV (OEL STEL)450 mg/m² (2-(2-Methoxypropoxy)-propanol)TPRV (OEL STEL) [ppm]75 ppm (2-(2-Methoxypropoxy)-propanol)Chemical categorySkin notationLuxembourg - Occupational Exposure Limits080 mg/m³OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinMatta - Occupational Exposure Limits080 mg/m³OEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA090 pmChemical category90 spibility of significant uptake through the skinMatta - Occupational Exposure Limits50 ppmOEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits50 ppmTGG-8u (OEL TWA)300 mg/m³Poland - Occupational Exposure Limits1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Met	IPRV (OEL TWA)	300 mg/m ³ (2-(2-Methoxypropoxy)-propanol)
TPRV (OEL STEL) [ppm]75 ppm (2-(2-Methoxypropoxy)-propanol)Chemical categorySkin notationLuxembourg - Occupational Exposure Limits308 mg/m³OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinMalta - Occupational Exposure Limits0EL TWAOEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA50 ppmChemical categoryPossibility of significant uptake through the skinMalta - Occupational Exposure Limits50 ppmOEL TWA (ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m³TGG-8u (OEL TWA)300 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2	IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)
Chemical categorySkin notationLuxembourg - Occupational Exposure Limits308 mg/m³OEL TWA50 ppmChemical categoryPossibility of significant uptake through the skinMalta - Occupational Exposure Limits308 mg/m³OEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits50 ppmTGG-8u (OEL TWA)300 mg/m³Poland - Occupational Exposure Limits300 mg/m³NDS (OEL TWA)240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-me	TPRV (OEL STEL)	450 mg/m ³ (2-(2-Methoxypropoxy)-propanol)
Luxembourg - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinMalta - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA50 ppmChemical categoryPossibility of significant uptake through the skinOEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m³TGG-8u (OEL TWA)300 mg/m³Poland - Occupational Exposure LimitsNDS (OEL TWA)240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits308 mg/m³ (indicative limit value)OEL TWA308 mg/m³ (indicative limit value)OEL TWA50 ppm (indicative limit value)OEL TWA [ppm]<	TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)
OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinMatta - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA308 mg/m³OEL TWA50 ppmChemical categoryPossibility of significant uptake through the skinOEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m³TGG-8u (OEL TWA)300 mg/m³Poland - Occupational Exposure Limits240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-1-ol)NDSCh (OEL STEL)308 mg/m³ (indicative limit value)OEL TWA308 mg/m³ (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value) <t< td=""><td>Chemical category</td><td>Skin notation</td></t<>	Chemical category	Skin notation
OEL TWA [ppm] 50 pm Chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits Image: State Sta	Luxembourg - Occupational Exposure Limits	
Chemical categoryPossibility of significant uptake through the skinMalta - Occupational Exposure LimitsOEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m³TGG-8u (OEL TWA)300 mg/m³Poland - Occupational Exposure LimitsNDS (OEL TWA)240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy) 2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits308 mg/m³ (indicative limit value)OEL TWA308 mg/m³ (indicative limit value)OEL TWA50 ppm (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value)	OEL TWA	308 mg/m ³
Malta - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL TWA [ppm] 50 ppm Chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) TGG-8u (OEL TWA) 300 mg/m³ Poland - Occupational Exposure Limits 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits 308 mg/m³ (indicative limit value) OEL TWA 308 mg/m³ (indicative limit value) OEL TWA 308 mg/m³ (indicative limit value) OEL TWA 50 ppm (indicative limit value) OEL TWA [ppm] 150 ppm	OEL TWA [ppm]	50 ppm
OEL TWA308 mg/m³OEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m³TGG-8u (OEL TWA)300 mg/m³Poland - Occupational Exposure Limits300 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)NDSch (OEL STEL)480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits308 mg/m³ (indicative limit value)OEL TWA308 mg/m³ (indicative limit value)OEL TWA50 ppm (indicative limit value)OEL STEL [ppm]150 ppm	Chemical category	Possibility of significant uptake through the skin
DelayDelayOEL TWA [ppm]50 ppmChemical categoryPossibility of significant uptake through the skinNetherlands - Occupational Exposure Limits300 mg/m3TGG-8u (OEL TWA)300 mg/m3Poland - Occupational Exposure LimitsXNDS (OEL TWA)240 mg/m3 (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)NDS (OEL STEL)480 mg/m3 (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits308 mg/m3 (indicative limit value)OEL TWA308 mg/m3 (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value)	Malta - Occupational Exposure Limits	
Chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits 300 mg/m³ Poland - Occupational Exposure Limits 300 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits 308 mg/m³ (indicative limit value) OEL TWA 308 mg/m³ (indicative limit value) OEL TWA [ppm] 50 ppm (indicative limit value) OEL STEL [ppm] 150 ppm	OEL TWA	308 mg/m ³
Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m³ Poland - Occupational Exposure Limits 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits 308 mg/m³ (indicative limit value) OEL TWA 308 mg/m³ (indicative limit value) OEL TWA [ppm] 50 ppm (indicative limit value) OEL STEL [ppm] 150 ppm	OEL TWA [ppm]	50 ppm
TGG-8u (OEL TWA)300 mg/m3Poland - Occupational Exposure Limits240 mg/m3 (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits308 mg/m3 (indicative limit value)OEL TWA308 mg/m3 (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value)OEL STEL [ppm]150 ppm	Chemical category	Possibility of significant uptake through the skin
Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits 308 mg/m³ (indicative limit value) OEL TWA 308 mg/m³ (indicative limit value) OEL STEL [ppm] 50 ppm (indicative limit value)	Netherlands - Occupational Exposure Limits	·
NDS (OEL TWA)240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)NDSCh (OEL STEL)480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)Portugal - Occupational Exposure Limits308 mg/m³ (indicative limit value)OEL TWA308 mg/m³ (indicative limit value)OEL TWA [ppm]50 ppm (indicative limit value)OEL STEL [ppm]150 ppm	TGG-8u (OEL TWA)	300 mg/m ³
2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits 0EL TWA 0EL TWA [ppm] 308 mg/m³ (indicative limit value) 0EL STEL [ppm] 50 ppm (indicative limit value) 0EL STEL [ppm] 150 ppm	Poland - Occupational Exposure Limits	
2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) OEL TWA [ppm] 50 ppm (indicative limit value) OEL STEL [ppm] 150 ppm	NDS (OEL TWA)	
OEL TWA 308 mg/m³ (indicative limit value) OEL TWA [ppm] 50 ppm (indicative limit value) OEL STEL [ppm] 150 ppm	NDSCh (OEL STEL)	
OEL TWA [ppm] 50 ppm (indicative limit value) OEL STEL [ppm] 150 ppm	Portugal - Occupational Exposure Limits	
OEL STEL [ppm] 150 ppm	OEL TWA	308 mg/m ³ (indicative limit value)
	OEL TWA [ppm]	50 ppm (indicative limit value)
Chemical category skin - potential for cutaneous exposure indicative limit value	OEL STEL [ppm]	150 ppm
	Chemical category	skin - potential for cutaneous exposure indicative limit value

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)	
Romania - Occupational Exposure Limits	
OEL TWA	308 mg/m ³
OEL TWA [ppm]	50 ppm
Chemical category	Skin notation
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	308 mg/m ³
NPHV (OEL TWA) [2]	50 ppm
Chemical category	Potential for cutaneous absorption
Slovenia - Occupational Exposure Limits	
OEL TWA	308 mg/m ³
OEL TWA [ppm]	50 ppm
OEL STEL	308 mg/m³
OEL STEL [ppm]	50 ppm
Chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	308 mg/m³ (indicative limit value)
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)
Chemical category	skin - potential for cutaneous absorption
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	300 mg/m ³
NGV (OEL TWA) [ppm]	50 ppm
KTV (OEL STEL)	450 mg/m³
KTV (OEL STEL) [ppm]	75 ppm
Chemical category	Skin notation
United Kingdom - Occupational Exposure Limits	·
WEL TWA (OEL TWA) [1]	308 mg/m ³
WEL TWA (OEL TWA) [2]	50 ppm
WEL STEL (OEL STEL)	924 mg/m ³ (calculated)
WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	300 mg/m ³
Grenseverdi (OEL TWA) [2]	50 ppm
Korttidsverdi (OEL STEL)	375 mg/m ³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)
Chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	300 mg/m ³ (aerosol, vapour)
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dipropylene glycol monomethyl ether (34590-94-8)	
KZGW (OEL STEL)	300 mg/m ³ (aerosol, vapour)
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)
Turkey - Occupational Exposure Limits	
OEL TWA 308 mg/m ³	
OEL TWA [ppm]	50 ppm
Chemical category	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm] 100 ppm	
ACGIH OEL STEL [ppm]	150 ppm
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Solubility	 Liquid light yellow. amber. characteristic. No data available No data available No data available Not applicable No data available No data available > 93 °C No data available
Relative vapour density at 20 °C	
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic	: No data available : No data available
Viscosity, dynamic Explosive properties Oxidising properties Explosive limits	 No data available No data available No data available No data available
P T T T	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Not classified Not classified Not classified
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Cinnamic alcohol (104-54-1)	·
LD50 oral	2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Amberwood F (58567-11-6)	<u>.</u>
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-	1-yl)-4-penten-2-ol (107898-54-4)
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
delta-Damascone (57378-68-4)	
LD50 oral	1400 mg/kg bodyweight
Dipropylene glycol monomethyl ether (34590-	94-8)
LD50 oral rat	5.35 g/kg
LD50 dermal rabbit	9500 mg/kg
Serious eye damage/irritation:Respiratory or skin sensitisation:Germ cell mutagenicity:Carcinogenicity:Reproductive toxicity:STOT-single exposure:	Not classified Not classified May cause an allergic skin reaction. Not classified Not classified Not classified Not classified
• •	Not classified
Balsam oil, Peru (8007-00-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Toxic to aquatic life with long lasting effects.
(chronic)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Dipropylene glycol monomethyl ether (34590-	-94-8)
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	
Amberwood F (58567-11-6)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.9
Amberwood F (58567-11-6)	
Bioaccumulative potential	Not established.
Dipropylene glycol monomethyl ether (34590-94-8)	
Partition coefficient n-octanol/water (Log Pow)	-0.064 (at 20 °C)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods :	Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number

UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Hexamethylindanopyran), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Hexamethylindanopyran), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9,
	III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Hexamethylindanopyran), 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(Hexamethylindanopyran), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) Danger labels (ADR)



: 9

: 9

: 9

:

: 9

: 9

: 9

IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)




Transport hazard class(es) (IATA) Danger labels (IATA)



ADN

Transport hazard class(es) (ADN) Danger labels (ADN)



: 9 : 9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

÷



	\vee \vee
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	:
Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions	: T4 : TP1, TP29
(ADR)	
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12 : CV13
Special provisions for carriage - Loading, unloading and handling (ADR)	. CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	
	90
	2002
	3082
Tunnel restriction code (ADR)	:-
EAC code	: •3Z
Transport by coo	
Transport by sea Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA packing instructions (IATA)	: 964	
PCA max net quantity (IATA)	: 450L	
CAO packing instructions (IATA)	: 964	
CAO max net quantity (IATA)	: 450L	
Special provisions (IATA)	: A97, A158, A197, A215	
ERG code (IATA)	: 9L	
Inland waterway transport		
Classification code (ADN)	: M6	
Special provisions (ADN)	: 274, 335, 375, 601	
Limited quantities (ADN)	: 5 L	
Excepted quantities (ADN)	: E1	
Equipment required (ADN)	: PP	
Number of blue cones/lights (ADN)	: 0	
Rail transport		
Classification code (RID)	: M6	
Special provisions (RID)	: 274, 335, 375, 601	
Limited quantities (RID)	: 5L	
Excepted quantities (RID)	: E1	
Packing instructions (RID)	: P001, IBC03, LP01, R00)1
Special packing provisions (RID)	: PP1	
Mixed packing provisions (RID)	: MP19	
Portable tank and bulk container instruct	tions (RID) : T4	
Portable tank and bulk container specia	l provisions : TP1, TP29	
(RID)		
Tank codes for RID tanks (RID)	: LGBV	
Transport category (RID)	: 3	
Special provisions for carriage – Packa	ges (RID) : W12	
Special provisions for carriage - Loadin	g, unloading : CW13, CW31	
and handling (RID)		
Colis express (express parcels) (RID)	: CE8	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: 90

15.1.1. EU-Regulations

Hazard identification number (RID)

EU restriction list (REA	ACH Annex XVII)
Reference code	Applicable on
· · /	OUD at 25% in DPG ; Iso E Super ; Patchouli oil ; Bacdanol ; Amberwood F ; 3,3-Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol ; beta-Caryophyllene ; Balsam oil, Peru ; delta-Damascone
()	OUD at 25% in DPG ; Iso E Super ; Hexamethylindanopyran ; Patchouli oil ; Bacdanol ; Amberwood F ; 3,3- Dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol ; beta-Caryophyllene ; Balsam oil, Peru ; delta- Damascone

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
	Observe restrictions according Act on the Protection of Young People in Employment
	(JArbSchG)
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Balsam oil, Peru is listed
SZW-lijst van mutagene stoffen	: Balsam oil, Peru is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
-	Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	

Safety Data Sheet

Abbreviations and acronyms		
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements	
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.