

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 6/2/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Product name : Pear & Freesia

: GYSV-U3DH-W009-XWM3 UFI : Perfumes, Fragrances Type of product : Trade product Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

: Perfumes, Fragrances Use of the substance/mixture

Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils

Calle Torrevieja 2, San Miguel de salinas

www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

1.4. Emergency telephone number

0034 711024907 **Emergency number**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H318 Serious eye damage/eye irritation Category 1 Skin sensitization, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS09

Signal word (CLP) : Danger

Contains : Hexyl salicylate; Linalool; Phenylethyl acetate; Helional; Linalyl acetate; Geraniol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	18.9 – 37.8	Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	2.3625 – 7.268079	Eye Irrit. 2, H319
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	3.255 – 6.51	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
cis-3-Hexenyl salicylate	CAS-No.: 65405-77-8 EC-No.: 265-745-8	1.96 – 3.92	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1.61 – 3.22	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Phenylethyl acetate	CAS-No.: 103-45-7 EC-No.: 203-113-5 REACH-no: 01-2119976340- 38	1.47 – 2.94	Eye Dam. 1, H318
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	1.365 – 2.73	Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.26 – 2.52	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	1.12 – 2.24	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.63 – 1.26	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.6 – 1.2	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.595 – 1.19	Aquatic Chronic 3, H412
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.03815 – 0.763	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Rose oxide	CAS-No.: 16409-43-1 EC-No.: 240-457-5	0.245 – 0.49	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361
p-Cymene	CAS-No.: 99-87-6 EC-No.: 202-796-7	0.07 – 0.14	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

6/2/2020 (Issue date) EN (English US) 4/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

o. 1. 1. National occupational exposure and biological limit values		
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m³	
OEL TWA [2]	10 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	10 ppm	
OEL STEL [ppm]	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	10 ppm	
Chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
OEL TWA [ppm]	8 ppm	
OEL STEL	80 mg/m³	
OEL STEL [ppm]	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	62 mg/m³	
VLA-ED (OEL TWA) [2]	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
p-Cymene (99-87-6)		
Denmark - Occupational Exposure Limits		
OEL TWA [1]	135 mg/m³ (Methylisopropylbenzenes)	
OEL TWA [2]	25 ppm (Methylisopropylbenzenes)	
Estonia - Occupational Exposure Limits		
OEL TWA	140 mg/m³	
OEL TWA [ppm]	25 ppm	
OEL STEL	190 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

p-Cymene (99-87-6)		
OEL STEL [ppm]	35 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (Cymene (2, 3, 4-isomers mixture))	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	140 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	190 mg/m³	
TPRV (OEL STEL) [ppm]	35 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	140 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	190 mg/m³	
KTV (OEL STEL) [ppm]	35 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber. Odor : characteristic. Odor threshold : No data available : No data available рΗ : No data available Relative evaporation rate (butyl acetate=1) : Not applicable Melting point Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : ≈ 1.01

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

6/2/2020 (Issue date) EN (English US) 7/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

Acute toxicity (oran) : Not classified Acute toxicity (oternal) : Not classified Acute toxicity (oternal) : Not classified Acute toxicity (oternal) : Not classified Ethyleno brassylate (105-95-3) LDS0 oral rat S000 mg/kg	11.1. Information on toxicological effects		
Not classified Ethylene brassylate (105-95-3)	Acute toxicity (oral) :	Not classified	
Ethylene brassylate (105-95-3)			
DSG oral rat		Not classified	
D50 dermal rabbit		> E000 malks	
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0) LD50 dermal rabbit > 2000 mg/kg Phenylethyl alcohol (60-12-8) LD50 oral rat 1609 mg/kg LD50 oral 1610 mg/kg body weight 1605 mg/kg LD50 dermal rabbit 2535 mg/kg LD50 dermal rabbit 2535 mg/kg LD50 dermal rabbit 2500 mg/kg body weight 2500 mg/kg 2500 mg/			
D50 dermal rabbit > 2000 mg/kg			
Description Control			
LD50 oral rat		> 2000 mg/kg	
LD50 oral	Phenylethyl alcohol (60-12-8)		
LD50 dermal rabbit 2535 mg/kg LD50 dermal 2500 mg/kg body weight LC50 Inhalation - Rat > 4.63 mg/l/4h LD50 oral rat 5 g/kg LD50 oral rat 5 g/kg LD50 oral rat 2500 mg/kg body weight LD50 oral 2500 mg/kg body weight LD50 oral 2500 mg/kg body weight LD50 oral 2790 mg/kg body weight LD50 oral rat 3670 mg/kg LD50 oral rat 2500 mg/kg body weight LD50 oral 2500 mg/kg body weight LD50 oral 2500 mg/kg body weight LD50 oral rat 2500 mg/kg LD50 oral rat 2500 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 3600 mg/kg LD50 oral rat 3600 mg/kg LD50 oral rat 3600 mg/kg body weight LD50 oral rat 3600 mg/kg body weight LD50 oral rat 3600 mg/kg body weight LD50 oral rat 500 mg/kg b	LD50 oral rat	1609 mg/kg	
LD50 dermal	LD50 oral	1610 mg/kg body weight	
Cc50 Inhalation - Rat	LD50 dermal rabbit	2535 mg/kg	
Linally acetate (115-95-7)	LD50 dermal	2500 mg/kg body weight	
LD50 oral rat	LC50 Inhalation - Rat	> 4.63 mg/l/4h	
LD50 oral 2500 mg/kg body weight 2500 mg/kg 2500 mg/kg 2500 mg/kg 2500 mg/kg 2790	cis-3-Hexenyl salicylate (65405-77-8)		
Linalool (78-70-6) Linalool (108-41-1) Linalool (1205-17-0) Linalool (1205-17-0) Linalool (1205-17-0) Linalool (1205-17-0) Linalool (115-95-7) Linaloo	LD50 oral rat	5 g/kg	
Linalool (78-70-6) LD50 oral 2790 mg/kg body weight Phenylethyl acetate (103-45-7) LD50 oral rat 3670 mg/kg LD50 oral 2500 mg/kg body weight LD50 dermal rabbit 6210 mg/kg Helional (1205-17-0) LD50 dermal rabbit > 2000 mg/kg Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg LD50 oral rat 3600 mg/kg body weight LD50 oral 3600 mg/kg body weight LD50 oral rat 500 mg/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg body weight	LD50 oral	2500 mg/kg body weight	
D50 oral 2790 mg/kg body weight 2790 mg/kg body weight 2500 mg/kg 2500 mg/kg body weight 2500 mg/kg body weight 2500 mg/kg body weight 2500 mg/kg	LD50 dermal rabbit	> 2000 mg/kg	
Phenylethyl acetate (103-45-7) LD50 oral rat 3670 mg/kg LD50 oral 2500 mg/kg body weight LD50 dermal rabbit 6210 mg/kg Helional (1205-17-0) LD50 dermal rabbit > 2000 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg body weight LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral 1500 mg/kg body weight	Linalool (78-70-6)		
LD50 oral rat 3670 mg/kg LD50 oral 2500 mg/kg body weight LD50 dermal rabbit 6210 mg/kg Helional (1205-17-0) LD50 dermal rabbit > 2000 mg/kg Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg body weight LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral 1500 mg/kg body weight LD50 oral 1500 mg/kg body weight	LD50 oral	2790 mg/kg body weight	
LD50 oral 2500 mg/kg body weight LD50 dermal rabbit 6210 mg/kg Helional (1205-17-0) LD50 dermal rabbit > 2000 mg/kg Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral 500 mg/kg body weight LD50 oral 1500 mg/kg body weight	Phenylethyl acetate (103-45-7)		
LD50 dermal rabbit 6210 mg/kg Helional (1205-17-0) LD50 dermal rabbit > 2000 mg/kg Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 oral rat	3670 mg/kg	
Helional (1205-17-0) LD50 dermal rabbit > 2000 mg/kg Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg	LD50 oral	2500 mg/kg body weight	
Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 dermal rabbit	6210 mg/kg	
Linalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	Helional (1205-17-0)		
LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg Geraniol (106-24-1) LD50 oral rat 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 dermal rabbit	> 2000 mg/kg	
LD50 dermal rabbit > 5000 mg/kg	Linalyl acetate (115-95-7)		
Geraniol (106-24-1) LD50 oral rat 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 oral rat	14550 mg/kg	
LD50 oral rat 3600 mg/kg LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 dermal rabbit	> 5000 mg/kg	
LD50 oral 3600 mg/kg body weight LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	Geraniol (106-24-1)	Geraniol (106-24-1)	
LD50 dermal rabbit > 5 g/kg Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 oral rat	3600 mg/kg	
Benzyl benzoate (120-51-4) LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 oral	3600 mg/kg body weight	
LD50 oral rat 500 mg/kg LD50 oral 1500 mg/kg body weight	LD50 dermal rabbit	> 5 g/kg	
LD50 oral 1500 mg/kg body weight	Benzyl benzoate (120-51-4)		
	LD50 oral rat	500 mg/kg	
LD50 dermal rabbit 4000 mg/kg	LD50 oral	1500 mg/kg body weight	
	LD50 dermal rabbit	4000 mg/kg	

6/2/2020 (Issue date) EN (English US) 8/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)	
LD50 dermal	4000 mg/kg body weight
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg
Rose oxide (16409-43-1)	
LD50 oral rat	4300 mg/kg
LD50 oral	4300 mg/kg body weight
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
p-Cymene (99-87-6)	
LD50 oral rat	4750 mg/kg
LD50 oral	4750 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 9.7 mg/l (Exposure time: 5 h)
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg
Serious eye damage/irritation : Respiratory or skin sensitization : Germ cell mutagenicity :	Not classified Causes serious eye damage. May cause an allergic skin reaction. Not classified Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
STOT-single exposure : STOT-repeated exposure :	Not classified Not classified Not classified
Aspiration hazard :	Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

: Not classified

 $\label{thm:local_equation} \mbox{Hazardous to the aquatic environment, short-term}$

(acute)
Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

(sinsins)	
Phenylethyl alcohol (60-12-8)	
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	
Geraniol (106-24-1)		
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Phenylethyl alcohol (60-12-8)		
Partition coefficient n-octanol/water (Log Pow)	1.38 (at 25 °C)	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96	
p-Cymene (99-87-6)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
Partition coefficient n-octanol/water (Log Kow)	0	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cis-3-

Hexenyl salicylate), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cis-3-

Hexenyl salicylate), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (cis-3-Hexenyl salicylate), 9,

Ш

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cis-3-

Hexenyl salicylate), 9, III


Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cis-3-

Hexenyl salicylate), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



RID

Transport hazard class(es) (RID) : 9
Hazard labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90

Tunnel restriction code (ADR) : EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(b)	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol ; Hexyl salicylate ; Phenylethyl alcohol ; Linalool ; Phenylethyl acetate ; Helional ; Linalyl acetate ; Geraniol ; Patchouli oil ; Benzyl benzoate ; Rose oxide
3(c)	Ethylene brassylate ; Hexyl salicylate ; cis-3-Hexenyl salicylate ; Helional ; Patchouli oil ; Benzyl benzoate ; Benzyl acetate

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

None of the components are listedNone of the components are listed

: cis-3-Hexenyl salicylate is listed

cis-3-Hexenyl salicylate is listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	

6/2/2020 (Issue date) EN (English US) 14/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms	
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-phrases	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.