

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 4/18/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Creamy Caramel
UFI : TJM8-90HD-200J-1QUX
Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only Perfumes, fragrances

Use of the substance/mixture : Perfumes, fragrent : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils

Calle Torrevieja 2, San Miguel de salinas

Alicante 03193 Spain

www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

1.4. Emergency telephone number

Emergency number 0034 711024907

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302

Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Signal word (CLP) : Warning
Contains : Benzyl benzoate

Hazard statements (CLP) : H302 - Harmful if swallowed.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P330 - Rinse mouth.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH208 - Contains Acetyl Propionyl. May produce an allergic reaction.

EUH-statements : EUH

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-	23.75 – 47.5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Methyl ester of rosin (partially hydrogenated)	CAS-No.: 8050-15-5 EC-No.: 232-476-2	12.5 – 25	Aquatic Chronic 3, H412
Hexylene Glycol	CAS-No.: 107-41-5 EC-No.: 203-489-0 EC Index-No.: 603-053-00-3	1.25 – 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040-	1.125 – 2.25	Eye Irrit. 2, H319
acetyl propionyl	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.125 – 0.25	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4/18/2022 (Issue date) EN (English) 2/14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

4/18/2022 (Issue date) EN (English) 3/14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Hexylene Glycol (107-41-5)		
Austria - Occupational Exposure Limits	Austria - Occupational Exposure Limits	
MAK (OEL TWA)	49 mg/m³	
MAK (OEL TWA) [ppm]	10 ppm	
MAK (OEL STEL)	49 mg/m³	
MAK (OEL STEL) [ppm]	10 ppm	
OEL C	49 mg/m³	
OEL C [ppm]	10 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	123 mg/m³	
GVI (OEL TWA) [2]	25 ppm	
KGVI (OEL STEL)	123 mg/m³	
KGVI (OEL STEL) [ppm]	25 ppm	
OEL chemical category	Skin notation	
Denmark - Occupational Exposure Limits		
OEL C	125 mg/m³	
OEL C [ppm]	25 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	120 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	200 mg/m³	
HTP (OEL STEL) [ppm]	40 ppm	
France - Occupational Exposure Limits		
VLE (OEL C/STEL)	125 mg/m³	
VLE (OEL C/STEL) [ppm]	25 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	125 mg/m³	
OEL TWA [ppm]	25 ppm	
OEL STEL	125 mg/m³	
OEL STEL [ppm]	25 ppm	
Ireland - Occupational Exposure Limits		
OEL STEL	125 mg/m³	
OEL STEL [ppm]	25 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lithicania - Occupational Exposure Limits NRV (OEL C) (ppm) 25 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 50 mg/m² (vapor and inhalable fraction) NDS (OEL TWA) 50 mg/m² (vapor and inhalable fraction) Portugal - Occupational Exposure Limits VLA-EC (OEL STEL) 25 ppm Spain - Occupational Exposure Limits VLA-EC (OEL STEL) (ppm) 25 ppm VAL-EC (OEL STEL) (ppm) 25 ppm VAL-EC (OEL STEL) (ppm) 25 ppm VAL-EC (OEL STEL) (ppm) 25 ppm United Kingdom - Occupational Exposure Limits VEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) (ppm) 25 ppm WEL STEL (OEL STEL) (ppm) 25 ppm WEL STEL (OEL STEL) (ppm) 20 ppm WEL STEL (OEL STEL) (ppm) 20 ppm WEL STEL (OEL STEL) (ppm) 40 mg/m² Taloveral (OEL C) [1] 10 mg/m² Taloveral (OEL C) [1] 10 mg/m² <th <="" colspan="2" th=""><th>Hexylene Glycol (107-41-5)</th><th></th></th>	<th>Hexylene Glycol (107-41-5)</th> <th></th>		Hexylene Glycol (107-41-5)	
NRY (OEL C) [ppm] 25 ppm Poland - Occupational Exposure Limits 50 mg/m² (vapor and inhalable fraction) NDS (DEL TYKL) 50 mg/m² (vapor and inhalable fraction) NDSCh (DEL STEL) 100 mg/m² (vapor and inhalable fraction) Portugal - Occupational Exposure Limits VIA-EC (DEL STEL) VIA-EC (DEL STEL) 123 mg/m² VIA-EC (DEL STEL) [ppm] 25 ppm Sweden - Occupational Exposure Limits VIA-EC (DEL STEL) [ppm] KTV (DEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits VIA-EC (DEL STEL) [ppm] WEL TYMA (DEL TWA) [1] 123 mg/m² WEL TWA (DEL TWA) [2] 25 ppm WEL STEL (DEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits VIA-EC (DEL TWA) [2] WEL STEL (DEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits VIA-EC (DEL TWA) [2] WAK (DEL TWA) [2] 49 mg/m² (ecrosol, vapour) MAK (DEL TWA) [2] 10 ppm (acrosol, vapour) KZGW (DEL STEL) [ppm] 25 ppm (upp (raction) VESA ACGIH - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits			
Poland - Occupational Exposure Limits NDS (DEL TWA) 50 mg/m² (vapor and inhalable fraction) Portugal - Occupational Exposure Limits OEL C [ppm] 25 ppm Spain - Occupational Exposure Limits "VLA-EC (DEL STEL) [ppm] VLA-EC (DEL STEL) [ppm] 123 mg/m² VLA-EC (DEL STEL) [ppm] 25 ppm Weden - Occupational Exposure Limits KTV (DEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (DEL TWA) [1] 123 mg/m² WEL TWA (DEL TWA) [2] 25 ppm WEL STEL (DEL STEL) [ppm] 25 ppm WEL STEL (DEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits 123 mg/m² WEL STEL (DEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits WEL STEL (DEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits WAK (DEL TWA) [1] 49 mg/m² (aerosol, vapour) MAK (DEL TWA) [2] 10 ppm (aerosol, vapour) WAK (DEL TWA) [2] 25 ppm (upper fraction) Ma	NRV (OEL C)	120 mg/m³		
NDS (CEL TWA) 50 mg/m³ (vapor and inhalable fraction) NDSCh (CEL STEL) 100 mg/m² (vapor and inhalable fraction) Portugal - Occupational Exposure Limits 25 ppm OEL C [ppm] 25 ppm Spain - Occupational Exposure Limits 123 mg/m² VLA-EC (CEL STEL) [ppm] 25 ppm Sweden - Occupational Exposure Limits VLA-EC (CEL STEL) [ppm] KTV (OEL STEL) [ppm] 120 mg/m² KTV (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits VLA-EC (CEL TWA) [1] WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits VLA-EC (CEL TWA) [2] Takwerdi (OEL C) [1] 100 mg/m² Takwerdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits VLA-EC (CEL TWA) [2] MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 25 ppm (vapor fraction) MAK (OEL TWA) [2] 10 mg/m² (inhalable particulate matter, aerosol only)	NRV (OEL C) [ppm]	25 ppm		
NDSCh (OEL STEL) 100 mg/m² (wapor and inhalatable fraction) Portugal - Occupational Exposure Limits Span Span - Occupational Exposure Limits VLA-EC (OEL STEL) [ppm] 25 ppm Sweden - Occupational Exposure Limits KTV (OEL STEL) [ppm] 120 mg/m² KTV (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits KTV (OEL STEL) [ppm] 123 mg/m² WEL TWA (OEL TWA) [1] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm Norwary - Occupational Exposure Limits Takwerd (OEL C) [1] 100 mg/m² Takwerd (OEL C) [1] 9 mg/m² Takwerd (OEL C) [2] 9 ppm Norwary - Occupational Exposure Limits Takwerd (OEL TWA) [1] 49 mg/m² (serosol, vapour) MAK (OEL TWA) [2] 9 ppm (serosol, vapour) MSZGW (OEL TWA) [2] 9 mg/m² (serosol, vapour) XZGW (OEL TWA) [2]	Poland - Occupational Exposure Limits			
Portugal - Occupational Exposure Limits OEL C (ppm] 25 ppm Spain - Occupational Exposure Limits VLA-EC (OEL STEL) (ppm] 25 ppm Sweden - Occupational Exposure Limits KTV (OEL STEL) (ppm] 25 ppm Sweden - Occupational Exposure Limits KTV (OEL STEL) (ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) (ppm] 25 ppm WEL STEL (OEL STEL) (ppm] 25 ppm Norway - Occupational Exposure Limits Takwerdi (OEL C) [1] 100 mg/m² Takwerdi (OEL C) [1] 49 mg/m² Takwerdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits Takwerdi (OEL C) [2] 49 mg/m² (aerosol, vapour) MAK (OEL TWA) [1] 49 mg/m² (aerosol, vapour) XZGW (OEL STEL) (ppm] 20 ppm (aerosol, vapour) VAZGW (OEL TWA) [2] 10 mg/m² (inhalable particulate matter, aerosol only)	NDS (OEL TWA)	50 mg/m³ (vapor and inhalable fraction)		
OEL C [ppm] 25 ppm Spain - Occupational Exposure Limits VLA-EC (OEL STEL) [ppm] 25 ppm Sweden - Occupational Exposure Limits KTY (OEL STEL) [ppm] 25 ppm WITTY (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm Toward (OEL C) [1] 100 mg/m² Toward (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL [ppm] 25 ppm (vapor fraction) ACGIH OEL TWA	NDSCh (OEL STEL)	100 mg/m³ (vapor and inhalable fraction)		
Spain - Occupational Exposure Limits VLA-EC (OEL STEL) [ppm] 25 ppm Sweden - Occupational Exposure Limits KTV (OEL STEL) [ppm] 25 ppm WILL STEL [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m² Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) X2GW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) WEZGW (OEL STEL) [ppm] 25 ppm (wapor fraction) ACGIH OEL TWA [ppm] 25 ppm (wapor fraction) ACGIH OEL STEL [ppm] 25 ppm (wapor fraction) ACGIH OEL STEL [ppm] 25 ppm (wapor fraction)	Portugal - Occupational Exposure Limits			
VLA-EC (OEL STEL) [ppm] 123 mg/m² VLA-EC (OEL STEL) [ppm] 25 ppm Sweden - Occupational Exposure Limits KTV (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 123 mg/m³ WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takwerd (OEL C) [1] 100 mg/m² Takwerd (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [2] 49 mg/m² (serosol, vapour) MAK (OEL TWA) [2] 10 ppm (serosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (serosol, vapour) KZGW (OEL STEL) [ppm] 25 ppm (vapor fraction) ACGIH OCcupational Exposure Limits 35 ppm (vapor fraction) ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL [ppm] 30 ppm (vapor fraction) ACGIH OEL STEL [ppm] 00 ppm (vapor fraction)	OEL C [ppm]	25 ppm		
VLA-EC (OEL STEL) [ppm] 25 ppm Sweden - Occupational Exposure Limits L20 mg/m² KTV (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m² WEL STEL (DEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takwerdi (OEL C) [1] 100 mg/m³ Takwerdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) WZASA - ACGIH - Occupational Exposure Limits WZASA - ACGIH - Occupational Exposure Limits ACGIH OEL STEL [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL [ppm] 30 ppm (vapor fraction) ACGIH OEL STEL [ppm] 30 ppm (vapor fraction) ACGIH OEL STEL [ppm] 30 ppm (vapor fraction) <tr< td=""><td>Spain - Occupational Exposure Limits</td><td></td></tr<>	Spain - Occupational Exposure Limits			
Sweden - Occupational Exposure Limits KTV (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 123 mg/m³ WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits 123 mg/m³ Takverdi (OEL C) [1] 100 mg/m³ Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL TYA [ppm] 25 ppm (vapor fraction) accept propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 90) Accept Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization	VLA-EC (OEL STEL)	123 mg/m³		
KTV (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 123 mg/m³ WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takwerdi (OEL C) [1] 100 mg/m³ Takwerdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits WAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 89 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 29 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL TWA [ppm] 0 ppm (aerosol, vapour) ACGIH OEL TWA [ppm] 0 ppm (vapor fraction) ACGIH OEL TWA [ppm] 0 ppm (vapor fraction) ACGIH OEL TWA [ppm] 0 0 0 0 0 0 0 0 0 0	VLA-EC (OEL STEL) [ppm]	25 ppm		
KTY (OEL STEL) [ppm] 25 ppm United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 123 mg/m² WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m² Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m² (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) KZGW (OEL STEL) [ppm] ACGIH OCCupational Exposure Limits ACGIH OCCupational Exposure Limits ACGIH OCL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) ACGIH OEL TWA [1] 0.083 mg/m² (inhalable particulate matter, aerosol only) ACGIH OCCUpational Exposure Limits (TRGS ***) Certain of Exposure Limits (TRGS ***) AGW (OEL TWA) [1] 0.083 mg/m² Chemical category	Sweden - Occupational Exposure Limits			
United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 123 mg/m² WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 123 mg/m² WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m² Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m² (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900-14) AGW (OEL TWA) [1] AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization <td< td=""><td>KTV (OEL STEL)</td><td>120 mg/m³</td></td<>	KTV (OEL STEL)	120 mg/m³		
WEL TWA (OEL TWA) [1] 123 mg/m³ WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 123 mg/m³ WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m³ Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL T	KTV (OEL STEL) [ppm]	25 ppm		
WEL TWA (OEL TWA) [2] 25 ppm WEL STEL (OEL STEL) 123 mg/m³ WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m³ Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m² (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) [1] 0.083 mg/m² AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits Cl. 0.83 mg/m²	United Kingdom - Occupational Exposure Limits			
WEL STEL (OEL STEL) 123 mg/m³ WEL STEL (OEL STEL) (ppm] 25 ppm Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m³ Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) 6ermany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits	WEL TWA (OEL TWA) [1]	123 mg/m³		
WEL STEL (OEL STEL) [ppm] 25 ppm Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m³ Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OCL TWA [ppm] ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OCU 90 mg/m³	WEL TWA (OEL TWA) [2]	25 ppm		
Norway - Occupational Exposure Limits Takverdi (OEL C) [1] 100 mg/m³ Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits Occupational Exposure Limits	WEL STEL (OEL STEL)	123 mg/m³		
Takverdi (OEL C) [1] 100 mg/m³ Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	WEL STEL (OEL STEL) [ppm]	25 ppm		
Takverdi (OEL C) [2] 20 ppm Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	Norway - Occupational Exposure Limits			
Switzerland - Occupational Exposure Limits MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) ACGIH OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	Takverdi (OEL C) [1]	100 mg/m³		
MAK (OEL TWA) [1] 49 mg/m³ (aerosol, vapour) MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) Acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	Takverdi (OEL C) [2]	20 ppm		
MAK (OEL TWA) [2] 10 ppm (aerosol, vapour) KZGW (OEL STEL) 98 mg/m³ (aerosol, vapour) KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	Switzerland - Occupational Exposure Limits			
KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL 50 ppm (vapor fraction) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³ 0.083 mg/m³	MAK (OEL TWA) [1]	49 mg/m³ (aerosol, vapour)		
KZGW (OEL STEL) [ppm] 20 ppm (aerosol, vapour) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)		
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	KZGW (OEL STEL)	98 mg/m³ (aerosol, vapour)		
ACGIH OEL TWA [ppm] 25 ppm (vapor fraction) ACGIH OEL STEL 10 mg/m³ (inhalable particulate matter, aerosol only) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) ACGIH OEL STEL [ppm] 50 ppm (vapor fraction)	KZGW (OEL STEL) [ppm]	20 ppm (aerosol, vapour)		
ACGIH OEL STEL ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] AGW (OEL TWA) [2] Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³ 0.083 mg/m³ O.083 mg/m³	USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL STEL [ppm] 50 ppm (vapor fraction) acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	ACGIH OEL TWA [ppm]	25 ppm (vapor fraction)		
acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	ACGIH OEL STEL	10 mg/m³ (inhalable particulate matter, aerosol only)		
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	ACGIH OEL STEL [ppm]	50 ppm (vapor fraction)		
AGW (OEL TWA) [1] 0.083 mg/m³ AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	acetyl propionyl (600-14-6)			
AGW (OEL TWA) [2] 0.02 ppm Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	Germany - Occupational Exposure Limits (TRGS 900)			
Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	AGW (OEL TWA) [1]	0.083 mg/m³		
Slovenia - Occupational Exposure Limits OEL TWA 0.083 mg/m³	AGW (OEL TWA) [2]	0.02 ppm		
OEL TWA 0.083 mg/m³	Chemical category	Skin notation, Skin sensitization		
-	Slovenia - Occupational Exposure Limits			
OEL TWA [ppm] 0.02 ppm	OEL TWA	0.083 mg/m³		
	OEL TWA [ppm]	0.02 ppm		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

acetyl propionyl (600-14-6)		
OEL STEL	0.083 mg/m³	
OEL STEL [ppm]	0.02 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	0.08 mg/m³	
MAK (OEL TWA) [2]	0.02 ppm	
KZGW (OEL STEL)	0.16 mg/m³	
KZGW (OEL STEL) [ppm]	0.04 ppm	
OEL chemical category	Sensitizer, Skin notation	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

Boiling point

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.
Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Flash point : > 93.3 °C (closed cup) ASTM D7094

: No data available

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : ≈ 1.04

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

4/18/2022 (Issue date) EN (English) 7/14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Caramel #EU3116F		
ATE CLP (oral)	1052.632 mg/kg bodyweight	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
Methyl ester of rosin (partially hydrogenated)	(8050-15-5)	
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 10000 mg/kg	
Hexylene Glycol (107-41-5)		
LD50 oral rat	3700 mg/kg	
LD50 dermal rabbit	12300 mg/kg	
LC50 Inhalation - Rat	> 310 mg/m³ (Exposure time: 1 h)	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg	
LD50 dermal	2600 mg/kg bodyweight	
acetyl propionyl (600-14-6)		
LD50 oral rat	3 g/kg	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg	
LD50 dermal	2500 mg/kg bodyweight	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
•	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
acetyl propionyl (600-14-6)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard :	Not classified	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

4/18/2022 (Issue date) EN (English) 8/14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Hexylene Glycol (107-41-5)		
LC50 - Fish [1]	10.5 (10500 – 11000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [1]	2.7 (2700 – 3700) mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Vanillin (121-33-5)		
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
Hexylene Glycol (107-41-5)		
Partition coefficient n-octanol/water (Log Pow)	< 0.14	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1 UN number

UN-No. (ADR) : UN 3082 UN-No. (IMDG) UN 3082 UN-No. (IATA) UN 3082 : UN 3082 UN-No. (ADN) : UN 3082 UN-No. (RID)

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

benzoate), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

benzoate), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III Transport document description (ADN)

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

benzoate), 9, III

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Transport document description (RID)

benzoate), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)

Danger labels (ADR)



IMDG

Transport hazard class(es) (IMDG)


Danger labels (IMDG)



IATA

Transport hazard class(es) (IATA) 9


Danger labels (IATA)



ADN

Transport hazard class(es) (ADN)

Danger labels (ADN)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID

Transport hazard class(es) (RID) : 9 9 Danger labels (RID)



14.4. Packing group

Packing group (ADR) : III : 111 Packing group (IMDG) : 111 Packing group (IATA) : III Packing group (ADN) : III Packing group (RID)

14.5. Environmental hazards

Dangerous for the environment : Yes Marine pollutant Yes

Other information No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) 274, 335, 375, 601

Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

: P001, IBC03, LP01, R001 Packing instructions (ADR)

Special packing provisions (ADR) : PP1 : MP19 Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) : T4 : TP1, TP29

Portable tank and bulk container special provisions

(ADR)

: LGBV Tank code (ADR) Vehicle for tank carriage : AT Transport category (ADR) 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) 90

Orange plates

90 3082

Tunnel restriction code (ADR) EAC code •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) E1

LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) Α

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

 Special packing provisions (RID)
 : PP1

 Mixed packing provisions (RID)
 : MP19

 Portable tank and bulk container instructions (RID)
 : T4

Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	acetyl propionyl
3(b)	Caramel ; Benzyl benzoate ; Hexylene Glycol ; acetyl propionyl
3(c)	Caramel ; Benzyl benzoate ; Methyl ester of rosin (partially hydrogenated)
40.	acetyl propionyl

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters is listed

SZW-lijst van mutagene stoffen Resin acids and Rosin acids, hydrogenated, methyl esters is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding None of the components are listed : None of the components are listed

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Pregnant/breastfeeding women working with the product must not be in direct contact with **Danish National Regulations**

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains Acetyl Propionyl. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.