

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/13/2018 Revision date: 4/20/2022 Supersedes version of: 9/21/2020 Version: 4.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form		
Product name		
UFI		
Type of product		
Product group		

: Mixture

: Fireside

: 0HRR-G1WE-K00A-SQRH

: Industrial use, Professional use

- : Perfumes, fragrances
- : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses Main use category

Industrial/Professional use spec Use of the substance/mixture Function or use category For professional use only Industrial
Perfumes, fragrances
Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils Calle Torrevieja 2, San Miguel de salinas www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

1.4. Emergency telephone number

Emergency number

0034 711024907

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 GHS09 Signal word (CLP) : Warning Cinnamic aldehyde, Rosemary Oil, Eugenol, Cedar leaf oil, Amyl cinnamic aldehyde, Iso E Contains : Super, Hexyl cinnamic aldehyde, Hydroxy, Helional, Citral, d-Limonene, COUMARIN, beta-Caryophyllene, Linalyl acetate, Aldehyde C-16, Triplal (Vertocitral) Hazard statements (CLP) : H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Rosemary Oil	CAS-No.: 8000-25-7 EC-No.: 283-291-9	1.2 – 2.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.91875 – 1.875	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.90375 – 1.815	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cedar leaf oil	CAS-No.: 8007-20-3 EC-No.: 290-370-1;616-907-5	0.9 – 1.8	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.6 – 1.2	Eye Irrit. 2, H319
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5;453-530-3	0.6 – 1.2	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0.6 – 1.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.6 – 1.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.6 – 1.2	Aquatic Chronic 2, H411
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2- buten-1-ol	CAS-No.: 28219-60-5 EC-No.: 248-907-2	0.45 – 0.9	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Skin Irrit. 2, H315
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.45 – 0.9	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.25 – 0.5015	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.2 - 0.4	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Citral	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.175 – 0.35	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.175 – 0.35	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.115 – 0.23	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.1 – 0.2	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.075 – 0.1515	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.075 – 0.15	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.075 – 0.15	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.075 – 0.15	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.075 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.04125 – 0.12	Skin Sens. 1B, H317 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. May cause an allergic skin reaction. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Combustible liquid. May form flammable/explosive vapour-air mixture. Toxic fumes may be released. 		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective e	quipment and emergency procedures		
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		
6.2. Environmental precautions			

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up			
For containment	: Collect spillage.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautions for safe handling	: Ensure good ventilation of the work station. No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and wher leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclue	ding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Heat sources. Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	

Safety Data Sheet

Citral (5392-40-5)		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m ³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m ³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90) 00)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m ³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m ³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m ³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
OEL chemical category	Sensitizer

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment. Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour : Liquid : light yellow. amber.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas)	 characteristic. No data available 89.7 °C (closed cup) ASTM D7094 No data available
Relative vapour density at 20 °C Relative density	: No data available : ≈ 0.93
Solubility	: Not soluble in water alone.
Partition coefficient n-octanol/water (Log Pow)	: No data available : No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified Cinnamic aldehyde (104-55-2) ID50 oral rat LD50 oral 2200 mg/kg bodyweight

Safety Data Sheet

Cinnamic aldehyde (104-55-2)	
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight
Rosemary Oil (8000-25-7)	
LD50 oral rat	5 g/kg
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
Cedar leaf oil (8007-20-3)	
LD50 oral rat	830 mg/kg
LD50 oral	830 mg/kg bodyweight
LD50 dermal	4100 mg/kg bodyweight
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
Amyl cinnamic aldehyde (122-40-7)	
LD50 oral rat	3730 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
Hydroxy (107-75-5)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 2000 mg/kg
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg

Safety Data Sheet

Citral (5392-40-5)	
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg bodyweight
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Camphene (79-92-5)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	293 mg/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg
LD50 dermal rat	> 2000 mg/kg
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
	Not classified
	Causes serious eye irritation. May cause an allergic skin reaction.
	Not classified
	Not classified
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

COUMARIN (91-64-5)		
IARC group		3 - Not classifiable
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
Rosemary Oil (8000-25-7)		
STOT-single exposure		May cause damage to organs.
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Potential adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity		
	Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Not classified	
	Toxic to aquatic life with long lasting effects.	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Camphene (79-92-5)		
LC50 - Fish [1]	0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through])	
LC50 - Fish [2]	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
EC50 - Crustacea [1]	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	

Safety Data Sheet

Hexamethylindanopyran (1222-05-5)	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
12.2. Persistence and degradability	
Fireside	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Fireside	
Bioaccumulative potential	Not established.
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)
Amyl cinnamic aldehyde (122-40-7)	
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)
Dihydromyrcenol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Camphene (79-92-5)	
Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)		
Bioaccumulative potential	Not established.	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
12.4. Mobility in soil		

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Additional information Ecology - waste materials	Handle empty containers with care because residual vapours are flammable.Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 UN 3082 UN 3082 UN 3082 UN 3082 UN 3082 UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR)	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III, MARINE POLLUTANT
Transport document description (IATA) Transport document description (ADN)	 UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Rosemary oil), 9, III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description (RID)


: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Rosemary oil), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) Danger labels (ADR)








ΙΑΤΑ

Transport hazard class(es) (IATA) Danger labels (IATA)



: 9

: 9 :

ADN

Transport hazard class(es) (ADN) Danger labels (ADN)

RID

Transport hazard class(es) (RID) Danger labels (RID)



14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	: III : III : III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	:Yes :Yes :No supplementary information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6 Special provisions (ADR) : 274, 335, 375, 601 Limited quantities (ADR) : 51 Excepted quantities (ADR) : P01, IBC03, LP01, R001 Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) T4 Portable tank and bulk container instructions (ADR) : Tank code (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13 and handling (ADR) : 90 Orange plates : 5 L Excepted quantities (IMDG) : 274, 335, 969 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : 1001 Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : 1001 Special provisions (IMDG) : 100 Special provisions (I	Overland transport			
Limited quantities (ADR) : 5 Excepted quantities (ADR) : E1 Packing instructions (ADR) : PP11 Mixed packing provisions (ADR) : PP11 Mixed packing provisions (ADR) : T4 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1, TP29 (ADR) : LGBV Vehicle for tank carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13 and handling (ADR) : 90 Orange plates : 90 Orange plates : 90 Orange plates : 90 Tunnel restriction code (ADR) : - EAC code : 3Z Transport by sea Special provisions (MDG) : 274, 335, 969 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : PP1 IBC packing instructions (IMDG) : PP1 IBC packing instructions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Fire) : F-A EmS-No. (Fire) : F-A EmS-No. (Fire) : F-A EmS-No. (Fire) : A Ari transport PCA Excepted quantities (IATA) : Y964 PCA imited quantities (IATA) : Y964 PCA imited quantities (IATA) : Y964 PCA max net quantity (IATA) : 450L CAO packing instructions (IMDG) : A Ari transport PCA Excepted quantities (IATA) : 450L CAO packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L Special provisions (IATA) : 964 PCA max net quantity (IATA) : 450L Special provisions (IATA) : 9L Minder quantities (ATA) : 9L Minder quantities (ATA) : 9L Minder quantities (ADN) : 10 Rear Sou (Spillage) : 5 L Excepted quantities (ADN) : 10 Rear Sou (Spillage) : 5 L Excepted quantities (ADN) : 10 Rear Sou (Spillage) : 5 L Excepted quantities (ADN) : 274, 335, 375, 601 Limited quantities (ADN) : 10 Rear Sou (Spillage) : 5 L Excepted quantities (ADN) : 10 Rear Sou (Spillage) : 5 L Excepted quantities (ADN) : 10 R	Classification code (ADR)	: M6		
Excepted quantities (ADR) : E1 Packing instructions (ADR) : P001, IBC03, LP01, R001 Special packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : LGBV Vehicle for tank carriage - Packages (ADR) : V12 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading and handling (ADR) : g Special provisions for carriage - Loading, unloading and handling (ADR) : g Special provisions for carriage - Loading, unloading and handling (ADR) Hazard identification number (Kemler No.) : 90 Orange plates : g 90 30822 Tunnel restriction code (ADR) : - EAC code : -3Z Transport by sea Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special provisions (IMDG) : LP01, P001 Special provisions (IMDG) : LP01, P001 Special packing norvisions (IMDG) : T4 Tank special provisions (IMDG) : FA EmS-No. (Spillage) : S-F Stowage category (IMDG) : A A Ir transport PCA Excepted quantities (IATA) : FA EmS-No. (Spillage) : S-F Stowage category (IMDG) : A A Ir transport PCA Limited quantities (IATA) : 964 PCA max net quantity (IATA) : 91 Endand waterway transport Classification code (ADN) : V1 Special provisions (IATA) : 91 Classification code (ADN) : 10 Radia quantities (IATA) : 274, 335, 375, 601 Limited quantities (IATA) : 91 CAC packing instructions (IATA) : 91 CAC	Special provisions (ADR)	: 274, 335, 375, 601		
Packing instructions (ADR) : P001, IBC03, LP01, R001 Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1, TP29 (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : U12 Special provisions for carriage - Loading, unloading : CV13 and handling (ADR) Hazard identification number (Kemler No.) : 90 Orange plates : - EAC code : - 32Z Transport by sea Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : FP1 IBC packing instructions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Fire) : A A Air transport PCA Excepted quantities (IATA) : Y964 PCA imited quantities (IATA) : Y964 PCA max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L Special provisions (ADN) : C Classification code (ADN) : PP Number of blue cones/lights (ADN) : D Rail transport Classification code (RD) : M6 Special provisions (RID) : Z74, 335, 375, 601	Limited quantities (ADR)	: 51		
Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container instructions (ADR) : Tank code (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13 and handling (ADR) Hazard identification number (Kemler No.) : 90 Orange plates : 90 Orange plates : 90 Tunnel restriction code (ADR) : - EAC code : -32 Transport by sea Special provisions (MDG) : 274, 335, 969 Limited quantities (IMDG) : E1 Packing instructions (IMDG) : HBC03 Tank nestructions (IMDG) : T4 Tank special provisions (IMDG) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A PCA Limited quantities (IATA) : Y964 PCA max net quantity (IATA) : 964 CAO max net quantity (IATA) : 94 CA max net quantity (IATA) : 94 CAD apacking instructions (IATA) : 94 CAD apacking in				
Mixed packing provisions (ADR):MP19Portable tank and bulk container instructions (ADR):T4Portable tank and bulk container special provisions:TP1, TP29(ADR):LGBVYehicle for tank carriage:ATTransport category (ADR):12Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Loading, unloading:CV13and handling (ADR):90Hazard identification number (Kemler No.):90Orange plates:90Special provisions (MDG)::Special provisions (IMDG)::EAC code::32Tunnel restriction code (ADR)::EAC code::32Transport by sea::Special provisions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Packing instructions (IMDG)::Tank special provisions (IMDG)::Tank special provisions (IMDG)::Pop Showage category (IMDG)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA initied quantities (IATA)::PCA category (IMDG)::PCA category (IMDG)::PCA category (IMDG):: <td></td> <td>, , ,</td>		, , ,		
Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1, TP29 (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : J Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13 and handling (ADR) : 90 Orange plates : 90 Orange plates : 90 Orange plates : 90 Tunnel restriction code (ADR) : - EAC code : -3Z Transport by sea Special provisions (IMDG) : 274, 335, 969 Limited quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special provisions (IMDG) : LP01, P001 Special provisions (IMDG) : LP01, P001 Special provisions (IMDG) : F74 Tank special provisions (IMDG) : LP01, P001 Special provisions (IMDG) : F74 Tank special provisions (IMDG) : F74 Tank special provisions (IMDG) : SL Excepted quantities (IMDG) : F74 Tank special provisions (IMDG) : F74 Tank special provisions (IMDG) : F74 Tank special provisions (IMDG) : T74 Tank special provisions (IMDG) : A Air transport PCA Excepted quantities (IATA) : 964 PCA limited quantities (IATA) : 964 PCA alimited quantities (IATA) : 964 PCA apacking instructions (IATA) : 964 PCA max net quantity (IATA) : 450L Special provisions (IATA) : 964 PCA max net quantity (IATA) : 450L Special provisions (IATA) : 964 PCA max net quantity (IATA) : 450L Special provisions (ADN) : A Special provisions (ADN) : 5L Excepted quantities (ADN) : 5L Except		: PP1		
Portable tank and bulk container special provisions:TP1, TP29(ADR):LGBVVehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Loading, unloading:CV13and handling (ADR):90Hazard identification number (Kemler No.):90Orange plates:90Tunnel restriction code (ADR):-EAC code::3ZTransport by sea::Special provisions (IMDG)::Excepted quantities (IMDG)::Packing instructions (IMDG)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA Air transport::PCA Air and quantity max net quantity (IATA):PCA Air quantity (IATA)::PCA Air and quantity (IATA)::PCA ax net quantity (IATA)::PCA ax net quantity (IATA)::PCA ax net quantity (IATA) <td:< td="">:PCA ax net quantit</td:<>		: MP19		
(ADR):LGBVTank code (ADR):LGBVVehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Loading, unloading:CV13and handling (ADR):90Hazard identification number (Kemler No.):90Orange plates:90Tunnel restriction code (ADR):-EAC code::3ZTransport by sea::Special provisions (IMDG)::Limited quantities (IMDG)::El carget quantities (IMDG)::EmS-No. (Spillage)::Stowage category (IMDG)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA Limited quantity max net quantity (IATA):PCA Carget quantities (IATA)::PCA Excepted quantities (IATA)::PCA Excepted quantities (IATA)::PCA Excepted quantity ma				
Tank code (ADR):LGBVVehicle for tank carriage:::Transport category (ADR):::Special provisions for carriage - Loading, unloading:::Special provisions for carriage - Loading, unloading:::Hazard identification number (Kemler No.)::::Orange plates:::::Tunnel restriction code (ADR):::::EAC code::::::Special provisions (IMDG)::::::Excepted quantities (IMDG)::::::Excepted quantities (IMDG):::::::IBC packing instructions (IMDG)::: <td></td> <td>: TP1, TP29</td>		: TP1, TP29		
Vehicle for tank carriage:ATTransport category (ADR):3Special provisions for carriage - Loading, unloading:CV13and handling (ADR):90Hazard identification number (Kemler No.):90Orange plates:90Junnel restriction code (ADR):-EAC code:*3ZTransport by sea:-Special provisions (IMDG):274, 335, 969Limited quantities (IMDG):5 LExcepted quantities (IMDG):E1Packing instructions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank special provisions (IMDG):T4Tank special provisions (IMDG):FAEmS-No. (Spillage):S-FStowage category (IMDG):APCA Limited quantities (IATA):964PCA initied quantities (IATA):450LCAO max net quantity (IATA):450LSpecial provisions (IATA):964PCA initied quantities (IATA):964PCA max net quantity (IATA):450LSpecial provisions (IATA):964PCA max net quantity (IATA):450LSpecial provisions (IATA) <td< td=""><td>. ,</td><td></td></td<>	. ,			
Transport category (ADR): 3Special provisions for carriage - Packages (ADR): V12Special provisions for carriage - Loading, unloading: CV13and handling (ADR):Hazard identification number (Kemler No.): 90Orange plates:Packages (ADR) <td:-< td="">EAC code<td:-< td="">Special provisions (IMDG)<td:-< td="">EAC code<td:-< td="">Special provisions (IMDG)<td:-< td="">Eact provisions (IMDG)<td:-< td="">Eact code: 43ZTransport by seaSpecial provisions (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): IBC03Tank special provisions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): F7AEmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAri transport: Y964PCA Limited quantities (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 91LIndia waterway transport: 274, 335, 375, 601Classification code (ADN): 274, 335, 375, 601Limited quantities (ADN): 51Excepted quantities (ADN): 61Special provisions (IATA): 92LPCA Excepted quantity intractions (IATA): 92LCao max net quantity (IATA): 450L<!--</td--><td></td><td></td></td:-<></td:-<></td:-<></td:-<></td:-<></td:-<>				
Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Loading, unloading:CV13and handling (ADR)Hazard identification number (Kemler No.):90Orange plates:90Junnel restriction code (ADR):-EAC code:•32ZTransport by sea:-Special provisions (IMDG):274, 335, 969Limited quantities (IMDG):E1Packing instructions (IMDG):E1Packing instructions (IMDG):IBC03Tank special provisions (IMDG):IBC1Packing instructions (IMDG):IBC03Tank instructions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:964PCA Limited quantities (IATA):964PCA Limited quantities (IATA):964PCA Limited quantities (IATA):964PCA Limited quantities (IATA):964PCA max net quantity (IATA):450LSpecial provisions (IATA):91PCA Excepted quantities (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):91PCA Limited quantities (ADN)::Stowage category (IMDG)::PCA Limited quantities (IATA):PCA Limited quan				
Special provisions for carriage - Loading, unloading :CV13and handling (ADR)Hazard identification number (Kemler No.):90Orange plates:90JUDIT30822Tunnel restriction code (ADR)::EAC code:•3ZTransport by sea::Special provisions (IMDG)::Limited quantities (IMDG)::Special provisions (IMDG)::EAC code::Special provisions (IMDG)::Excepted quantities (IMDG)::BC packing instructions (IMDG)::IBC packing instructions (IMDG)::BC packing instructions (IMDG)::EmS-No. (Spillage)::S-FStowage category (IMDG):PCA Limited quantities (IATA)::Y964::PCA limited quantity (IATA)::PCA acking instructions (IATA):				
and handling (ADR)Hazard identification number (Kemler No.)Orange platesImage platesTunnel restriction code (ADR)EAC codeEAC codeSpecial provisions (IMDG)Limited quantities (IMDG)Excepted quantities (IMDG)Ebc code quantities (IMDG)Excepted quantities (IMDG)Ebc code quantities (IMDG)EmS-No. (Spillage)EmS-No. (Spillage)EmS-No. (Spillage)Excepted quantities (IATA)PCA Excepted quantities (IATA)PCA Limited quantities (IATA)PCA code quantities (IATA)PCA packing instructions (IATA)PCA packing instructions (IATA)PCA packing instructions (IATA)PCA code quantities (IATA)PCA code quantities (IATA)PCA code quantities (IATA)PCA packing instructions (IATA)Special provisions (ADN)Special provisions (ADN)Special provisions (ADN)Special provisions (ADN)				
Hazard identification number (Kemler No.): 90Orange plates: 90JUD Crange plates: 90Tunnel restriction code (ADR): -EAC code: -32Transport by sea:Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): IP01, P001Special packing provisions (IMDG): IP01, P001Special packing provisions (IMDG): TP1, TP29EmS-No. (Fire): FAEmS-No. (Fire): FAEmS-No. (Spillage): S-FStowage category (IMDG): AArt transport:PCA Excepted quantities (IATA): 964PCA alimited quantities (IATA): 964PCA alimited quantities (IATA): 964PCA apacking instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO packing instructions (IATA) </td <td></td> <td>: CV13</td>		: CV13		
Orange plates90 3082Tunnel restriction code (ADR):EAC code:Special provisions (IMDG):EAC code:Special provisions (IMDG):Excepted quantities (IMDG):Excepted quantities (IMDG):Excepted quantities (IMDG):Excepted quantities (IMDG):Packing instructions (IMDG):Protein provisions (IMDG):IBC packing instructions (IMDG):IBC packing instructions (IMDG):IBC packing instructions (IMDG):Tank instructions (IMDG):Tank instructions (IMDG):Tank instructions (IMDG):FA:Showage category (IMDG):Air transport:PCA Excepted quantities (IATA):PCA Limited quantity max net quantity (IATA):Y964:PCA imited quantity max net quantity (IATA):Y964:PCA max net quantity (IATA):Y964:PCA max net quantity (IATA):Y964:CAO max net quantity (IATA):Y964:Y964:Y964:Y964: <tr< td=""><td>- · · ·</td><td>00</td></tr<>	- · · ·	00		
YY03082Tunnel restriction code (ADR)EAC code:EAC code:Special provisions (IMDG):Limited quantities (IMDG):Excepted quantities (IMDG):Packing instructions (IMDG)::Packing instructions (IMDG):::				
Junnel restriction code (ADR)::EAC code::·3ZTranspot by seaSpecial provisions (IMDG)::274, 335, 969Limited quantities (IMDG)::5 LExcepted quantities (IMDG)::E1Packing instructions (IMDG)::LP01, P001Special packing provisions (IMDG)::PP1IBC packing instructions (IMDG)::IBC03Tank instructions (IMDG)::T4Tank special provisions (IMDG)::F-AEmS-No. (Fire)::F-AEmS-No. (Spillage)::S-FStowage category (IMDG)::AAir transpot	Orange plates	¹ 90		
Tunnel restriction code (ADR):EAC code:Special provisions (IMDG):Special provisions (IMDG):Excepted quantities (IMDG):Excepted quantities (IMDG):Packing instructions (IMDG):Packing instructions (IMDG):Packing instructions (IMDG):Packing instructions (IMDG):Poperation (IMDG):Packing instructions (IMDG):Poperation (IMDG):Tank special provisions (IMDG):PCA Excepted quantities (IATA):PCA Limited quantities (IATA):PCA Limited quantities (IATA):PCA acking instructions (I		70		
Tunnel restriction code (ADR):EAC code:Special provisions (IMDG):Special provisions (IMDG):Excepted quantities (IMDG):Excepted quantities (IMDG):Packing instructions (IMDG):Packing instructions (IMDG):Packing instructions (IMDG):Packing instructions (IMDG):Poperation (IMDG):Packing instructions (IMDG):Poperation (IMDG):Tank special provisions (IMDG):PCA Excepted quantities (IATA):PCA Limited quantities (IATA):PCA Limited quantities (IATA):PCA acking instructions (I		3082		
EAC code: -3ZTransport by sea:Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): BC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): F-AEmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport:PCA Excepted quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964PCA max net quantity (IATA): 450LSpecial provisions (IATA): 964PCA max net quantity (IATA): 964PCA code (IATA): 964PCA max net quantity (IATA): 964PCA on ax net quantity (IATA): 964CAO max net quantity (IATA): 964CAO is provisions (IATA): 964PCA is provisions (IATA)<				
Transport by seaSpecial provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): F-AEmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport: Y964PCA Excepted quantities (IATA): 964PCA Limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA opacking instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 0Rail transport:Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601	Tunnel restriction code (ADR)	: -		
Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport: Y964PCA Excepted quantities (IATA): Y964PCA apacking instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO instructions (IATA): 964CAO instructions (IATA): 964CAO instructions (IATA): 964CAO instructions (IATA): 91Inland waterway transport:Classification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 60Equipment required (ADN): 9PNumber of blue cones/lights (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Ciassification code (RID): M6Spe	EAC code	: •3Z		
Special provisions (IMDG): 274, 335, 969Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport: Y964PCA Excepted quantities (IATA): Y964PCA apacking instructions (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO instructions (IATA): 964CAO instructions (IATA): 964CAO instructions (IATA): 964CAO instructions (IATA): 91Inland waterway transport:Classification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 60Equipment required (ADN): 9PNumber of blue cones/lights (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Ciassification code (RID): M6Spe				
Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank special provisions (IMDG): T4Tank special provisions (IMDG): F-AEmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport: Y964PCA Excepted quantities (IATA): Y964PCA Limited quantities (IATA): 964PCA packing instructions (IATA): 964PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 6 LExcepted quantities (ADN): 0Rait transport: 274, 335, 375, 601Classification code (RID): M6Special provisions (RID): 0Rait transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601	Transport by sea			
Excepted quantities (IMDG): E1Packing instructions (IMDG): LP01, P001Special packing provisions (IMDG): PP1IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport: Y964PCA Excepted quantities (IATA): Y964PCA Limited quantities (IATA): S0kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964Cade (IATA): 91LInland waterway transport: 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 61Equipment required (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601		: 274, 335, 969		
Packing instructions (IMDG):LP01, P001Special packing provisions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):T4Tank special provisions (IMDG):TF1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:Y964PCA Excepted quantities (IATA):Y964PCA limited quantities (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964Cado max net quantity (IATA):450LSpecial provisions (IATA):964Cado max net quantity (IATA):450LSpecial provisions (ADN)::ERG code (IATA):9LInland waterway transport::Classification code (ADN)::Excepted quantities (ADN)::Equipment required (ADN)::PPNumber of blue cones/lights (ADN):O:::Classification code (RID)::Special provisions (RID)::Classificati				
Special packing provisions (IMDG):PP1IBC packing instructions (IMDG):IBC03Tank instructions (IMDG):T4Tank special provisions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:PCAPCA Excepted quantities (IATA):Y964PCA Limited quantities (IATA):Y964PCA atimited quantities (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964Cade (IATA):91Inland waterway transport:Classification code (ADN)::Excepted quantities (ADN):5 LExcepted quantities (ADN)::Equipment required (ADN):PPNumber of blue cones/lights (ADN):0Classification code (RID)::M6Special provisions (RID)::Zota approvisions (RID):::Zota approvisions (RID):::Zota approvisions (RID):::Zota approvisions (RID):::				
IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantities (IATA): 964PCA acking instructions (IATA): 964PCA packing instructions (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91Inland waterway transport: 91Classification code (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 60Equipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transport: 274, 335, 375, 601Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport:PCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantities (IATA): 964PCA apacking instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport: 497, A158, A197, A215ERG code (IATA): 9LInland waterway transport: 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 6 LEquipment required (ADN): 9PNumber of blue cones/lights (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601		: PP1		
Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): AAir transport:PCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport:Classification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 6 LEquipment required (ADN): 9PNumber of blue cones/lights (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transportPCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):91LInland waterway transport:Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):E1Equipment required (ADN):0Rail transport:Classification code (RID):M6Special provisions (RID):274, 335, 375, 601				
EmS-No. (Spillage): S-FStowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 9450LSpecial provisions (IATA): 91LInland waterway transport: 497, A158, A197, A215ERG code (IATA): 9LInland waterway transport: 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
Stowage category (IMDG): AAir transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport: 91LClassification code (ADN): 274, 335, 375, 601Limited quantities (ADN): 51Excepted quantities (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
Air transportPCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO packing instructions (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport: A97, A158, A197, A215ERG code (IATA): 9LInland waterway transport: 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transport: M6Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
PCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964Special provisions (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 9LInland waterway transport: 497, A158, A197, A215Classification code (ADN): M6Special provisions (ADN): 5 LLimited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transport: M6Special provisions (RID): 274, 335, 375, 601	Stowage category (IMDG)	: A		
PCA Excepted quantities (IATA): E1PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 964Special provisions (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 9LInland waterway transport: 497, A158, A197, A215Classification code (ADN): M6Special provisions (ADN): 5 LLimited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transport: M6Special provisions (RID): 274, 335, 375, 601				
PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 9LInland waterway transport: 9LClassification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 60Image of blue cones/lights (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601	-			
PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 450LERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): 60Image of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601	,			
PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Equipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601	,			
PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601		•		
CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
Special provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
Inland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601		. 92		
Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601	Inland waterway transport			
Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601		: M6		
Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0 Rail transport Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601				
Excepted quantities (ADN) : E1 Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0 Rail transport : 0 Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601				
Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0 Rail transport : Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601				
Number of blue cones/lights (ADN) : 0 Rail transport : Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601				
Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601				
Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601	S ()			
Classification code (RID) : M6 Special provisions (RID) : 274, 335, 375, 601	Rail transport			
Special provisions (RID) : 274, 335, 375, 601	Classification code (RID)	: M6		
		: 274, 335, 375, 601		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID)	:	5L E1 P001, IBC03, LP01, R001 PP1
Mixed packing provisions (RID)		MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)		W12
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW13, CW31
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
List of sensitizing substances (TRGS 907)	: Contains sensitizing substances according TRGS 907
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Rosemary Oil, Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: Rosemary Oil, Triplal (Vertocitral) are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines
	for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids
2	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acre	Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways				
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road				
ATE	Acute Toxicity Estimate				
BCF	Bioconcentration factor				
BLV	Biological limit value				
BOD	Biochemical oxygen demand (BOD)				
COD	Chemical oxygen demand (COD)				
DMEL	Derived Minimal Effect level				
DNEL	Derived-No Effect Level				
EC-No.	European Community number				
EC50	Median effective concentration				
EN	European Standard				
IARC	International Agency for Research on Cancer				
ΙΑΤΑ	International Air Transport Association				
IMDG	International Maritime Dangerous Goods				
LC50	Median lethal concentration				
LD50	Median lethal dose				
LOAEL	Lowest Observed Adverse Effect Level				
NOAEC	No-Observed Adverse Effect Concentration				
NOAEL	No-Observed Adverse Effect Level				
NOEC	No-Observed Effect Concentration				
OECD	Organisation for Economic Co-operation and Development				
OEL	Occupational Exposure Limit				
РВТ	Persistent Bioaccumulative Toxic				
PNEC	Predicted No-Effect Concentration				
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail				
SDS	Safety Data Sheet				
STP	Sewage treatment plant				
ThOD	Theoretical oxygen demand (ThOD)				
TLM	Median Tolerance Limit				
VOC	Volatile Organic Compounds				
CAS-No.	Chemical Abstract Service number				
N.O.S.	Not Otherwise Specified				
vPvB	Very Persistent and Very Bioaccumulative				
ED	Endocrine disrupting properties				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information

: None.

Acute Tox. 3 (Demai) Acute toxicity (demai). Category 3 Acute Tox. 3 (nhalation) Acute toxicity (anhal.). Category 3 Acute Tox. 3 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Demai) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Acute toxicity (anhal.). Category 4 Acute Tox. 4 (Oran) Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Applatic Chronic 3 Flammable solids, Category 1 Ster Tox. 1 Aspiration hazard, Category 1 Applatic Chronic 3 Flammable solids, Category 2 Flammable Solid, Category 3 Flammable Solids, Category 3 Flam. Lis 3 Flammable Solids, Category 1 H226 Flammable Solid, Ca	Full text of H- and EU	H-statements:
Acute Tox. 3 (Inhalation) Acute toxicity (Inhal.). Category 3 Acute Tox. 4 (Oerman) Acute toxicity (oral). Category 4 Acute Tox. 4 (Oran) Acute toxicity (oral). Category 4 Acute Tox. 4 (Oran) Acute toxicity (oral). Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous eye damage/ye irritation, Category 1 Eye Inrt. 2 Serious eye damage/ye irritation, Category 2 Flammable liquid, Category 3 Hammable liquid, Category 3 Flammable liquid, Category 4 Hammable liquid, Category 4 H228 Flammable liquid, Category 1 H228 Flammable liquid, Category 2 H310 Toxic in contact with skin. H311 Gauses skin irritation. H312 Harmful in contact with skin. H313 Gaus		
Acute Tox. 3 (Ora) Acute toxicity (oral), Category 3 Acute Tox. 4 (Derma) Acute toxicity (dermal), Category 4 Acute Tox. 4 (Ora) Acute toxicity (oral), Category 4 Acute Tox. 4 (Ora) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aspiration hazard, Category 1 Aspiration hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 2 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Bol. 3 Flammable liquids, Category 3 Flam. Sol. 2 Flammable solid. Flammable solid. Flammable solid. H226 Flammable solid. H301 Toxic if swallowed. H302 Hamful in contact with skin. H311 Toxic in contact with skin. H312 Causes serious eye damage. H313		
Acute Tox. 4 (Demai) Acute toxicity (dermal), Category 4 Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aguatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Int. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Sol. 2 Flammable liquids, Category 2 Flam. Sol 2 Flammable liquid and vapour. H228 Flammable solid. H301 Toxic if swallowed. H302 Harmful if swallowed and enters ainways. H311 Causes skin irritation. H312 Harmful in contact with skin. H313 Causes serious eye iritation.		
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Sol. 2 Flammable liquid, Category 3 Flam. Sol. 2 Flammable solids, Category 2 H228 Flammable solid. H301 Toxic if swallowed. H302 Harmful if swallowed. H303 Toxic if swallowed and enters airways. H314 Toxic if swallowed and enters airways. H315 Causes serious eye damage, H316 Causes serious eye damage, H317 May cause an altergic skin reaction. H318 Causes serious eye damage, H319 Causes serious eye damage, H31		
Aquatic Acute 1Hazardous to the aquatic environment – Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 2Eye Int. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3Flam. Sol. 2Flammable solids, Category 2Flam. Sol. 2Flammable solids, Category 2Flam. Sol. 2Flammable solids, Category 2H226Flammable solids, Category 2H321Toxic if swallowed.H322Harmful if swallowed.H331Toxic if swallowed.H311Toxic in contact with skin.H312Harmful in contact with skin.H313Causes serious eye damage.H314Causes serious eye damage.H315Causes serious eye damage.H316Causes serious eye damage.H317May cause an allergic skin reaction.H318Causes serious eye irritation.H319Causes serious eye irritation.H311Toxic if inhaled.H311Yay toxic to aquatic life.H400Vey toxic to aqu		
Aquatic Chronic 1Hazardous to the aquatic environment – Chronic Hazard, Category 1Aquatic Chronic 2Hazardous to the aquatic environment – Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment – Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3Flam. Sol. 2Flarmable solids, Category 2Flam. Sol. 2Flarmable solids, Category 2H226Flarmable solids, Category 2H227Flarmable solids, Category 2H301Toxic if svallowed.H302Harmful if swallowed.H303Toxic in contact with skin.H314Toxic in contact with skin.H315Causes serious eye damage.H316Causes serious eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Toxic if inhaled.H311Toxic of inhaled.H312Hamful in contact with skin.H313Toxic of inhaled.H314Very toxic to aquatic life.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Hamful to aquatic life wit		
Aquatic Chronic 2Hazardous to the aquatic environment - Chronic Hazard, Category 2Aquatic Chronic 3Hazardous to the aquatic environment - Chronic Hazard, Category 3Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 2Eye Irrit. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3Flam. Sol. 2Flammable solids, Category 2Flam. Sol. 2Flammable solid, Category 2H226Flammable solid,H301Toxic if swallowed.H302Harmful if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes schiu riritation, Category.H315Causes serious eye damage.H316Causes serious eye damage.H317May cause an allergic skin reaction.H318Causes serious eye irritation.H319Toxic in contact with skin.H310Toxic in contact with skin.H311Causes serious eye damage.H312Harmful in contact with skin.H314Causes serious eye damage.H315Causes serious eye damage.H316Causes serious eye damage.H317May cause damage to organs.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin errorsion/irritation,	Aquatic Chronic 1	
Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 2Eye Irrit. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3Flam. Sol. 2Flammable solids, Category 2H226Flammable solids, Category 2H228Flammable solid.H301Toxic if swallowed.H302Harmful if swallowed.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes skin irritation.H315Causes skin irritation.H318Causes serious eye damage.H319Toxic if inhaled.H311Toxic if inhaled.H312Harmful in contact with skin.H314Toxic if inhaled.H315Causes serious eye damage.H316Causes and lergic skin reaction.H317May cause damage to organs.H410Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic ic aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.KH412Skin corosion/irritation, Category 2Skin Sens. 1Skin sens.1	Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Flam. Liq, 3Flammable liquids, Category 3Flam. Sol. 2Flammable solids, Category 2H226Flammable solid, Category 2H228Flammable solid.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H318Causes skin irritation.H319Causes serious eye damage.H311Toxic if inhaled.H312May cause an allergic skin reaction.H314Toxic if inhaled.H315Causes serious eye damage.H316Causes serious eye irritation.H317May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	Aquatic Chronic 3	
Eve Irit. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 3Flammable liquids, Category 3Flam. Sol. 2Flammable solids, Category 2H226Flammable solid, Category 2H228Flammable solid.H301Toxic if swallowed.H302Harmful if swallowed.H311Toxic in swallowed.H312Harmful in contact with skin.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Toxic if inhaled.H311Toxic if inhaled.H312Harmful in contact with skin.H314Causes serious eye damage.H315Causes serious eye damage.H316Causes serious eye damage.H317May cause damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corosion/irritation, Category 2Skin Sens, 1Skin sensitisation, Category 1	Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3Flammable liquids. Category 3Flam. Sol. 2Flammable solids. Category 2H226Flammable solid.H228Flammable solid.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H311Toxic if inhaled.H312Yay cause damage to organs.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Skin corrosion/irritation, Category 2Skin First. 2Skin sensitisation, Category 1	Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Sol. 2Flammable solids, Category 2H226Flammable liquid and vapour.H228Flammable solid.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H313Causes skin irritation.H314Kay cause an allergic skin reaction.H315Causes serious eye damage.H316Causes serious eye damage.H317May cause damage to organs.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H226Flammable liquid and vapour.H228Flammable solid.H301Toxic if swallowed.H302Harmful if swallowed and enters airways.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Toxic if inhaled.H331Toxic if inhaled.H371May cause damage to organs.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Khi nerrit. 2Skin corrosion/irritation, Category 1	Flam. Liq. 3	Flammable liquids, Category 3
H228Flammable solid.H301Toxic if swallowed.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Kin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	Flam. Sol. 2	Flammable solids, Category 2
H301Toxic if swallowed.H302Harmful if swallowed and enters airways.H304May be fatal if swallowed and enters airways.H311Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H319Cause serious eye irritation.H311Toxic if inhaled.H312Very toxic to aquatic life.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Skin Irrit. 2Skin Irrit. 2Skin corrosion/irritation, Category 1	H226	Flammable liquid and vapour.
HamHamHarmful if swallowed.H302May be fatal if swallowed and enters airways.H314Toxic in contact with skin.H312Harmful in contact with skin.H313Causes skin irritation.H314Causes skin irritation.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye damage.H331Toxic if inhaled.H331May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Kin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H228	Flammable solid.
H304May be fatal if swallowed and enters airways.H310Toxic in contact with skin.H312Harmful in contact with skin.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H331Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 1	H301	Toxic if swallowed.
H311Toxic in contact with skin.H312Harmful in contact with skin.H312Harmful in contact with skin.H313Causes skin irritation.H314May cause an allergic skin reaction.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H331Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H302	Harmful if swallowed.
H312Harmful in contact with skin.H315Causes skin irritation.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H311Toxic if inhaled.H312May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H304	May be fatal if swallowed and enters airways.
H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H331Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin sensitisation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H311	Toxic in contact with skin.
H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H331Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H312	Harmful in contact with skin.
H318Causes serious eye damage.H319Causes serious eye irritation.H331Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin sensitisation, Category 1	H315	Causes skin irritation.
H319Causes serious eye irritation.H331Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
H331Toxic if inhaled.H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H318	Causes serious eye damage.
H371May cause damage to organs.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H319	Causes serious eye irritation.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H331	Toxic if inhaled.
H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.Skin Irrit. 2Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1	H371	May cause damage to organs.
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1	H400	Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects. Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1	H410	Very toxic to aquatic life with long lasting effects.
Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1	H411	Toxic to aquatic life with long lasting effects.
Skin Sens. 1 Skin sensitisation, Category 1	H412	Harmful to aquatic life with long lasting effects.
	Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens 1B Skin sensitisation category 1B	Skin Sens. 1	Skin sensitisation, Category 1
Skill Selisiusauoli, Calegoly ID	Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The data contained in this Safety Data Sheet is accurate to the best knowledge of French Color & Fragrance Co., applies to the product as supplied by French Color & Fragrance Co. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does French Color & Fragrance Co. assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact SDS@frenchcolor.com