

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/1/2021 Revision date: 3/1/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Fluffy Towels

UFI : 14FT-X2Q4-K00X-91E6

Type of product : Perfumes, fragrances

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils Europe Calle Torrevieja 2, San Miguel de salinas Alicante 03193 Spain

www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

1.4. Emergency telephone number

Emergency number : 0034 711024907

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 1A H360
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May damage fertility or the unborn child. Harmful if swallowed. Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS08

3/1/2023 (Revision date) EN (English) 1/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Danger

Contains : Benzyl benzoate, Hexyl salicylate, Vertenex, Iso E Super, Linalool, Floralozone, Cyclamal,

Linalyl acetate, Aldehyde C-12, L-Carvone, Triplal (Vertocitral), Melonal, Isocyclocitral,

Lemon oil, Lime oil distilled, Geranium oil Egyptian

Hazard statements (CLP) : H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H360 - May damage fertility or the unborn child. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	30.25 – 60.5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	1 – 4	Eye Irrit. 2, H319
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	1.5 – 3	Aquatic Chronic 3, H412
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	1.5 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	1 – 2	Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Verdyl acetate	CAS-No.: 5413-60-5 EC-No.: 226-501-6	1 – 2	Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1 – 2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1 – 2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.77 – 1.9	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Floralozone	CAS-No.: 67634-15-5 EC-No.: 266-819-2 REACH-no: 01-2120758796- 34	0.5 – 1	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.25025 – 0.505	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.25 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Aldehyde C-12	CAS-No.: 112-54-9 EC-No.: 203-983-6	0.25 – 0.5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
L-Carvone	CAS-No.: 6485-40-1 EC-No.: 229-352-5 EC Index-No.: 606-148-00-8	0.25 – 0.5	Skin Sens. 1B, H317
Ethyl benzoate substance with national workplace exposure limit(s) (RO)	CAS-No.: 93-89-0 EC-No.: 202-284-3	0.25 – 0.5	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.25 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.180825 – 0.36165	Not classified
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.15 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Melonal	CAS-No.: 106-72-9 EC-No.: 203-427-2	0.15 – 0.3	Skin Sens. 1B, H317
Isocyclocitral	CAS-No.: 1335-66-6 EC-No.: 215-638-7	0.15 – 0.3	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Rose oxide	CAS-No.: 16409-43-1 EC-No.: 240-457-5	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423- 50	0.1 – 0.2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Avoid

breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear personal

protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of

the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

3/1/2023 (Revision date) EN (English) 5/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Belgium - Occupational Exposure Limits	Benzyl acetate (140-11-4)		
OEL TWA 62 mg/m³ OEL TWA [ppm] 10 ppm Denmark - Occupational Exposure Limits OEL TWA [¹] 61 mg/m³ OEL TWA [²] 10 ppm OEL TWA [²] OEL TWA [²] 10 ppm Cel TWA [²] OEL TYEL [ppm] 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA S mg/m³ Del TWA [ppm] OEL STEL [ppm] OEL STEL [ppm] OEL STEL [ppm] OEL STEL [ppm] OEL TWA [pm] OEL STEL [ppm] OEL STEL [ppm] OEL TWA [ppm] OEL TWA [ppm] <t< td=""><td colspan="3"></td></t<>			
OEL TWA [ppm] 10 ppm Denmark - Occupational Exposure Limits OEL TWA [2] 10 ppm Iroland - Occupational Exposure Limits OEL TWA [2] 10 ppm OEL STEL [ppm] 30 ppm (calculated) Latwia - Occupational Exposure Limits Total Calculated) Lithuania - Occupational Exposure Limits Total Calculated) Lithuania - Occupational Exposure Limits Total Calculated) Portugal - Occupational Exposure Limits Total Calculated) OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen OEL TWA [ppm] 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL [ppm] 8 ppm OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [2] VLA-ED (OEL TWA) [2] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm ACGIH Chemical category Not Classifiable as a Human Carcinogen Carbitol (111-80-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 50 ppm		62 ma/m³	
Demant* - Occupational Exposure Limits OEL TWA [2] 10 ppm Ireland - Occupational Exposure Limits OEL TWA [2] 10 ppm OEL TWA [2] 10 ppm OEL TWA [2] 30 ppm (calculated) Latvia - Occupational Exposure Limits Lithuania - Occupational Exposure Limits Lithuania - Occupational Exposure Limits Portugal - Occupational Exposure Limits OEL TWA [ppm] OEL TWA [ppm] 10 ppm OEL TWA [ppm] 44 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA [ppm] 8 ppm OEL TWA [ppm] 8 ppm OEL STEL [ppm] 8 ppm OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VIA-ED (OEL TWA) [1] 62 mg/m² VIA-ED (Cel TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH Occupational Exposure Limits Carbitol (111-90-0) Austria - Occupational Expo		-	
OEL TWA [1] 61 mg/m³ OEL TWA [2] 10 ppm Ireland - Occupational Exposure Limits OEL TWA [2] 10 ppm OEL STEL [ppm] 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits Temporary (Del TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL TWA [ppm] 10 ppm OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 8 ppm OEL STEL [ppm] 3 ppm Spain - Occupational Exposure Limits VIA-ED (OEL TWA) [1] 62 mg/m³ VIA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits Carbitol (111-80-0) Autria - Occupational Exposure Limits Warria (OEL TWA) [ppm] 10 ppm Acgid (OEL TWA) [ppm] 35 mg/m³ MAK (OEL TWA) [ppm]		то ррпп	
OEL TWA [2] 10 ppm Ireland - Occupational Exposure Limits 10 ppm OEL STEL [ppm] 30 ppm (calculated) Latvia - Occupational Exposure Limits Fmg/m² DEL TWA 5 mg/m² Lithuania - Occupational Exposure Limits Fmg/m² IPRY (OEL TWA) 5 mg/m² Portugal - Occupational Exposure Limits OEL TWA [ppm] OEL TWA [ppm] 10 ppm OEL TWA [ppm] 4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits So mg/m² OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m² OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits VCA-CGIH Cocupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm		C4 malm3	
Ireland - Occupational Exposure Limits OEL TWA [2] 10 ppm OEL STEL [ppm] 30 ppm (calculated) Latvia - Occupational Exposure Limits 5 mg/m³ CEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits 5 mg/m³ Portugal - Occupational Exposure Limits 6 mg/m³ OEL TWA [ppm] 10 ppm OEL TWA [ppm] 4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL [ppm] 30 ppm OEL STEL [ppm] 13 ppm OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits VLA-ED (OEL TWA [ppm] ACGIH Chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm			
OEL TWA [2] 10 ppm OEL STEL [ppm] 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH - Occupational Exposure Limits Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm MAK (OEL TWA) [ppm] 6 ppm		10 ррпп	
OEL STEL [ppm] 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m² Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] ACGIH Chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm		40	
Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL 9 80 mg/m³ DEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH OEL TWA [ppm] 10 ppm ACGIH Chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm			
DEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH CHAN [ppm] 10 ppm		30 ppm (calculated)	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm		I	
IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm		5 mg/m³	
Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm			
OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm 6 ppm		5 mg/m³	
OEL chemical category Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm			
Romania - Occupational Exposure Limits OEL TWA OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm 6 ppm			
OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	Romania - Occupational Exposure Limits		
OEL STEL OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) MAK (OEL TWA) [ppm] 6 ppm	OEL TWA	50 mg/m³	
OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	OEL TWA [ppm]	8 ppm	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	OEL STEL	80 mg/m³	
VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	OEL STEL [ppm]	13 ppm	
VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	Spain - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	VLA-ED (OEL TWA) [1]	62 mg/m³	
ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	VLA-ED (OEL TWA) [2]	10 ppm	
ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) MAK (OEL TWA) [ppm] 6 ppm	USA - ACGIH - Occupational Exposure Limits		
Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	ACGIH OEL TWA [ppm]	10 ppm	
Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm	Carbitol (111-90-0)		
MAK (OEL TWA) [ppm] 6 ppm	Austria - Occupational Exposure Limits		
	MAK (OEL TWA)	35 mg/m³	
MAK (OEL STEL) 140 mg/m³	MAK (OEL TWA) [ppm]	6 ppm	
	MAK (OEL STEL)	140 mg/m³	
MAK (OEL STEL) [ppm] 24 ppm	MAK (OEL STEL) [ppm]	24 ppm	
Estonia - Occupational Exposure Limits			
OEL TWA 50.1 mg/m³	OEL TWA	50.1 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbitol (111-90-0)			
OEL TWA [ppm]	10 ppm		
OEL chemical category	Skin notation		
Germany - Occupational Exposure Limits (TRGS 90	00)		
AGW (OEL TWA) [1]	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Slovenia - Occupational Exposure Limits			
OEL TWA	35 mg/m³		
OEL TWA [ppm]	6 ppm		
OEL STEL	70 mg/m³		
OEL STEL [ppm]	12 ppm		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	80 mg/m³		
NGV (OEL TWA) [ppm]	15 ppm		
KTV (OEL STEL)	170 mg/m³		
KTV (OEL STEL) [ppm]	30 ppm		
OEL chemical category	Skin notation		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)		
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)		
Ethyl benzoate (93-89-0)			
Romania - Occupational Exposure Limits			
OEL TWA	200 mg/m³		
OEL TWA [ppm]	33 ppm		
OEL STEL	300 mg/m³		
OEL STEL [ppm]	49 ppm		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.

Odour : characteristic. characteristic.

Odour threshold : Not available : Not applicable Melting point Freezing point : Not available Boiling point : Not available Flammability : Not available **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 91.8 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Not available Vapour pressure Vapour pressure at 50°C Not available Density Not available Relative density 1.05

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Fluffy Towels			
ATE CLP (oral)	826.446 mg/kg bodyweight		
Benzyl benzoate (120-51-4)	Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg		
LD50 oral	1500 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg		
LD50 dermal	4000 mg/kg bodyweight		
Hexyl salicylate (6259-76-3)			
Hexyl salicylate (6259-76-3) LD50 oral rat	> 5 g/kg		
	> 5 g/kg > 5000 mg/kg		
LD50 oral rat	> 5000 mg/kg		
LD50 oral rat LD50 dermal rabbit	> 5000 mg/kg		
LD50 oral rat LD50 dermal rabbit 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (> 5000 mg/kg 63500-71-0)		

3/1/2023 (Revision date) EN (English) 9/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)	
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Vertenex (32210-23-4)	
LD50 oral rat	5 g/kg
LD50 oral	3370 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Verdyl acetate (5413-60-5)	
LD50 oral	3050 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Methyl ionone (mixture of isomers) (1335-46-2	2)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LD50 dermal	2900 mg/kg bodyweight
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Carbitol (111-90-0)	
LD50 oral rat	10502 mg/kg
LD50 dermal rabbit	9143 mg/kg
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h)
Aldehyde C-12 (112-54-9)	
LD50 oral rat	23 g/kg
LD50 dermal rabbit	> 2000 mg/kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

L-Carvone (6485-40-1)	
LD50 oral rat	5400 mg/kg
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LD50 dermal	3800 mg/kg bodyweight
Ethyl benzoate (93-89-0)	
LD50 oral rat	2100 mg/kg
LD50 oral	2500 mg/kg bodyweight
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Melonal (106-72-9)	
LD50 oral rat	> 5 g/kg
Isocyclocitral (1335-66-6)	
LD50 oral rat	4500 mg/kg
LD50 oral	3220 mg/kg bodyweight
Rose oxide (16409-43-1)	
LD50 oral rat	4300 mg/kg
LD50 oral	4300 mg/kg bodyweight
Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg
Lime oil distilled (8008-26-2)	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Geranium oil Egyptian (8000-46-2)	
LD50 oral	4811 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
	Causes skin irritation.
, 3	Not classified
	May cause an allergic skin reaction. Not classified
3 ,	Not classified
Benzyl acetate (140-11-4)	Tect of debotined
IARC group	3 - Not classifiable
	May damage fertility or the unborn child.
	Not classified
•	Not classified
	Not classified
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

11.2. Information on other hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

-		- 4					
		-1	. 1		V		11/
	74			u	$\boldsymbol{\Lambda}$	G	LV

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
0.168 mg/l
8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
0.452 mg/l Wolf, 1996d-27682
> 0.14 mg/l REACH DOSSIER Pimephales promelas
260 μg/l REACH Dossier
0.131 mg/l REACH Dossier
)
2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
88.3 mg/l (Species: Desmodesmus subspicatus)
11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)
6.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)		
Persistence and degradability May cause long-term adverse effects in the environment.		
Geranium oil Egyptian (8000-46-2)		
Persistence and degradability	May cause long-term adverse effects in the environment.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Hexyl salicylate (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Vertenex (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
Verdyl acetate (5413-60-5)	
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 30 °C (at pH 5.92)
Dihydromyrcenol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)
Hexamethylindanopyran (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Methyl ionone (mixture of isomers) (1335-46-2	2)
Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)
Cyclamal (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Carbitol (111-90-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.8
Aldehyde C-12 (112-54-9)	
Partition coefficient n-octanol/water (Log Pow)	4.9 (at 35 °C)
L-Carvone (6485-40-1)	
Partition coefficient n-octanol/water (Log Pow)	2.74 (at 37 °C (at pH 7.2)
Ethyl benzoate (93-89-0)	
Partition coefficient n-octanol/water (Log Pow)	2.59 (at 22.8 °C (at pH 6-7)
Melonal (106-72-9)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)
Rose oxide (16409-43-1)	
Partition coefficient n-octanol/water (Log Pow)	3.3 (at 23 °C (at pH 6.5)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	Geranium	oil	Egyptian	(8000-46-2)	
--	----------	-----	----------	-------------	--

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}\text{C}$ and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP10 "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.

 HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

The desired than the Control of the					
ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	
N.O.S. (Benzyl Benzoate)	N.O.S. (Benzyl Benzoate)		N.O.S. (Benzyl Benzoate)	N.O.S. (Benzyl Benzoate)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
Transport document description					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	
14.3. Transport hazard	class(es)				
9	9	9	9	9	
	**************************************		**************************************		
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : - EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1, TP29EmS-No. (Fire): F-AEmS-No. (Spillage): S-FStowage category (IMDG): A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

 Special packing provisions (RID)
 : PP1

 Mixed packing provisions (RID)
 : MP19

 Portable tank and bulk container instructions (RID)
 : T4

 Portable tank and bulk container special provisions
 : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Lemon oil ; Lime oil distilled	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Fluffy Towels; Benzyl benzoate; Hexyl salicylate; 2-Isobutyl-4- methyltetrahydro-2H- pyran-4-ol; Vertenex; Iso E Super; Dihydromyrcenol; Methyl ionone (mixture of isomers); Linalool; Floralozone; Cyclamal; Linalyl acetate; Aldehyde C-12; L-Carvone; Triplal (Vertocitral); Melonal; Isocyclocitral; Rose oxide; Lemon oil; Lime oil distilled; Geranium oil Egyptian	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Fluffy Towels; Benzyl benzoate; Hexyl salicylate; Benzyl acetate; Verdyl acetate; Iso E Super; Hexamethylindanopyran; Methyl ionone (mixture of isomers); Floralozone; Cyclamal; Triplal (Vertocitral); Isocyclocitral; Lemon oil; Lime oil distilled; Geranium oil Egyptian	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Lemon oil; Lime oil distilled	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK)

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Chemicals Prohibition Ordinance (ChemVerbotsV)

This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

: Floralozone, Triplal (Vertocitral), Lemon oil are listed: Floralozone, Triplal (Vertocitral), Lemon oil are listed

SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

Chemicals Ordinance (SR 813.11) : Group 1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUI	ull text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H360	May damage fertility or the unborn child.	
H360FD	May damage fertility. May damage the unborn child.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 1A	Reproductive toxicity, Category 1A	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.