

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/17/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: MYRRH & TONKA at SDS 100%
UFI	: MNAQ-1AG1-C00Y-3QTW
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils Europe Calle Torrevieja 2, San Miguel de salinas Alicante 03193 Spain www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

1.4. Emergency telephone number

Emergency number

: 0034 711024907

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Very toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: Iso E Super; Benzyl benzoate; Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro-2,4-dimethyl-; Cashmeran; Cedramber; Guaiac wood oil; Hexyl salicylate; Heliotropine; Hydroxy; Patchouli oil; Timberol; Linalyl acetate; COUMARIN; Vetiver oil; d-Limonene; Citronellol Pure
Hazard statements (CLP)	 H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	12 – 24	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	10 – 20	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	4.7 – 9.3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro-2,4- dimethyl-	CAS-No.: 27606-09-3 EC-No.: 248-561-2	3 – 6	Acute Tox. 4 (Oral), H302
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131- 40	1.3 – 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	1.3 – 2.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	1.1 – 2.2	Eye Irrit. 2, H319
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Guaiac wood oil	CAS-No.: 8016-23-7 EC-No.: 616-975-6 REACH-no: 01-2120138621- 63	0.6 – 1.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.6 – 1.1903	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
OXACYCLOHEPTADEC-10-EN-2-ONE	CAS-No.: 28645-51-4 EC-No.: 249-120-7	0.5 – 1.0005	Aquatic Chronic 1, H410 (M=10) Aquatic Acute 1, H400 (M=10)
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.5 – 1	Skin Sens. 1B, H317
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.5 – 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.5 – 1	Eye Irrit. 2, H319
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.4 – 0.7	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Timberol	CAS-No.: 70788-30-6 EC-No.: 274-892-7	0.3 – 0.6	Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.3 – 0.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.2 – 0.45	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Vetiveria zizanoides root oil	CAS-No.: 8016-96-4 EC-No.: 616-993-4 REACH-no: 01-2120119716- 55	0.2 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.1 – 0.22	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact	 Not expected to present a significant hazard under anticipated conditions of normal use. Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent entry	to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for contain	nment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

re good ventilation of the work station. Wash hands and other exposed areas with mild and water before eating, drinking or smoking and when leaving work. Provide good lation in process area to prevent formation of vapour. Avoid contact with skin and eyes. r personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. n contaminated clothing before reuse. Contaminated work clothing should not be red out of the workplace. Do not eat, drink or smoke when using this product. Always hands after handling the product.
ompatibilities
o only in the original container in a cool, well ventilated place away from : Keep away heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep ainer closed when not in use. Store in a well-ventilated place. Keep cool.
ng bases. Strong acids. ces of ignition. Direct sunlight. e in a well-ventilated place. Store away from heat. e in a closed container. ot store in corrodable metal.

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m $^{\rm s}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m ³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits	·	
Grenseverdi (OEL TWA) [1]	140 mg/m ³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m ³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	
8.1.2 Percentranded monitoring procedures	1	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: >93.3 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity	

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined	in Regulation (EC) No 1272/2008		
Acute toxicity (oral): Harmful if swallowed.Acute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified			
MYRRH & TONKA at SDS 100%			
ATE CLP (oral)	1769.912 mg/kg bodyweight		
Benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
Hexamethylindanopyran (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hexamethylindanopyran (1222-05-5)			
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro-	-2,4-dimethyl- (27606-09-3)		
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
Cashmeran (33704-61-9)			
LD50 oral	2900 mg/kg bodyweight		
Vanillin (121-33-5)			
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)		
LD50 dermal	2600 mg/kg bodyweight		
Methyl ionone (mixture of isomers) (1335-46-2	2)		
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
LD50 dermal	2900 mg/kg bodyweight		
Guaiac wood oil (8016-23-7)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)		
Hexyl salicylate (6259-76-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
OXACYCLOHEPTADEC-10-EN-2-ONE (28645-	51-4)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
Heliotropine (120-57-0)			
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)		
LD50 oral	2700 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
Hydroxy (107-75-5)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		
Ethyl vanillin (121-32-4)			
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)		
LD50 oral	3000 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
Patchouli oil (8014-09-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
Timberol (70788-30-6)			
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral	290 mg/kg bodyweight
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Vetiveria zizanoides root oil (8016-96-4)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
d-Limonene (5989-27-5)	·
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Citronellol Pure (106-22-9)	I
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)
LD50 dermal	2650 mg/kg bodyweight
	Causes skin irritation.
, J	Not classified
	May cause an allergic skin reaction.
5 5	Not classified
Carcinogenicity :	Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Cashmeran (33704-61-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	

11.2.1. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Cashmeran (33704-61-9)		
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Vanillin (121-33-5)		
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
NOEC (acute) 10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])		
Methyl ionone (mixture of isomers) (1335-46-2	2)	
LC50 - Fish [1]	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	
Heliotropine (120-57-0)		
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MYRRH & TONKA at SDS 100% Not established. Persistence and degradability Not established. Benzyl benzoate (120-51-4) May cause long-term adverse effects in the environment. 21.3. Ediscumulative potential May cause long-term adverse effects in the environment. MYRRH & TONKA at SDS 100% Soccumulative potential More adverse effects in the environment. Not established. Benzyl benzoate (120-51-4) Version coefficient no-chanolwater (Log Pow) Partition coefficient no-chanolwater (Log Pow) 397 (at 25 °C). Beacumulative potential Not established. Hoxamethylindanopyran (1222-05-9) Boc established. Ber fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient no-chanolwater (Log Pow) 23 (at 25 °C) (at 28-09.3) Partition coefficient no-chanolwater (Log Pow) 243 - 2 9 (at 28-09.3) Partition coefficient no-chanolwater (Log Pow) 243 - 2 9 (at 28-09.3) Partition coefficient no-chanolwater (Log Pow) 243 - 2 9 (at 28 °C) Vanilition coefficient no-chanolwater (Log Pow) 24 (at 20 °C) Vanilition coefficient no-chanolwater (Log Pow) 24 (at 20 °C) Vanition coefficient no-chanolwater (Log Pow) 25 (at	12.2. Persistence and degradability				
Banzyl banzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential Not established. Braccumulative potential Not established. Beaccumulative potential Not established. Braccumulative potential Not established. Partition coefficient n-octanolwater (Log Pow) 5.3 (at 25 °C (at pH 7) Partition coefficient n-octanolwater (Log Pow) 2.43 - 2.9 (at 22.8 °C) Cashmeran (33704-61-9) (243 - 2.9 (at 22.8 °C) Partition coefficient n-octanolwater (Log Pow) 1.23 (at 22 °C) Partition coefficient n-octanolwater (Log Pow) 1.23 (at 22 °C) Partition coefficient n-octanolwater (Log Pow) 1.23 (at 22 °C) Partition coefficient n-octanolwater (Log Pow) 5.5 (at 3	MYRRH & TONKA at SDS 100%				
Persistence and degradability May cause long-term adverse effects in the environment. 12.3. Bioaccumulative potential Not established. Bioaccumulative potential Not established. Beaccumulative potential 397 (al 25 °C) Bioaccumulative potential Not established. Beaccumulative potential Not established. Beaccumulative potential Not established. Beaccumulative potential (1818 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (al 25 °C (at pH 7) Partition coefficient n-octanol/water (Log Pow) 2.43 - 2.9 (al 22.8 °C) Cashmeran (33704-61-9) (243 - 2.9 (al 22.8 °C) Partition coefficient n-octanol/water (Log Pow) 2.43 - 2.9 (al 22.0 °C) Vanillin coefficient n-octanol/water (Log Pow) 12.3 (al 22 °C) Methyl indone (nickture of Isomers) (1354-65 - 212.3 °C (at pH 7) Partition coefficient n-octanol/water (Log Pow) Not established noctanol/water (Log Pow) 5.5 (al 20 °C (at pH 7) Partition coefficient n-octanol/water (Log Pow) 5.5 (al 30 °C (at pH 7) Partition coefficient n-octanol/water (Log Pow) 5.5 (al 30 °C (at pH 7) Partition coefficient n-octanol/water (Log Pow)	Persistence and degradability	Not established.			
12.3. Bioaccumulative potential MYRRH & TONKA at SDS 100% Bioaccumulative potential Not established. Boraryi bonzoato (120-51-4) Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Hexamethylindanopyran (1222-05-5) BOF - Fish [1] BCF - Fish [1] (1618 dimensionless (whole body w w.) Partition coefficient n-octanol/water (Log Pow) 2.3 (at 25 °C (at pH 7) Indeno[1,2-0]-1,3-dioxin, 4,4a,5,9b-tetrahydro-2,4dimethyl- (27606-09-3) Partition coefficient n-octanol/water (Log Pow) 2.43 – 2.9 (at 22.8 °C) Cashmeran (33704-61-9) BOF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Vanillin (121-33-5) [80 at 2.3 °C (at pH 7) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2) [80 at 0°C) Partition coefficient n-octanol/water (Log Pow) [84 at 0°C] Varition coefficient n-octanol/water (Log Pow) [5 ct 30 °C (at pH 6.2) Hexyl salicylate (6259-76-5) [80 at 0°C] Partition coefficient n-octanol/water (Log Pow) [5 (at 30 °C] <t< td=""><td colspan="5">Benzyl benzoate (120-51-4)</td></t<>	Benzyl benzoate (120-51-4)				
MYRRH & TONKA at SDS 100% Biaaccumulative potential Not established. Bezryl berzoate (120-51-4) S7 (at 25 °C) Partition coefficient n-ockanolwater (Log Pow) 3.97 (at 25 °C) Bicacumulative potential Not established. Hezzamethylindanopyran (1222-05-5) Bica coefficient n-ockanolwater (Log Pow) 3.61 26 °C (at pH 7) Borto coefficient n-ockanolwater (Log Pow) 2.63 (at 25 °C (at pH 7) Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro-2-t-dimethyl-1026606-03-3) Partition coefficient n-ockanolwater (Log Pow) 2.43 - 2.9 (at 22.8 °C) Coefficient n-ockanolwater (Log Pow) Partition coefficient n-ockanolwater (Log Pow) 4.2 (at 20 °C) Coefficient n-ockanolwater (Log Pow) Partition coefficient n-ockanolwater (Log Pow) 1.23 (at 22 °C) Montept 1000000000000000000000000000000000000	Persistence and degradability	May cause long-term adverse effects in the environment.			
Bioaccumulative potential Net established. Bioaccumulative potential 3.97 (at 25 °C) Bioaccumulative potential Net established. Bioaccumulative potential Net established. Bioaccumulative potential 1618 dimensionless (whole body w.w.) Bioaccumulative potential 1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 3 (at 25 °C (at pH 7) Indeno[1,2-d]-1,3-dioxin, 4,4a,5,5b-tetrahyd	12.3. Bioaccumulative potential				
Benzyl benzoate (120-51-4) Partion coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C) Bioaccumulative potential Not established. Hexamethylindanopyran (1222-05-5) EF BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahytor-24-dimethyl- (27606-09-3) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) 2.43 – 2.9 (at 22.8 °C) Cashmeran (33704-61-9) Ed I dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 2.43 (a 20 °C) Vanillin (121-33-5) Ed I dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-64-2) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 6.2) Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 6.2) Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 7) OXACYCLOHEPTADEC-10-EN-2-ONE (26645-4 Partition coefficient n-octanol/water (Log Pow) Partiti	MYRRH & TONKA at SDS 100%				
Partion coefficient n-octanol/water (Log Pow)3/97 (at 25 °C)Bioaccumulative potentialNot established.Hexamethylindanopyran (1222-05-5)(1618 dimensionless (whole body w.w.)Partilion coefficient n-octanol/water (Log Pow)5.3 (at 25 °C (at pH 7)Partilion coefficient n-octanol/water (Log Pow)2.43 - 2.9 (at 22.8 °C)Cashmeran (33704-61-9)(B1 dimensionless (whole body w.w.)Partition coefficient n-octanol/water (Log Pow)2.43 - 2.9 (at 22.8 °C)Cashmeran (33704-61-9)(B1 dimensionless (whole body w.w.)Partition coefficient n-octanol/water (Log Pow)4.2 (at 20 °C)Vanillin (121-33-5)(B1 dimensionless (whole body w.w.)Partition coefficient n-octanol/water (Log Pow)1.23 (at 22 °C)Methyl ionoen (mixture of isomers) (13354-62(A-5 < 5 - at 23 °C (at pH 62))	Bioaccumulative potential	Not established.			
Biacacumulative potential Not established. Hexamethylindanopyran (1222-05-5) Indensionless (whole body w.w.) BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Indeno[1,2-d]-1,3-dloxin, 4,4a,5,9b-tetrahydro-Z-4-dimethyl- (27606-09-3) Zele (28 °C) Partition coefficient n-octanol/water (Log Pow) 2 (at 2.8 °C) Cashmeran (33704-61-9) (B1 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Vanillin (121-33-5) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2/2 Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2/2 Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2/2 Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 6.2) Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 7) OXACYCLOHEPTADEC-10-EN-2-ONE (2845-C) Partition coefficient n-octanol/water (Log Pow) 1.2 (at 23 °C)	Benzyl benzoate (120-51-4)				
Hexamethylindanopyran (1222-05-5)BCF - Fish [1](1618 dimensionless (whole body w.w.)Partition coefficient n-octanol/water (Log Pow)5.3 (at 25 °C (at pH 7)Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro-z-4-dimethyl- (27606-09-3)Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro-z-4-dimethyl- (27606-09-3)Partition coefficient n-octanol/water (Log Pow)2.43 - 2.9 (at 22.8 °C)Cashmeran (33704-61-9)(81 dimensionless (whole body w.w.)Partition coefficient n-octanol/water (Log Pow)4.2 (at 20 °C)Vanillin (121-33-5)Vanillin (121-33-5)Partition coefficient n-octanol/water (Log Pow)1.23 (at 22 °C)Methyl ionone (mixture of isomers) (1335-46-2Vanillin coefficient n-octanol/water (Log Pow)Partition coefficient n-octanol/water (Log Pow)5.5 (at 30 °C (at pH 6.2)Hexyl salicylate (6259-76-3)Vanillin coefficient n-octanol/water (Log Pow)Partition coefficient n-octanol/water (Log Pow)5.5 (at 30 °C (at pH 7)OXACYCLOHEPTADEC-10-EN-2-ONE (2864-5-14)Vanillin coefficient n-octanol/water (Log Pow)Partition coefficient n-octanol/water (Log Pow)5.5 (at 30 °C (at pH 7)Otactor (1000000000000000000000000000000000000	Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)			
BCF - Fish [1] (1618 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydrometry - 2,4-dimethyl- (27606-09-3) Partition coefficient n-octanol/water (Log Pow) 2.43 - 2.9 (at 22.8 °C) Cashmeran (33704-61-9) BCF - Fish [1] (B1 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Varillin (121-33-5) Varillion coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionoen (mixture of isomers) (1335-46 Varillion coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionoef (ficient n-octanol/water (Log Pow) (>4.5 - <5 - at 23 °C (at pH 6.2)	Bioaccumulative potential	Not established.			
Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahytor-2+-dimethyl- (27606-09-3) Partition coefficient n-octanol/water (Log Pow) 2.43 – 2.9 (at 22.8 °C) Cashmeran (33704-61-9) BCF - Fish [1] (B1 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Varillin (121-33-5) 1.23 (at 22 °C) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) (At 5 - <5 - at 23 °C (at pH 6.2)	Hexamethylindanopyran (1222-05-5)				
Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro-2,4-dimethyl- (27606-09-3) Partition coefficient n-octanol/water (Log Pow) 2.43 – 2.9 (at 22.8 °C) Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Vanillin (121-33-5) 4.2 (at 20 °C) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46	BCF - Fish [1]	(1618 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow) 2.43 – 2.9 (at 22.8 °C) Cashmeran (33704-61-9) Idimensionless (whole body w.w.) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Vanillin (121-33-5) Idimensionless (at 22 °C) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2 Idimensionless (at 22 °C) Partition coefficient n-octanol/water (Log Pow) (24.5 - 55 - at 23 °C (at pH 6.2) Hexyl salicylate (6259-76-3) Idimensionless (at 30 °C (at pH 7) OXACYCLOHEPTADEC-10-EN-2-ONE (2864-51-4) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 7) OXACYCLOHEPTADEC-10-EN-2-ONE (2864-51-4) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) 1.2 (at 35 °C) Partition coefficient n-octanol/water (Log Pow) 1.6 (at 25 °C) Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C) Partition coefficient n-octanol/water (Log P	Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)			
Cashmeran (33704-61-9)BCF - Fish [1](81 dimensionless (whole body w.w.)Partition coefficient n-octanol/water (Log Pow)4.2 (at 20 °C)Vanillin (121-33-5)Partition coefficient n-octanol/water (Log Pow)1.23 (at 22 °C)Methyl ionone (mixture of isomers) (1335-46-2)Methyl ionone (mixture of isomers) (1335-46-2)Partition coefficient n-octanol/water (Log Pow)(>4.5 - <5 - at 23 °C (at pH 6.2)	Indeno[1,2-d]-1,3-dioxin, 4,4a,5,9b-tetrahydro	-2,4-dimethyl- (27606-09-3)			
BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Vanillin (121-33-5) I.23 (at 22 °C) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2) Image: Comparison of	Partition coefficient n-octanol/water (Log Pow)	2.43 – 2.9 (at 22.8 °C)			
Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Vanillin (121-33-5) I.23 (at 22 °C) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46	Cashmeran (33704-61-9)				
Vanillin (121-33-5) Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2 Partition coefficient n-octanol/water (Log Pow) (>4.5 - <5 - at 23 °C (at pH 6.2)	BCF - Fish [1]	(81 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C) Methyl ionone (mixture of isomers) (1335-46-2) Partition coefficient n-octanol/water (Log Pow) (>4.5 - <5 - at 23 °C (at pH 6.2)	Partition coefficient n-octanol/water (Log Pow)	4.2 (at 20 °C)			
Methyl ionone (mixture of isomers) (1335-46-2Parition coefficient n-octanol/water (Log Pow)(>4.5 - <5 - at 23 °C (at pH 6.2)	Vanillin (121-33-5)				
Partition coefficient n-octanol/water (Log Pow)(>4.5 - <5 - at 23 °C (at pH 6.2)Hexyl salicylate (6259-76-3)Partition coefficient n-octanol/water (Log Pow)5.5 (at 30 °C (at pH 7)OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4)Partition coefficient n-octanol/water (Log Pow)6.7 (at 23 °C)Heliotropine (120-57-0)1.2 (at 35 °C)Partition coefficient n-octanol/water (Log Pow)1.2 (at 35 °C)Hydroxy (107-75-5)1.68 (at 25 °C)Partition coefficient n-octanol/water (Log Pow)1.61 (at 25 °C)Partition coefficient n-octanol/water (Log Pow)1.61 (at 25 °C)Ethyl vanillin (121-32-4)1.61 (at 25 °C)Partition coefficient n-octanol/water (Log Pow)1.61 (at 25 °C)Timberol (70788-30-6)I	Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)			
Hexyl salicylate (6259-76-3) Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 7) OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4) Partition coefficient n-octanol/water (Log Pow) 6.7 (at 23 °C) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) 1.2 (at 35 °C) Hydroxy (107-75-5) Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Ethyl vanillin (121-32-4) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C)	Methyl ionone (mixture of isomers) (1335-46-2	2)			
Partition coefficient n-octanol/water (Log Pow) 5.5 (at 30 °C (at pH 7) OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4) Partition coefficient n-octanol/water (Log Pow) 6.7 (at 23 °C) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) 1.2 (at 35 °C) Hydroxy (107-75-5) Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Ethyl vanillin (121-32-4) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C) Timberol (70788-30-6)	Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)			
OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4) Partition coefficient n-octanol/water (Log Pow) 6.7 (at 23 °C) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) 1.2 (at 35 °C) Hydroxy (107-75-5) Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Ethyl vanillin (121-32-4) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C)	Hexyl salicylate (6259-76-3)				
Partition coefficient n-octanol/water (Log Pow) 6.7 (at 23 °C) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) 1.2 (at 35 °C) Hydroxy (107-75-5) Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Ethyl vanillin (121-32-4) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C) Timberol (70788-30-6) 1.61 (at 25 °C)	Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)			
Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) 1.2 (at 35 °C) Hydroxy (107-75-5) Image: Comparison of the term of	OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4)				
Partition coefficient n-octanol/water (Log Pow)1.2 (at 35 °C)Hydroxy (107-75-5)Insteam of the second sec	Partition coefficient n-octanol/water (Log Pow)	6.7 (at 23 °C)			
Hydroxy (107-75-5) Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Ethyl vanillin (121-32-4) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C) Timberol (70788-30-6) Intervention	Heliotropine (120-57-0)				
Partition coefficient n-octanol/water (Log Pow) 1.68 (at 25 °C) Ethyl vanillin (121-32-4) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C) Timberol (70788-30-6)	Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)			
Ethyl vanillin (121-32-4) Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C) Timberol (70788-30-6)	Hydroxy (107-75-5)				
Partition coefficient n-octanol/water (Log Pow) 1.61 (at 25 °C) Timberol (70788-30-6) Image: Comparison of the second se	Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)			
Timberol (70788-30-6)	Ethyl vanillin (121-32-4)				
	Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)			
Partition coefficient n-octanol/water (Log Pow) 579 (at 25 °C (at pH 5 85)	Timberol (70788-30-6)				
	Partition coefficient n-octanol/water (Log Pow)	5.79 (at 25 °C (at pH 5.85)			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Citronellol Pure (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: Market, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	· · · · · · · · · · · · · · · · · · ·		
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)
Transport document descr	iption	1		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III
14.3. Transport hazard o	lass(es)	· ·		
9	9	9	9	9
14.4. Packing group				
III	Ш	III	III	Ш
14.5. Environmental haz	ards	·		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	M6
Special provisions (ADR)	:	274, 335, 375, 601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading	:	CV13
and handling (ADR)		
Hazard identification number (Kemler No.)	:	90
Orange plates	:	90
		70
		3082

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3 · W12
Special provisions for carriage – Packages (RID)	: W12 : CW13 CW31
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)					
Reference code	Applicable on	Entry title or description			
3(a)	d-Limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F			
3(b)	MYRRH & TONKA at SDS 100% ; Iso E Super ; Benzyl benzoate ; Cashmeran ; Cedramber ; Methyl ionone (mixture of isomers) ; Hexyl salicylate ; Hydroxy ; Patchouli oil ; Timberol ; Linalyl acetate ; Vetiveria zizanoides root oil ; d- Limonene ; Citronellol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10			
3(c)	Pure MYRRH & TONKA at SDS 100% ; Iso E Super ; Benzyl benzoate ; Hexamethylindanopyran ; Cashmeran ; Cedramber ; Methyl ionone (mixture of isomers) ; Hexyl salicylate ; OXACYCLOHEPTADEC- 10-EN-2-ONE ; Patchouli oil ; Vetiveria zizanoides root oil ; d-Limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1			
40.	d-Limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.			

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

ter hazard class (WGK) rage class (LGK, TRGS 510)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). : LGK 12 - Non-combustible liquids.						
Joint storage table	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A		
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B		
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C		
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B		
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13		
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	 : LGK 1, LGK 6.2, LGK 7. : LGK 4.1A, LGK 4.3, LGK 5.1C. : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGI 10-13. 						
Hazardous Incident Ordinance (12. BImSchV)	: Is not subje	ect of the Hazar	dous Incident C	ordinance (12. B	ImSchV)		
Netherlands							
ABM category	 A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment Timberol is listed 						
SZW-lijst van kankerverwekkende stoffen							
SZW-lijst van mutagene stoffen	: Timberol is	listed					
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed						
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid							
SZW-lijst van reprotoxische stoffen – Ontwikkeling							
Denmark							
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product 						
Switzerland							
Storage class (LK)	: LK 10/12 - L	iquids					

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Other information	: None.	
Full text of H- and EUH	I-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:				
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Asp. Tox. 1	Aspiration hazard, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H226	Flammable liquid and vapour.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H311	Toxic in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1B	Skin sensitisation, category 1B			
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2			

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.