

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/11/2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form
Trade name
UFI
Type of product
Product group

: Mixture : VERY BERRY ICE CREAM :

- 1KKW-945U-200J-UX9R
- : Perfumes, fragrances
- : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Professional use, Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils Europe Calle Torrevieja 2, San Miguel de salinas Alicante 03193 Spain www.forgetmenotoilseurope.com & forgetmenothf@gmail.com

#### 1.4. Emergency telephone number

Emergency number

: 0034 711024907

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	: Warning
Contains	<ul> <li>Benzyl benzoate; Hexyl salicylate; Heliotropine; Citronellol Pure; Linalool; Orange oil ; Ethyl maltol; Oxypheylon (Raspberry ketone) crystals; 3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-; Aldehyde C-16</li> </ul>
Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands, forearms and face thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	31.1 – 62.25	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	7.5 – 15	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.1 – 2.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	1 – 2	Skin Sens. 1B, H317
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	1 – 2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1 – 2	Acute Tox. 4 (Oral), H302
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.8 – 1.5	Eye Irrit. 2, H319
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	0.8 – 1.5	Acute Tox. 4 (Oral), H302
Ethyl lactate substance with national workplace exposure limit(s) (FI, LT, SE)	CAS-No.: 97-64-3 EC-No.: 202-598-0 EC Index-No.: 607-129-00-7	0.8 – 1.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.5 – 1	Aquatic Chronic 3, H412
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.3 – 0.65	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
1,2-Propanediol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	0.1 – 0.2	Not classified
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-	CAS-No.: 3658-77-3 EC-No.: 222-908-8	0 – 0.05	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Irrit. 2, H319 Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION	4: Firs	t aid mea	sures

4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	<ul> <li>Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul><li>Irritation. May cause an allergic skin reaction.</li><li>Eye irritation.</li></ul>

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: Accidental release measu		

SECTION 6. Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.</li> </ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions Storage temperature Storage area Special rules on packaging Packaging materials	<ul> <li>Store in a well-ventilated place. Keep cool.</li> <li>25 °C</li> <li>Store in a well-ventilated place. Store away from heat.</li> <li>Store in a closed container.</li> <li>Do not store in corrodable metal.</li> </ul>	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethyl lactate (97-64-3)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	25 mg/m³	
HTP (OEL TWA) [2]	5 ppm	
HTP (OEL STEL)	49 mg/m³	
HTP (OEL STEL) [ppm]	10 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	25 mg/m³	
IPRV (OEL TWA) [ppm]	5 ppm	
TPRV (OEL STEL)	50 mg/m³	
TPRV (OEL STEL) [ppm]	10 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	25 mg/m³ (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)	
NGV (OEL TWA) [ppm]	5 ppm (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)	
KTV (OEL STEL)	50 mg/m³ (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)	
KTV (OEL STEL) [ppm]	10 ppm (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)	
1,2-Propanediol (57-55-6)		
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	474 mg/m³ (total vapor and particles) 10 mg/m³ (particles)	
GVI (OEL TWA) [2]	150 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	10 mg/m³ (particulates) 470 mg/m³ (total vapour and particulates)	
OEL TWA [2]	150 ppm (total vapour and particulates)	
OEL STEL	1410 mg/m³ (calculated-particulates) 30 mg/m³ (calculated)	
OEL STEL [ppm]	450 ppm (calculated-total vapour and particulates)	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-Propanediol (57-55-6)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA) 100 mg/m <sup>3</sup> (vapor and inhalable fraction)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	474 mg/m³ (total vapour and particulates) 10 mg/m³ (particulates)	
WEL TWA (OEL TWA) [2]	150 ppm (total vapour and particulates)	
WEL STEL (OEL STEL)	1422 mg/m³ (calculated-total vapour and particulates) 30 mg/m³ (calculated-particulate)	
WEL STEL (OEL STEL) [ppm]	450 ppm (calculated-total vapour and particulates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	79 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	118.5 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Diversional state	1 found of
Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 94 °C (closed cup) ASTM D7094
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 10.5. Incompatible materials

### No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified	
VERY BERRY ICE CREAM		
ATE CLP (oral)	785.08 mg/kg bodyweight	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Heliotropine (120-57-0)		
LD50 oral rat	2700 mg/kg	
LD50 oral	2700 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg	
LD50 dermal	2650 mg/kg bodyweight	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg	
LD50 dermal	2600 mg/kg bodyweight	
Anisic aldehyde (123-11-5)		
LD50 oral rat	> 2000 mg/kg	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Anisic aldehyde (123-11-5)		
LD50 oral	3210 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h)	
Ethyl maltol (4940-11-8)		
LD50 oral rat	1150 mg/kg	
LD50 oral	1200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)	
LD50 oral rat	1320 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Ethyl lactate (97-64-3)		
LD50 oral rat	8200 mg/kg	
LD50 oral	2500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (3658	3-77-3)	
LD50 oral	1608 mg/kg bodyweight	
1,2-Propanediol (57-55-6)		
LD50 oral rat	20 g/kg	
LD50 dermal rabbit	20800 mg/kg	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
	Causes skin irritation.	
	Causes serious eye irritation.	
· ·	May cause an allergic skin reaction.	
5 ,	Not classified Not classified	
	Not classified	
	Not classified	
Ethyl lactate (97-64-3)		
STOT-single exposure	May cause respiratory irritation.	
	Not classified	
Aspiration hazard :	Not classified	
Benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
Heliotropine (120-57-0)		
Viscosity, kinematic	Not applicable	
Orange oil (8008-57-9)		
Hydrocarbon	Yes	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 11.2. Information on other hazards

### No additional information available

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general       : Toxic to aquatic life with long lasting effects.         Hazardous to the aquatic environment, short-term       : Not classified         (acute)       : Toxic to aquatic life with long lasting effects.         Hazardous to the aquatic environment, long-term       : Toxic to aquatic life with long lasting effects.			
(chronic) Benzyl benzoate (120-51-4)			
LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])			
NOEC (chronic)	0.168 mg/l		
Heliotropine (120-57-0)			
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
Vanillin (121-33-5)			
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])		
Ethyl maltol (4940-11-8)			
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
1,2-Propanediol (57-55-6)			
LC50 - Fish [1]	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
LC50 - Fish [2]	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
EC50 96h - Algae [1]	19000 mg/l (Species: Pseudokirchneriella subcapitata)		
Aldehyde C-16 (77-83-8)			
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])		
12.2. Persistence and degradability			
Benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
Benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5 5 ( , , , , , , , , , , , , , , , , ,			
Hexyl salicylate (6259-76-3)			
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)		
Heliotropine (120-57-0)	Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)		
Citronellol Pure (106-22-9)			
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)		
Vanillin (121-33-5)			
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)		
Anisic aldehyde (123-11-5)			
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)		
Ethyl maltol (4940-11-8)			
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)		
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)		
Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)		
Ethyl lactate (97-64-3)			
Partition coefficient n-octanol/water (Log Pow)	0.7 (at 25 °C (at pH >2-<8)		
3(2H)-Furanone, 4-hydroxy-2,5-dimethyl- (365	8-77-3)		
Partition coefficient n-octanol/water (Log Pow)	0.95 (at 20 °C (at pH 2.5)		
1,2-Propanediol (57-55-6)			
BCF - Fish [1]	(1 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)		
Aldehyde C-16 (77-83-8)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			

SECTION 13. Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code
 : HP3 - "Flammable:"
 – flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 – flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

– flammable solid waste: solid waste which is readily combustible or may cause or

contribute to fire through friction;

 flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

 – other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	1		
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			·
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Hexyl salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate)
Transport document descr	iption	I	I	Ι
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexyl salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate), III
14.3. Transport hazard o	lass(es)			
9	9	9	9	9
14.4. Packing group				
	Ш	III	III	Ш
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR IMDG		ΙΑΤΑ	ADN	RID
No supplementary information available				
14.6. Special precautions for user				
Overland transport				
Classification code (ADR)	: M6			
Special provisions (ADR)	: 274	, 335, 375, 601		
Limited quantities (ADR)	: 51			
Excepted quantities (ADR)	: E1			
Packing instructions (ADR)		1, IBC03, LP01, R001		
Special packing provisions (ADR)	: PP1			
Mixed packing provisions (ADR)	: MP	19		
Portable tank and bulk container instructions (AD	,			
Portable tank and bulk container special provision	is : TP1	, TP29		
(ADR)		N/		
Tank code (ADR)	: LGE	3V		
Vehicle for tank carriage	: AT : 3			
Transport category (ADR) Special provisions for carriage - Packages (ADR)				
Special provisions for carriage - Loading, unloading				
and handling (ADR)	ig . Ov i			
Hazard identification number (Kemler No.)	: 90			
Orange plates	:	0.0		
g- p		90		
		2002		
		3082		
Tunnel restriction code (ADR)	· _			
EAC code	:•3Z			
Transport by sea				
Special provisions (IMDG)	: 274	, 335, 969		
Limited quantities (IMDG)	: 5 L			
Excepted quantities (IMDG)	: E1			
Packing instructions (IMDG)	: LP0	1, P001		
Special packing provisions (IMDG)	: PP1			
IBC packing instructions (IMDG)	: IBC	03		
Tank instructions (IMDG)	: T4			
Tank special provisions (IMDG)		, TP29		
EmS-No. (Fire)	: F-A			
EmS-No. (Spillage)	: S-F			
Stowage category (IMDG)	: A			
Air transport				
Air transport PCA Excepted quantities (IATA)	: E1			
PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: Y96	4		
PCA limited quantity max net quantity (IATA)	: 30k			
PCA packing instructions (IATA)	: 964	-		
PCA max net quantity (IATA)	: 450			
CAO packing instructions (IATA)	: 964			
CAO max net quantity (IATA)	: 450			
Special provisions (IATA)		, A158, A197, A215		
ERG code (IATA)	: 9L			
Inland waterway transport				
Classification code (ADN)	: M6			
Special provisions (ADN)		, 335, 375, 601		
Limited quantities (ADN)	: 5 L			
Excepted quantities (ADN)	: E1			
Carriage permitted (ADN)	: T			
Equipment required (ADN)	: PP			

# Safety Data Sheet

Number of blue cones/lights (ADN)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: 0

	-,	-
Rail transport		
Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container	instructions (RID) :	T4
Portable tank and bulk container	special provisions :	TP1, TP29
(RID)		
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – I	Packages (RID) :	W12
Special provisions for carriage - L	oading, unloading :	CW13, CW31
and handling (RID)		
Colis express (express parcels) (	RID) :	CE8
Hazard identification number (RI	D) :	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Orange oil ;Ethyl lactate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	VERY BERRY ICE CREAM ; Benzyl benzoate ; Hexyl salicylate ; Citronellol Pure ; Linalool ; Orange oil ; Ethyl lactate ; Aldehyde C-16	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	VERY BERRY ICE CREAM ; Benzyl benzoate ; Hexyl salicylate ; Orange oil ; Anisic aldehyde ; Aldehyde C-16	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ;Ethyl lactate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

#### 15.1.2. National regulations

#### France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK) : LGK 10 - Combustible liquids. Storage class (LGK, TRGS 510) Joint storage table 

Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for

LORI	LOR ZA	LOR 2D	LONG	LOR 4. IA
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

- : LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7.
- : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

: LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

A(4) bight to the second secon

Hazardous Incident Ordinance (12. BImSchV)

#### **Netherlands**

ABM category	<ul> <li>A(1) - nignity toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment</li> </ul>
SZW-lijst van kankerverwekkende stoffen	: Orange oil is listed
SZW-lijst van mutagene stoffen	: Orange oil is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Store unit Classification remarks	<ul> <li>50 liter</li> <li>Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed</li> </ul>
Danish National Regulations	<ul> <li>Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> </ul>
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.