## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name Cinnamon Chai 10%

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

No additional information available

#### 1.4. Emergency telephone number

No additional information available

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 H412

Hazardous to the aquatic environment - Chronic Hazard, Category 3

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Cinnamic aldehyde, Ginger oil, COUMARIN, Eugenol, beta-Caryophyllene Contains

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects. : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Precautionary statements (CLP) P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

EN (English) 1/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	3.25 – 6.505	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.628 – 1.261	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.27 – 0.61	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.088 – 0.248	Skin Sens. 1B, H317 Asp. Tox. 1, H304
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.09 – 0.185	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
zingiber officinale (ginger) root oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2, 616-904-9	0.06 – 0.125	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.02 – 0.04	Acute Tox. 4 (Oral), H302
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	< 0.0031	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 0.0031	Flam. Liq. 3, H226
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.0031	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

EN (English) 2/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

narciete

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## **6.2. Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

EN (English) 3/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Benzaldehyde (100-52-7)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	4.4 mg/m³		
HTP (OEL TWA) [2]	1 ppm		
HTP (OEL C)	17.4 mg/m³		
HTP (OEL C) [ppm]]	4 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	5 mg/m³		
CK (OEL STEL)	10 mg/m³		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	10 mg/m³		
NDSCh (OEL STEL)	40 mg/m³		
d-Limonene (5989-27-5)			
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	140 mg/m³		
HTP (OEL TWA) [2]	25 ppm		
HTP (OEL STEL)	280 mg/m³		
HTP (OEL STEL) [ppm]	50 ppm		

EN (English) 4/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

d-Limonene (5989-27-5)			
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation, Skin sensitization		
Slovenia - Occupational Exposure Limits			
OEL TWA	28 mg/m³		
OEL TWA [ppm]	5 ppm		
OEL STEL	112 mg/m³		
OEL STEL [ppm]	20 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	168 mg/m³		
VLA-ED (OEL TWA) [2]	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	40 mg/m³		
MAK (OEL TWA) [2]	7 ppm		
KZGW (OEL STEL)	80 mg/m³		
KZGW (OEL STEL) [ppm]	14 ppm		
OEL chemical category	Sensitizer		
.betaPinene (127-91-3)			
Belgium - Occupational Exposure Limits			
OEL TWA [ppm]	20 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³		
OEL TWA [ppm]	25 ppm		
OEL STEL	300 mg/m³		
OEL STEL [ppm]	50 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
IPRV (OEL TWA) [ppm]	25 ppm		

EN (English) 5/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

.betaPinene (127-91-3)				
TPRV (OEL STEL)	300 mg/m³			
TPRV (OEL STEL) [ppm]	50 ppm			
Portugal - Occupational Exposure Limits				
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)			
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [1]	113 mg/m³			
VLA-ED (OEL TWA) [2]	20 ppm			
OEL chemical category	Sensitizer			
Sweden - Occupational Exposure Limits				
NGV (OEL TWA)	150 mg/m³			
NGV (OEL TWA) [ppm]	25 ppm			
KTV (OEL STEL)	300 mg/m³			
KTV (OEL STEL) [ppm]	50 ppm			
OEL chemical category	Sensitizer			
Norway - Occupational Exposure Limits				
Grenseverdi (OEL TWA) [1]	140 mg/m³			
Grenseverdi (OEL TWA) [2]	25 ppm			
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)			
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)			
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer			
.alphaPinene (80-56-8)				
Belgium - Occupational Exposure Limits				
OEL TWA [ppm]	20 ppm			
Estonia - Occupational Exposure Limits				
OEL TWA	150 mg/m³			
OEL TWA [ppm]	25 ppm			
OEL STEL	300 mg/m³			
OEL STEL [ppm]	50 ppm			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	150 mg/m³			
IPRV (OEL TWA) [ppm]	25 ppm			
TPRV (OEL STEL)	300 mg/m³			
TPRV (OEL STEL) [ppm]	50 ppm			
Portugal - Occupational Exposure Limits				
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)			

EN (English) 6/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

.alphaPinene (80-56-8)			
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	113 mg/m³		
VLA-ED (OEL TWA) [2]	20 ppm		
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
NGV (OEL TWA) [ppm]	25 ppm		
KTV (OEL STEL)	300 mg/m³		
KTV (OEL STEL) [ppm]	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	140 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)		
OEL chemical category	Skin notation		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

## Personal protective equipment symbol(s):



## 8.2.2.1. Eye and face protection

## Eye protection:

Chemical goggles or safety glasses

EN (English) 7/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Standard. Odour : characteristic. Odour threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

EN (English) 8/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

11.1 Int	formation on	toxicolog	gical effects

Acute toxicity (oral) : Not classified

Not classified Not classified				
Acute toxicity (inhalation) : Not classified  Cinnamic aldehyde (104-55-2)				
2220 mg/kg				
2200 mg/kg bodyweight				
1260 mg/kg				
1100 mg/kg bodyweight				
1292 mg/kg				
> 1250 mg/kg				
()				
> 5 g/kg				
> 5000 mg/kg				
500 mg/kg bodyweight				
293 mg/kg				
1930 mg/kg				
2500 mg/kg bodyweight				
500 mg/kg				
1500 mg/kg bodyweight				
4000 mg/kg				
4000 mg/kg bodyweight				
d-Limonene (5989-27-5)				
4400 mg/kg				
> 5 g/kg				
.betaPinene (127-91-3)				
> 5000 mg/kg				

EN (English) 9/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

.betaPinene (127-91-3)	
LD50 dermal rabbit	> 5000 mg/kg
.alphaPinene (80-56-8)	
LD50 oral rat	3700 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information	<ul> <li>: Not classified</li> <li>: Based on available data, the classification criteria are not met</li> <li>: Not classified</li> <li>: Based on available data, the classification criteria are not met</li> <li>: May cause an allergic skin reaction.</li> <li>: Based on available data, the classification criteria are not met</li> <li>: Not classified</li> <li>: Based on available data, the classification criteria are not met</li> <li>: Not classified</li> <li>: Based on available data, the classification criteria are not met</li> <li>: Not classified</li> <li>: Based on available data, the classification criteria are not met</li> </ul>
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information Aspiration hazard Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Based on available data, the classification criteria are not met</li> </ul>
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term	: Not classified
(acute)	

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(omonio)	
Benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

EN (English) 10/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	
Cinnamon Chai 10%	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Cinnamon Chai 10%	
Bioaccumulative potential	Not established.
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Benzaldehyde (100-52-7)	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
.alphaPinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.1
beta-Caryophyllene (87-44-5)	
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)

# 12.4. Mobility in soil

No additional information available

EN (English) 11/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

## 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number	14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippin	g name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard	class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

## Transport by sea

Not applicable

EN (English) 12/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.1.2. National regulations

#### **France**

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### **Germany**

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

EN (English) 13/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Joint storage table : LCK 1

LGK 4.1A GK 1 LGK 2A LGK 2B LGK 3 LGK 4.3 LGK 4.1B LGK 4.2 LGK 5.1A LGK 5.1B LGK 5.1C LGK 5.2 LGK 6.1A LGK 6.1B LGK 6.1C LGK 6.1D GK 6.2 LGK 7 LGK 8A LGK 8B LGK 12 LGK 11 LGK 10 **LGK 13** LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13.

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Ginger oil is listed

SZW-lijst van mutagene stoffen : Ginger oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid

None of the components are listed

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1

EN (English) 14/15

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 15/15