

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name : Mixture : JEWEL STRAWBERRY

1.2.1. Relevant identified uses

Industrial/Professional use spec

Use of the substance/mixture Function or use category

For professional use only : Perfumes, fragrances : Odour agents

: Industrial

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number

0034 711024907

2.1. Classification of the substance	or mixture
Classification according to Regulation (
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Ch Full text of H- and EUH-statements: see se	hronic Hazard, Category 3 H412
Adverse physicochemical, human healtl	h and environmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) I	No. 1272/2008 [CLP]
	GHS07
Signal word (CLP)	: Warning
Contains	: Aldehyde C-16; Vertenex; Hexyl cinnamic aldehyde; Linalool; Methyl heptine carbonate
Hazard statements (CLP)	 H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.27 – 2.534	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.36 – 0.724	Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.09 – 0.181	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.05 – 0.109	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Isoamyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.02 – 0.036	Flam. Liq. 3, H226
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0 – 0.007	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medical attention and special treatment needed	

No additional information available

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Special hazards arising from the	ne substance or mixture	
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any	

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
	chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.	
Incompatible products : Incompatible materials :	Strong bases. Strong acids. Sources of ignition. Direct sunlight.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

icative Occupational Exposure Limit (IOEI VA VA [ppm] EL	-) 270 mg/m ³ 50 ppm 540 mg/m ³ 100 ppm	
VA [ppm] EL	50 ppm 540 mg/m ³	
ΈL	540 mg/m ³	
	100 ppm	
EL [ppm]		
- Occupational Exposure Limits		
EL TWA)	270 mg/m ³ (Pentyl acetate (all isomers))	
EL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))	
EL STEL)	540 mg/m ³ (Pentylacetate)	
EL STEL) [ppm]	100 ppm (Pentylacetate)	
- Occupational Exposure Limits		
Ά	270 mg/m ³	
/A [ppm]	50 ppm	
EL	540 mg/m ³	
EL [ppm]	100 ppm	
a - Occupational Exposure Limits		
Ά	270 mg/m ³	
/A [ppm]	50 ppm	
EL	540 mg/m ³	
EL [ppm]	100 ppm	
Croatia - Occupational Exposure Limits		
L TWA) [1]	270 mg/m ³	
L TWA) [2]	50 ppm	
EL STEL)	540 mg/m ³	
EL STEL) [ppm]	100 ppm	
Cyprus - Occupational Exposure Limits		
Ά	270 mg/m ³	
'A [ppm]	50 ppm	
EL	540 mg/m ³	
EL [ppm]	100 ppm	
k - Occupational Exposure Limits		
'A [1]	271 mg/m ³ (Amyl acetate, all isomers)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

GEI TWA[Q]IDE MONA (ACC ACC ACC ACC ACC ACC ACC ACC ACC A	Isoamyl acetate (123-92-2)		
OEL TWA270 mg/m²OEL TWA (ppm)50 ppmOEL TEL540 mg/m²OEL STEL (ppm)100 ppmFinland - occupational Exposure LimitsHTP (OEL TWA) [1]270 mg/m² (Pentyl acetate)HTP (OEL STEL)540 mg/m²HTP (OEL STEL) (ppm)100 ppmFrance - occupational Exposure LimitsVME (OEL TWA) [2]50 ppm (Pentyl acetate)MTP (OEL STEL) (ppm)100 ppmFrance - Occupational Exposure LimitsVME (OEL TWA) [2]50 ppm (restrictive limit)VME (OEL TWA) [ppm]50 ppm (restrictive limit)VME (OEL TWA) [ppm]100 ppm (restrictive limit)VME (OEL TWA) [ppm]50 ppm (restrictive limit)VE (OEL CYSTEL) [ppm]100 ppm (restrictive limit)VE (OEL CYSTEL) [ppm]270 mg/m² (restrictive limit)AGW (OEL TWA) [2]50 ppmGBrater - Occupational Exposure Limits (TRGS POAGW (OEL TWA) [2]50 ppmGIbrater - Occupational Exposure Limits (TRGS POAGW (OEL TWA) [2]50 ppmGE TWA (ppm)50 ppmOEL TWA (ppm)50 ppmOEL TWA (ppm)50 ppmOEL TWA (ppm)50 ppmOEL TWA (ppm)100 ppmOEL TWA (ppm)270 mg/m²OEL TWA (ppm)<	OEL TWA [2]	50 ppm (Amyl acetate, all isomers)	
OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmFinland - Occupational Exposure Limits540 mg/m³ (Pentyl acetate)HTP (OEL TWA) [2]540 mg/m³ (Pentyl acetate)HTP (OEL STEL) [ppm]540 mg/m³HTP (OEL STEL) [ppm]50 ppm (Pentyl acetate)France - Occupational Exposure Limits540 mg/m³ (restrictive limit)VME (OEL TWA) [ppm]50 ppm (restrictive limit)VME (OEL TWA) [ppm]50 ppm (restrictive limit)VME (OEL TWA) [ppm]50 ppm (restrictive limit)VME (OEL TWA) [ppm]100 ppm (restrictive limit)Germany - Occupational Exposure Limits (TROS SU-AGW (OEL TWA) [2]540 mg/m³ (restrictive limit)Germany - Occupational Exposure Limits (TROS SU-AGW (OEL TWA) [2]50 ppmGibrater - Occupational Exposure Limits (TROS SU-AGW (OEL TWA) [2]50 ppmGermany - Occupational Exposure Limits (TROS SU-AGW (OEL TWA) [2]50 ppmGU TWA [ppm]50 ppmOEL TWA [ppm]50 ppm	Estonia - Occupational Exposure Limits		
OEL STEL540 mg/m³OEL STEL [ppm]100 ppmFinland - Occupational Exposure LimitsHTP (OEL TWA) [1]270 mg/m² (Pentyl acetate)HTP (OEL TWA) [2]50 ppm (Pentyl acetate)HTP (OEL STEL) [ppm]100 ppmFrance - Occupational Exposure Limits50 ppm (restrictive limit)VME (OEL TWA) [ppm]50 ppm (restrictive limit)VME (OEL TWA) [ppm]50 ppm (restrictive limit)VLE (OEL CSTEL) [ppm]50 ppm (restrictive limit)VLE (OEL CSTEL) [ppm]50 ppm (restrictive limit)VLE (OEL CSTEL) [ppm]100 ppm (restrictive limit)VLE (OEL CSTEL) [ppm]50 ppm (restrictive limit)VLE (OEL CSTEL) [ppm]270 mg/m³ (restrictive limit)VLE (OEL CSTEL) [ppm]270 mg/m³AGW (OEL TWA) [2]50 ppm (restrictive limit)Getmany - Occupational Exposure Limits (TROS SUPLICSTEL) [ppm]270 mg/m³AGW (OEL TWA) [2]50 ppmOEL TWA [2]50 ppmOEL TWA [2]50 ppmOEL TWA [2]50 ppmOEL TWA [ppm]00 ppmOEL TWA [ppm]00 ppmOEL TWA [ppm]100 ppmOEL TWA [ppm]100 ppmOEL TWA [ppm]00 mg/m³OEL TWA [ppm]20 mg/m³OEL TWA [ppm]20 mg/m³OEL TWA [ppm]100 ppmOEL TWA [ppm]100 ppmOEL TWA [ppm]100 ppmOEL TWA [ppm]20 mg/m³OEL TWA [ppm]20 mg/m³OEL TWA [ppm]20 mg/m³OEL TWA [ppm]20 mg/m³OEL TWA [ppm]	OEL TWA	270 mg/m³	
OEL STEL [ppm] 100 ppm Finland - Occupational Exposure Limits 270 mg/m² (Pentyl acetate) HTP (OEL TWA) [1] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m² HTP (OEL STEL) 540 mg/m² HTP (OEL STEL) 540 mg/m² (restrictive limit) Frace - Occupational Exposure Limits 00 ppm VME (OEL TWA) 270 mg/m² (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VLE (OEL CYSTEL) 540 mg/m² (restrictive limit) VLE (OEL CYSTEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TROS 900) Gorg/m² AGW (OEL TWA) [2] 50 ppm Gibratar - Occupational Exposure Limits (TROS 900) Gorg/m² AGW (OEL TWA) [2] 50 ppm GEL TWA 270 mg/m² OEL TWA [2] 50 ppm OEL TWA 100 ppm OEL TWA [ppm] 100 ppm OEL STEL [ppm] 100 ppm OEL STEL [ppm] 100 ppm OEL TWA 50 mg/m² OEL STEL [ppm] 150 ppm OEL STEL [ppm] <td>OEL TWA [ppm]</td> <td>50 ppm</td>	OEL TWA [ppm]	50 ppm	
Finand - Occupational Exposure Limits HTP (OEL TWA) [1] 270 mg/m³ (Pentyl acatate) HTP (OEL TWA) [2] 50 ppm (Pentyl acatate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm Frace- Occupational Exposure Limits 270 mg/m³ (restrictive limit) VME (OEL TWA) [ppm] 50 ppm (restrictive limit) VME (OEL CSTEL) [ppm] 100 ppm (restrictive limit) VLE (OEL CSTEL) [ppm] 100 ppm (restrictive limit) VLE (OEL CSTEL) [ppm] 100 ppm (restrictive limit) VLE (OEL CSTEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TGS suppm) 50 ppm (restrictive limit) Germany - Occupational Exposure Limits (GBS ppm) 50 ppm Gibratar - Occupational Exposure Limits 50 ppm GEL TWA [2] 50 ppm OEL TWA [ppm] 100 ppm OEL STEL [ppm] 100 ppm OEL TWA [ppm] 100 ppm OEL STEL [ppm] 100 ppm OEL STEL [ppm]	OEL STEL	540 mg/m³	
HTP (OEL TWA) [1]270 mg/m² (Pentyl acetate)HTP (OEL STEL)50 ppm (Pentyl acetate)HTP (OEL STEL) (ppm]100 ppmFrace - Occupational Exposure Limits50 ppm (restrictive limit)VME (OEL TWA) (ppm]50 ppm (restrictive limit)VME (OEL CYSTEL)540 mg/m² (restrictive limit)VME (OEL CYSTEL)540 mg/m² (restrictive limit)VLE (OEL CSTEL) (ppm]100 ppm (restrictive limit)VLE (OEL CSTEL) (ppm]100 ppm (restrictive limit)VLE (OEL CSTEL) (ppm]50 ppm (restrictive limit)COULT WA) (1)270 mg/m²AGW (OEL TWA) (1)270 mg/m²AGW (OEL TWA) (1)50 ppmCOULT WA) (1)50 ppmOEL TWA270 mg/m²OEL TWA100 ppmOEL TWA50 ppmOEL TWA540 mg/m²OEL TWA (ppm]50 ppmOEL TWA (ppm]100 ppmOEL TWA (ppm]270 mg/m²OEL TWA (ppm]100 ppmOEL TWA (ppm]270 mg/m²OEL TWA (ppm]280 mg/m²OEL TWA (ppm]280 mg/m²OEL TWA (ppm]280 mg/m² <td< td=""><td>OEL STEL [ppm]</td><td>100 ppm</td></td<>	OEL STEL [ppm]	100 ppm	
HTP (OEL TWA) [2] 50 ppm (Pentyl acetate) HTP (OEL STEL) 540 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France Occupational Exposure Limits 700 mg/m³ (restrictive limit) VME (OEL TWA) [pm] 50 ppm (restrictive limit) VME (OEL TWA) [pm] 50 ppm (restrictive limit) VLE (OEL CSTEL) 540 mg/m³ (restrictive limit) VLE (OEL CSTEL) 540 mg/m³ (restrictive limit) VLE (OEL CSTEL) 500 ppm (restrictive limit) VLE (OEL CSTEL) 500 ppm (restrictive limit) VLE (OEL CSTEL) 500 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	Finland - Occupational Exposure Limits	·	
HTP (OEL STEL) 640 mg/m³ HTP (OEL STEL) [ppm] 100 ppm France - Occupational Exposure Limits 270 mg/m³ (restrictive limit) VME (OEL TWA) 60 ppm (restrictive limit) VME (OEL CXTEL) 60 ppm (restrictive limit) VLE (OEL CXTEL) [ppm] 60 ppm (restrictive limit) VLE (OEL CXTEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS SOV) Germany - Occupational Exposure Limits (TRGS SOV) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 60 ppm Gibraltar - Occupational Exposure Limits 50 ppm OEL TWA [2] 0 mg/m³ OEL TWA [ppm] 50 ppm OEL TWA [ppm] 00 ppm (restrictive limit) OEL TWA [ppm] 50 ppm OEL TWA [ppm] 100 ppm OEL TWA [ppm]	HTP (OEL TWA) [1]	270 mg/m ³ (Pentyl acetate)	
HTP (QEL STEL) (ppm) 100 ppm France - Occupational Exposure Limits 270 mg/m³ (restrictive limit) VME (QEL TWA) 50 ppm (restrictive limit) VME (QEL C/STEL) 540 mg/m³ (restrictive limit) VLE (QEL C/STEL) (ppm) 100 ppm (restrictive limit) VLE (QEL C/STEL) (ppm) 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)	
France - Occupational Exposure Limits VME (OEL TWA) 270 mg/m³ (restrictive limit) VME (OEL C/STEL) 50 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) [1] AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits 50 ppm Gibraltar - Occupational Exposure Limits 270 mg/m³ OEL TWA) [2] 50 ppm OEL TWA [2] 270 mg/m³ OCCupational Exposure Limits 270 m	HTP (OEL STEL)	540 mg/m ³	
VME (OEL TWA)270 mg/m² (restrictive limit)VME (OEL TWA) (ppm]50 ppm (restrictive limit)VLE (OEL C/STEL)540 mg/m² (restrictive limit)Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	HTP (OEL STEL) [ppm]	100 ppm	
VME (OEL TWA) [ppm]50 ppm (restrictive limit)VLE (OEL C/STEL)540 mg/m² (restrictive limit)VLE (OEL C/STEL) [ppm]100 ppm (restrictive limit)Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	France - Occupational Exposure Limits	•	
VLE (OEL C/STEL) [ppm] 540 mg/m³ (restrictive limit) VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	VME (OEL TWA)	270 mg/m ³ (restrictive limit)	
VLE (OEL C/STEL) [ppm] 100 ppm (restrictive limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 270 mg/m³ AGW (OEL TWA) [2] 50 ppm Gibraltar - Occupational Exposure Limits 50 ppm OEL TWA 270 mg/m³ OEL TWA 50 ppm OEL TWA 50 ppm OEL TWA 100 ppm OEL STEL 540 mg/m³ OEL STEL [ppm] 100 ppm OEL TWA 530 mg/m³ OEL TWA 540 mg/m³ OEL TWA 540 mg/m³ OEL TWA 540 mg/m³ OEL TWA 540 mg/m³ OEL STEL 800 mg/m³ OEL STEL [ppm] 150 ppm Hungary - Occupational Exposure Limits 540 mg/m³ K (OEL TWA) 270 mg/m³ CK (DEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 540 mg/m³ OEL TWA [1] 260 mg/m³ OEL TWA [2] 50 ppm OEL TWA [2]	VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
AGW (QEL TWA) [1]270 mg/m³AGW (QEL TWA) [2]50 ppmGibratar - Occupational Exposure Limits270 mg/m³QEL TWA270 mg/m³QEL TWA (ppm]50 ppmQEL STEL540 mg/m³QEL STEL (ppm]100 ppmGerece - Occupational Exposure LimitsQEL TWA (ppm]530 mg/m³QEL TWA (ppm]100 ppmQEL TWA (ppm]100 ppmQEL TWA (ppm]100 ppmQEL TWA (ppm]100 ppmQEL STEL (ppm]150 ppmHungary - Occupational Exposure Limits270 mg/m³AK (QEL TWA)270 mg/m³CK (DEL STEL)540 mg/m³CK (QEL STEL)50 ppmCK (QEL TWA)260 mg/m³CK (DEL STEL)50 ppmGEL TWA [1]260 mg/m³QEL TWA [2]50 ppmQEL STEL (ppm]100 ppmYEL STEL (ppm]100 ppm </td <td>VLE (OEL C/STEL)</td> <td>540 mg/m³ (restrictive limit)</td>	VLE (OEL C/STEL)	540 mg/m ³ (restrictive limit)	
AGW (OEL TWA) [1]270 mg/m³AGW (OEL TWA) [2]50 ppmGibrattar - Occupational Exposure Limits270 mg/m³OEL TWA50 ppmOEL TWA (ppm]50 ppmOEL STEL540 mg/m³OEL STEL (ppm)100 ppmGreece - Occupational Exposure Limits530 mg/m³OEL TWA (ppm]50 ng/m³OEL TWA (ppm]100 ppmOEL TWA (ppm]100 ppmOEL TWA (ppm]100 ppmOEL STEL (ppm]800 mg/m³OEL STEL (ppm]100 ppmOEL STEL (ppm]100 ppmOEL STEL (ppm]270 mg/m³OEL STEL (ppm]270 mg/m³CK (OEL STEL)540 mg/m³CK (OEL STEL)540 mg/m³CK (OEL STEL)540 mg/m³CK (OEL STEL)540 mg/m³CK (DEL STEL)540 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL (ppm]100 ppmCEL STEL (ppm]100 ppmOEL STEL (ppm	VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)	
AGW (OEL TWA) [2]50 ppmGibraltar - Occupational Exposure Limits270 mg/m³OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA500 ppmOEL TWA600 mg/m³OEL STEL800 mg/m³OEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]270 mg/m³OEL STEL [ppm]270 mg/m³OEL STEL [ppm]270 mg/m³OEL STEL [ppm]260 mg/m³OEL TWA)270 mg/m³OEL TWA)270 mg/m³OEL TWA)260 mg/m³OEL TWA [2]50 ppmOEL TWA [2]50 ppmOEL TWA [2]50 ppmOEL STEL [ppm]100 ppm	Germany - Occupational Exposure Limits (TRGS 90	0)	
Gibraltar - Occupational Exposure LimitsOEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA530 mg/m³OEL TWA600 mg/m³OEL STEL [ppm]100 ppmOEL STEL [ppm]150 ppmOEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (DEL STEL)540 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL520 mg/m³OEL TWA [2]100 ppmOEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmTtal-Poscupational Exposure Limits100 ppmOEL STEL [ppm]100 ppmOEL STEL [AGW (OEL TWA) [1]	270 mg/m³	
OEL TWA270 mg/m³OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL (ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA630 mg/m³OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL (ppm]150 ppmOEL STEL (ppm]150 ppmHungary - Occupational Exposure Limits540 mg/m³K (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³OEL STEL (ppm]540 mg/m³OEL TWA [1]60 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL (ppm]100 ppmOEL STEL (ppm]500 ppmOEL STEL (ppm]100 ppmOEL STEL (ppm]500 ppmOEL STEL (ppm]100 ppmOEL STEL (ppm]500 ppmOEL STEL (ppm]100 ppmOEL STEL (ppm]100 ppmOEL STEL (ppm]100 ppmOEL STEL (ppm]500 mg/m³OEL STEL (ppm]500 mg/m³OEL STEL (ppm]100 ppmOEL STEL (p	AGW (OEL TWA) [2]	50 ppm	
OEL TWA [ppm]50 ppmOEL STEL540 mg/m³OEL STEL [ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA (ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmOEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (DEL STEL)540 mg/m³OEL STEL [ppm]270 mg/m³OEL STEL [ppm]50 ppmOEL STEL [plm]260 mg/m³OEL STEL [ppm]50 ppmOEL TWA [1]60 mg/m³OEL TWA [2]50 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmOEL STEL [ppm]520 mg/m³OEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppmTtaly - Occupational Exposure Limits100 ppm	Gibraltar - Occupational Exposure Limits	·	
OEL STEL540 mg/m³OEL STEL [ppm]100 ppmGreece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL50 ppmOEL STEL50 ppmOEL TWA [2]50 ppmOEL STEL50 ppmOEL STEL [ppm]100 ppmTHAT - Occupational Exposure Limits	OEL TWA	270 mg/m³	
OEL STEL [ppm]100 ppmGreece - Occupational Exposure Limits530 mg/m3OEL TWA530 mg/m3OEL TWA (ppm]100 ppmOEL STEL800 mg/m3OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m3CK (OEL STEL)540 mg/m3OEL TWA [1]260 mg/m3OEL TWA [2]50 ppmOEL STEL500 ppmOEL STEL500 ppmOEL TWA [2]00 ppmOEL STEL [ppm]100 ppm	OEL TWA [ppm]	50 ppm	
Greece - Occupational Exposure LimitsOEL TWA530 mg/m³OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL520 mg/m³OEL STEL520 mg/m³OEL STEL [ppm]100 ppmOEL STEL [ppm]100 ppm	OEL STEL	540 mg/m ³	
OEL TWA530 mg/m3OEL TWA [ppm]100 ppmOEL STEL800 mg/m3OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m3CK (OEL STEL)540 mg/m3Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m3OEL TWA [2]50 ppmOEL TWA [2]50 ppmOEL STEL520 mg/m3OEL STEL [ppm]100 ppm	OEL STEL [ppm]	100 ppm	
OEL TWA [ppm]100 ppmOEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure Limits540 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits	Greece - Occupational Exposure Limits		
OEL STEL800 mg/m³OEL STEL [ppm]150 ppmHungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure LimitsOEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits	OEL TWA	530 mg/m³	
OEL STEL [ppm]150 ppmHungary - Occupational Exposure Limits270 mg/m³AK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure Limits260 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits	OEL TWA [ppm]	100 ppm	
Hungary - Occupational Exposure LimitsAK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure Limits540 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits	OEL STEL	800 mg/m³	
AK (OEL TWA)270 mg/m³CK (OEL STEL)540 mg/m³Ireland - Occupational Exposure Limits260 mg/m³OEL TWA [1]260 mg/m³OEL TWA [2]50 ppmOEL STEL520 mg/m³OEL STEL [ppm]100 ppmItaly - Occupational Exposure Limits	OEL STEL [ppm]	150 ppm	
CK (OEL STEL) 540 mg/m³ Ireland - Occupational Exposure Limits 260 mg/m³ OEL TWA [1] 260 mg/m³ OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL [ppm] 100 ppm Italy - Occupational Exposure Limits 100 ppm	Hungary - Occupational Exposure Limits		
Ireland - Occupational Exposure Limits OEL TWA [1] 260 mg/m³ OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL [ppm] 100 ppm Italy - Occupational Exposure Limits 100 ppm	AK (OEL TWA)	270 mg/m³	
OEL TWA [1] 260 mg/m³ OEL TWA [2] 50 ppm OEL STEL 520 mg/m³ OEL STEL [ppm] 100 ppm	CK (OEL STEL)	540 mg/m ³	
OEL TWA [2] 50 ppm OEL STEL 520 mg/m ³ OEL STEL [ppm] 100 ppm Italy - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
OEL STEL 520 mg/m³ OEL STEL [ppm] 100 ppm Italy - Occupational Exposure Limits	OEL TWA [1]	260 mg/m ³	
OEL STEL [ppm] 100 ppm Italy - Occupational Exposure Limits	OEL TWA [2]	50 ppm	
Italy - Occupational Exposure Limits	OEL STEL	520 mg/m ³	
	OEL STEL [ppm]	100 ppm	
OEL TWA 270 ma/m ³	Italy - Occupational Exposure Limits	•	
	OEL TWA	270 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isoamyl acetate (123-92-2)		
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m ³	
OEL STEL [ppm]	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m ³	
OEL TWA [ppm]	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m ³	
IPRV (OEL TWA) [ppm]	50 ppm	
TPRV (OEL STEL)	540 mg/m ³	
TPRV (OEL STEL) [ppm]	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m ³	
OEL STEL [ppm]	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m ³	
OEL STEL [ppm]	100 ppm	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	530 mg/m ³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m ³	
NDSCh (OEL STEL)	500 mg/m ³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m³ (indicative limit value)	
OEL TWA [ppm]	50 ppm (indicative limit value)	
OEL STEL	540 mg/m³ (indicative limit value)	
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m ³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m ³	
OEL STEL [ppm]	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	270 mg/m ³	
NPHV (OEL TWA) [2]	50 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isoamyl acetate (123-92-2)			
NPHV (OEL C)	540 mg/m ³		
Slovenia - Occupational Exposure Limits			
OEL TWA	270 mg/m ³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m ³		
OEL STEL [ppm]	100 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	270 mg/m ³ (indicative limit value)		
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)		
VLA-EC (OEL STEL)	540 mg/m ³		
VLA-EC (OEL STEL) [ppm]	100 ppm		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	270 mg/m ³ (Pentyl acetates)		
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)		
KTV (OEL STEL)	540 mg/m ³ (Pentyl acetates)		
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	260 mg/m ³		
Grenseverdi (OEL TWA) [2]	50 ppm		
Korttidsverdi (OEL STEL)	325 mg/m ³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)		
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)		
acetophenone (98-86-2)			
Belgium - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	10 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	49 mg/m ³		
OEL TWA [2]	10 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	25 mg/m ³		
HTP (OEL TWA) [2]	5 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	50 mg/m³		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

acetophenone (98-86-2)			
Ireland - Occupational Exposure Limits			
OEL TWA [1]	49 mg/m ³		
OEL TWA [2]	10 ppm		
OEL STEL	147 mg/m ³ (calculated)		
OEL STEL [ppm]	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m ³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m ³		
OEL chemical category	Skin notation		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	50 mg/m³		
NDSCh (OEL STEL)	100 mg/m ³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	10 ppm		
Romania - Occupational Exposure Limits			
OEL TWA	100 mg/m ³		
OEL TWA [ppm]	20 ppm		
OEL STEL	200 mg/m ³		
OEL STEL [ppm]	41 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	50 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	10 ppm		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information: Do not eat, drink or smoke during use.

Do not eat, drink of smoke during use.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point	 Liquid Standard. characteristic. No data available > No data available > So data available 		
Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20°C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties Explosive limits	 No data available No data available Non flammable. No data available 		

9.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects			
Acute toxicity (dermal) :	Not classified Not classified Not classified		
Aldehyde C-16 (77-83-8)			
LD50 oral rat	5470 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
Vertenex (32210-23-4)			
LD50 oral rat	5 g/kg		
LD50 oral	3370 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg		
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg bodyweight		
acetophenone (98-86-2)			
LD50 oral rat	900 mg/kg		
LD50 oral	500 mg/kg bodyweight		
LD50 dermal rat	3300 mg/kg		
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h)		
Skin corrosion/irritation : Not classified			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Additional information	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

and the second			
	Not classified		
(acute) Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects. (chronic)			
Aldehyde C-16 (77-83-8)			
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])		
Vertenex (32210-23-4)			
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
acetophenone (98-86-2)			
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
12.2. Persistence and degradability			
JEWEL STRAWBERRY at SDS 10%			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
JEWEL STRAWBERRY at SDS 10%			
Bioaccumulative potential	Not established.		
Aldehyde C-16 (77-83-8)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)		
Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isoamyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)		
acetophenone (98-86-2)			
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			

No additional information available

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations Ecology - waste materials HP Code	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

n accordance with ADR / IM	DG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number	14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippir	ig name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR IMDG IATA ADN RID				RID
No supplementary information available				
14.6. Special precautions for user				

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)						
Reference code	Applicable on	Entry title or description				
3(a)	Isoamyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F				
3(b)	JEWEL STRAWBERRY at SDS 10% ; Aldehyde C-16 ; Vertenex ; Hexyl cinnamic aldehyde ;	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10				
3(c)	Linalool ; acetophenone JEWEL STRAWBERRY at SDS 10% #EU55092F 10% ; Aldehyde C-16 ; Hexyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1				
40.	cinnamic aldehyde Isoamyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.				

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Water hazard class (WGK)

Germany

Storage class (LGK, TRGS 510)	: LGK 12 - Non-combustible liquids.							
Joint storage table	:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A		
		LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B		
		LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C		
		LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B		
		LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13		
Joint storage not permitted for	: [LGK 1, LGK 6	6.2, LGK 7.					
Joint storage with restrictions permitted for		: LGK 4.1A, LGK 4.3, LGK 5.1C.						
Joint storage permitted for	: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6 LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 10-13.							
Hazardous Incident Ordinance (12. BImSchV)	:	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)						
Netherlands								
ABM category		: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment						
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed							
SZW-lijst van mutagene stoffen	: None of the components are listed							
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed							
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: 1	None of the c	omponents ar	e listed				
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: 1	None of the c	omponents ar	e listed				
Denmark								
Classification remarks : Emergency management guidelines for the storage of flammable liquids				nmable liquids must l	be follow			
Danish National Regulations	F	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product						
Switzerland								
Storage class (LK)	: L	LK 10/12 - Lio	quids					
15.2. Chemical safety assessment								

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances
	and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information

: None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.