

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 9/17/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form Product name Type of product

:	Mixture
:	MYRRH & TONKA TYPE at SDS 10%
:	Perfumes, Fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec

- Use of the substance/mixture Function or use category
- IndustrialFor professional use onlyPerfumes, Fragrances
- : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### **1.3. Details of the supplier of the safety data sheet**

No additional information available

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identificat	ion
2.1. Classification of the substance	or mixture
Classification according to Regulation ( Skin sensitization, Category 1 Hazardous to the aquatic environment – C Full text of H- and EUH-statements: see se	H317 hronic Hazard Category 2 H411
Adverse physicochemical, human healt No additional information available	h and environmental effects
2.2. Label elements	
Labeling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS07 GHS09
Signal word (CLP) Contains	<ul> <li>Warning</li> <li>Hydroxy; Heliotropine; Cedramber; Iso E Super; Hexyl salicylate; Guaiac wood oil; Cashmeran</li> </ul>
Hazard statements (CLP)	<ul> <li>H317 - May cause an allergic skin reaction.</li> <li>H411 - Toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P321 - Specific treatment (see supplemental first aid instruction on this label).</li> </ul>
Extra phrases	: Restricted to professional users.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.2 – 2.4	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1 – 2	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.47 – 0.93	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.13 – 0.25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131- 40	0.13 – 0.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Guaiac wood oil	CAS-No.: 8016-23-7 EC-No.: 616-975-6 REACH-no: 01-2120138621- 63	0.06 – 0.12	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.06 – 0.11903	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
OXACYCLOHEPTADEC-10-EN-2-ONE	CAS-No.: 28645-51-4 EC-No.: 249-120-7	0.05 – 0.10005	Aquatic Chronic 1, H410 (M=10) Aquatic Acute 1, H400 (M=10)
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.05 – 0.1	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.05 – 0.1	Skin Sens. 1B, H317

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.01 – 0.022	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Special hazards arising from the substance or mixture No additional information available 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
	chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective ed	quipment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	v authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> </ul>
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m <sup>3</sup>	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	28 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m <sup>3</sup>	
OEL STEL [ppm]	20 ppm	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

d-Limonene (5989-27-5)	
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	168 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m <sup>3</sup>
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m <sup>3</sup>
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

## Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

## Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Liquid Color : Standard. Odor : characteristic. Odor threshold : No data available : No data available pН Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available : No data available Freezing point Boiling point : No data available : > 93 °C Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic : No data available Explosive properties Oxidizing properties : No data available Explosion limits : No data available

#### 9.2. Other information

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects					
Acute toxicity (dermal) :	Not classified Not classified Not classified				
Hydroxy (107-75-5)					
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)				
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)				
Heliotropine (120-57-0)					
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)				
LD50 oral	2700 mg/kg body weight				
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)				
OXACYCLOHEPTADEC-10-EN-2-ONE (28645-	OXACYCLOHEPTADEC-10-EN-2-ONE (28645-51-4)				
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)				
d-Limonene (5989-27-5)					
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)				
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)				
Hexyl salicylate (6259-76-3)					
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)				
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)				
Guaiac wood oil (8016-23-7)					
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)				
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)				

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Cashmeran (33704-61-9)			
LD50 oral	2900 mg/kg body weight		
Benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	1160 mg/kg body weight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
Hexamethylindanopyran (1222-05-5)			
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitization Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information d-Limonene (5989-27-5) IARC group Reproductive toxicity Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>May cause an allergic skin reaction.</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>		
STOT-single exposure Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>		
STOT-repeated exposure	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Cashmeran (33704-61-9)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>		
Heliotropine (120-57-0)			
Viscosity, kinematic	Not applicable		
Benzyl benzoate (120-51-4)			
Viscosity, kinematic	7.456 mm <sup>2</sup> /s		
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met		

SECTION 12: Ecological information	
12.1. Toxicity	
(acute) Hazardous to the aquatic environment, long-term :	Not classified Toxic to aquatic life with long lasting effects.
(chronic) Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
Cashmeran (33704-61-9)	
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
12.2. Persistence and degradability	
MYRRH & TONKA at SDS 10%	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
MYRRH & TONKA at SDS 10%	
Bioaccumulative potential	Not established.
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
	1.68 (at 25 °C)
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C) 1.2 (at 35 °C)
Partition coefficient n-octanol/water (Log Pow) Heliotropine (120-57-0)	1.2 (at 35 °C)
Partition coefficient n-octanol/water (Log Pow) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)
Partition coefficient n-octanol/water (Log Pow) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) OXACYCLOHEPTADEC-10-EN-2-ONE (28645-	1.2 (at 35 °C) -51-4)
Partition coefficient n-octanol/water (Log Pow) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) OXACYCLOHEPTADEC-10-EN-2-ONE (28645) Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C) -51-4)
Partition coefficient n-octanol/water (Log Pow) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) OXACYCLOHEPTADEC-10-EN-2-ONE (28645) Partition coefficient n-octanol/water (Log Pow) d-Limonene (5989-27-5)	1.2 (at 35 °C) -51-4) 6.7 (at 23 °C)
Partition coefficient n-octanol/water (Log Pow) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) OXACYCLOHEPTADEC-10-EN-2-ONE (28645) Partition coefficient n-octanol/water (Log Pow) d-Limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C) -51-4) 6.7 (at 23 °C)
Partition coefficient n-octanol/water (Log Pow)         Heliotropine (120-57-0)         Partition coefficient n-octanol/water (Log Pow)         OXACYCLOHEPTADEC-10-EN-2-ONE (28645-         Partition coefficient n-octanol/water (Log Pow)         d-Limonene (5989-27-5)         Partition coefficient n-octanol/water (Log Pow)         Hexyl salicylate (6259-76-3)	1.2 (at 35 °C)         -51-4)         6.7 (at 23 °C)         4.38 (at 37 °C (at pH 7.2)
Partition coefficient n-octanol/water (Log Pow) Heliotropine (120-57-0) Partition coefficient n-octanol/water (Log Pow) OXACYCLOHEPTADEC-10-EN-2-ONE (28645- Partition coefficient n-octanol/water (Log Pow) d-Limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) Hexyl salicylate (6259-76-3) Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)         -51-4)         6.7 (at 23 °C)         4.38 (at 37 °C (at pH 7.2)
Partition coefficient n-octanol/water (Log Pow)         Heliotropine (120-57-0)         Partition coefficient n-octanol/water (Log Pow)         OXACYCLOHEPTADEC-10-EN-2-ONE (28645-         Partition coefficient n-octanol/water (Log Pow)         d-Limonene (5989-27-5)         Partition coefficient n-octanol/water (Log Pow)         Hexyl salicylate (6259-76-3)         Partition coefficient n-octanol/water (Log Pow)         Cashmeran (33704-61-9)	1.2 (at 35 °C)         -51-4)         6.7 (at 23 °C)         4.38 (at 37 °C (at pH 7.2)         5.5 (at 30 °C (at pH 7)
Partition coefficient n-octanol/water (Log Pow)         Heliotropine (120-57-0)         Partition coefficient n-octanol/water (Log Pow)         OXACYCLOHEPTADEC-10-EN-2-ONE (28645)         Partition coefficient n-octanol/water (Log Pow)         d-Limonene (5989-27-5)         Partition coefficient n-octanol/water (Log Pow)         Hexyl salicylate (6259-76-3)         Partition coefficient n-octanol/water (Log Pow)         Cashmeran (33704-61-9)         BCF - Fish [1]	1.2 (at 35 °C)         -51-4)         6.7 (at 23 °C)         4.38 (at 37 °C (at pH 7.2)         5.5 (at 30 °C (at pH 7)         (81 dimensionless (whole body w.w.)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl benzoate (120-51-4)			
Not established.			
Hexamethylindanopyran (1222-05-5)			
(1618 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7)			

## 12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment	
--	--

No additional information available

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations Ecology - waste materials HP code	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> <li>HP3 - "Flammable:" <ul> <li>flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> <li>flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;</li> <li>flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;</li> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment</li> </ul> </li> </ul>

## **SECTION 14: Transport information**

#### In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID			
14.1. UN number							
UN 3082 UN 3082 UN 3082 UN 3082 UN 3082							
14.2. UN proper shipping name							
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID	
Transport document descr	iption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT		liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	
14.3. Transport hazard o	class(es)	·		·	
9	9	9	9	9	
14.4. Packing group				·	
III	III	III	III	III	
14.5. Environmental haz	ards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information	n available		1	1	
14.6. Special precaution	e for usor				
Overland transport					
Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (A Mixed packing provisions (AD Portable tank and bulk contain Portable tank and bulk contain (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Hazard identification number Orange plates	DR) : PR) : her instructions (ADR) : her special provisions : e - Packages (ADR) : a - Loading, unloading : (Kemler No.) :	TP1, TP29 LGBV AT 3 V12 CV13 90 <b>90</b> <b>3082</b>			
Tunnel restriction code (ADR) EAC		- •3Z			
Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG)	:	274, 335, 969 5 L E1 LP01, P001 PP1 IBC03			
9/17/2023 (Issue date)		EN (English US)		11/1	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

according to Regulation (EC) No. 1907/2006 (REACH) with	its amendment Regulation (EU) 202
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provision (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
× ,	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)					
Reference code	Applicable on	Entry title or description			
3(a)	d-Limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2. 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories and 2, 2.15 types A to F			
3(b)	MYRRH & TONKA at SDS 10% ; Hydroxy ; Cedramber ; Iso E Super ; d-Limonene ; Hexyl salicylate ; Cashmeran ; Benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10			
3(c)	MYRRH & TONKA at SDS 10% ; Cedramber ; OXACYCLOHEPTADEC -10-EN-2-ONE ; Iso E Super ; d-Limonene ; Hexyl salicylate ; Cashmeran ; Benzyl benzoate ; Hexamethylindanopyran	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1			
40.	d-Limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.			

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances.

#### **REACH Candidate List (SVHC)**

Contains no REACH candidate substance

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK)			· ·	assification acco	ording to AwSV, Annex 1)	
Storage class (LGK, TRGS 510) Joint storage table	: LGK 12 - Nor : LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13	
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	<ul> <li>LGK 1, LGK 6.2, LGK 7.</li> <li>LGK 4.1A, LGK 4.3, LGK 5.1C.</li> <li>LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.</li> </ul>					
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)					
Netherlands						
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment					
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed					
SZW-lijst van mutagene stoffen	<ul> <li>None of the components are listed</li> <li>None of the components are listed</li> <li>None of the components are listed</li> </ul>					
SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid						
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed					
Denmark						
Classification remarks Danish National Regulations	<ul> <li>Emergency management guidelines for the storage of flammable liquids must be followed</li> <li>Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> </ul>					
Switzerland						
Storage class (LK)	: LK 10/12 - Li	quids				
15.2. Chemical safety assessment						
No chemical safety assessment has been carried ou	ıt					
-						

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-phrases:		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:				
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3			
Asp. Tox. 1	Aspiration hazard Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids Category 3			
H226	Flammable liquid and vapor.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Skin Irrit. 2	Skin corrosion/irritation Category 2			
Skin Sens. 1	Skin sensitization, Category 1			
Skin Sens. 1B	Skin sensitization, Category 1B			
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2			

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.