Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name : Mixture : ORANGE BLOSSOM 25%

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

- Use of the substance/mixture Function or use category
- : Perfumes, fragrances: Odour agents

For professional use only

: Industrial

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identificati	on
2.1. Classification of the substance	or mixture
Classification according to Regulation (I	
Skin sensitisation, Category 1 Hazardous to the aquatic environment – Ch Full text of H- and EUH-statements: see se	
Adverse physicochemical, human health No additional information available	n and environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) N Hazard pictograms (CLP)	S. 1272/2008 [CLP] : GHS07
Signal word (CLP) Contains	: Warning : Tangerine oil, Citral, Hexyl cinnamic aldehyde, Linalool, Hexyl salicylate, Tarragon oil
Hazard statements (CLP)	 Hangement on, other, next of minimum and and yet, Enhanced, next of balloying, rangement H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label).
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	5.6 – 11.2095	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Tangerine oil	CAS-No.: 8016-85-1 EC-No.: 297-672-2	1.5 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	1.375 – 2.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.75 – 1.5	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.35 – 0.6875	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.325 – 0.625	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.225 – 0.4375	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.125 – 0.25	Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tarragon oil	CAS-No.: 8016-88-4 EC-No.: 290-356-5	0.075 – 0.125	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0014	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.00035	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.000025	Eye Dam. 1, H318 Skin Corr. 1C, H314

SECTION 4: First aid measures

4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. : 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Indication of any immediate medical attention and special treatment needed

•

No additional information available

Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture		
 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. 		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.	
6.2. Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection
--

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m ³ (vapor and aerosol)	
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Citral (5392-40-5)			
NDSCh (OEL STEL)	54 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	5 ppm		
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure		
Spain - Occupational Exposure Limits	•		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer		
Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m³		
OEL TWA [ppm]	10 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	61 mg/m ³		
OEL TWA [2]	10 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL [ppm]	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits	•		
OEL TWA [ppm]	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL [ppm]	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m ³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	10 ppm		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

CGIH chemical category ecyl alcohol (112-30-1)	Not Classifiable as a Human Carcinogen	
acyl alcohol (112-30-1)	-	
ulgaria - Occupational Exposure Limits		
EL TWA	10 mg/m ³	
Germany - Occupational Exposure Limits (TRGS 900)		
GW (OEL TWA) [1]	66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
GW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
atvia - Occupational Exposure Limits		
EL TWA	10 mg/m ³	
ithuania - Occupational Exposure Limits		
PRV (OEL TWA)	10 mg/m ³	
omania - Occupational Exposure Limits		
EL TWA	100 mg/m ³	
EL TWA [ppm]	15 ppm	
EL STEL	200 mg/m ³	
EL STEL [ppm]	30 ppm	
witzerland - Occupational Exposure Limits	·	
AK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)	
AK (OEL TWA) [2]	10 ppm (aerosol, vapour)	
ZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
ZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)	
ldehyde C-6 (66-25-1)		
inland - Occupational Exposure Limits		
TP (OEL STEL)	42 mg/m ³	
TP (OEL STEL) [ppm]	10 ppm	
oland - Occupational Exposure Limits		
DS (OEL TWA)	40 mg/m ³	
DSCh (OEL STEL)	80 mg/m ³	
aproic acid (142-62-1)		
Bulgaria - Occupational Exposure Limits		
EL TWA	5 mg/m ³	
atvia - Occupational Exposure Limits		
EL TWA	5 mg/m ³	
ithuania - Occupational Exposure Limits	·	
PRV (OEL TWA)	5 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Standard.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects			
Not classified Not classified Not classified			
500 mg/kg			
1500 mg/kg bodyweight			
4000 mg/kg			
4000 mg/kg bodyweight			
4960 mg/kg			
2250 mg/kg			
2250 mg/kg bodyweight			
3100 mg/kg			
3100 mg/kg bodyweight			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Hexyl cinnamic aldehyde (101-86-0)	
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Allyl caproate (123-68-2)	
LD50 oral	300 mg/kg bodyweight
LD50 dermal rabbit	820 mg/kg
LD50 dermal	300 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
Allyl heptanoate (142-19-8)	
LD50 oral rat	500 mg/kg
LD50 oral	218 mg/kg bodyweight
LD50 dermal rabbit	810 mg/kg
LD50 dermal	810 mg/kg bodyweight
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Tarragon oil (8016-88-4)	
LD50 oral rat	1900 mg/kg
LD50 oral	1770 mg/kg bodyweight
decyl alcohol (112-30-1)	
LD50 oral rat	4720 mg/kg
LD50 dermal rabbit	3560 mg/kg
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg
LD50 dermal rabbit	> 8100 mg/kg
Caproic acid (142-62-1)	
LD50 oral rat	3 g/kg
LD50 oral	4000 mg/kg bodyweight
LD50 dermal rabbit	630 mg/kg
	Not classified
	Based on available data, the classification criteria are not met
, ,	Not classified Based on available data, the classification criteria are not met
	May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information	 Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity					
Hazardous to the aquatic environment, short-term : Not classified (acute)					
Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects. (chronic)					
Benzyl benzoate (120-51-4)					
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])				
NOEC (chronic)	0.168 mg/l				
Citral (5392-40-5)					
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)				
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)				
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)				
Linalool (78-70-6)					
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)				
Allyl caproate (123-68-2)					
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])				
decyl alcohol (112-30-1)					
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])				
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])				
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)				
Aldehyde C-6 (66-25-1)					
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Caproic acid (142-62-1)	
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
12.2. Persistence and degradability	
ORANGE BLOSSOM 25%	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
ORANGE BLOSSOM 25%	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Allyl caproate (123-68-2)	
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)
Hexyl salicylate (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)
Allyl heptanoate (142-19-8)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
decyl alcohol (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)
Caproic acid (142-62-1)	
Partition coefficient n-octanol/water (Log Pow)	1.88
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code : Dispose in a safe manner in accordance with local/national regulations.

Avoid release to the environment.

: HP3 - "Flammable:"

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;

- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

 – flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID			
14.1. UN number	14.1. UN number						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.2. UN proper shipping name							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.3. Transport hazard class(es)							
Not applicable	Not applicable Not applicable Not applicable		Not applicable				
14.4. Packing group							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
No supplementary informatio	n available	· · · · · · · · · · · · · · · · · · ·					

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport

Not applicable

Inland waterway transport Not applicable

Rail transport Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510)	:		nly hazardous t n-combustible	•	ication accordir	g to AwSV, Annex 1).
Joint storage table	:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
		LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
		LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
		LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
		LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for Hazardous Incident Ordinance (12. BImSchV)	 : LGK 1, LGK 6.2, LGK 7. : LGK 4.1A, LGK 4.3, LGK 5.1C. : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LG 10-13. : Is not subject of the Hazardous Incident Ordinance (12. BImSchV) 					
Netherlands						
ABM category	:	A(2) - toxic for environment		nisms, may hav	e longterm haz	ardous effects in aquat
SZW-lijst van kankerverwekkende stoffen	:	Tangerine oi	l is listed			
SZW-lijst van mutagene stoffen	:		components ar			
SZW-lijst van reprotoxische stoffen – Borstvoeding	:		components ar			
SZW-lijst van reprotoxische stoffen –	:	None of the	components ar	e listea		

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
: LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other i	nformation
Data sources	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
A suite Taxa O (hab shatian)	A set to the first state of the set of the s

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Full text of H- and EUH-statements:			
H351	Suspected of causing cancer.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Muta. 2	Germ cell mutagenicity, Category 2		
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1B	Skin sensitisation, category 1B		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.