

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Wood Sage & Sea Salt in DPG at 10% :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

No additional information available

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Forget Me Not Oils  
Calle Torrevieja 2,  
San Miguel de salinas  
www.forgetmenotoilseurope.com & forgetmenohtf@gmail.com

#### 1.4. Emergency telephone number

0034 711024907

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Contains :

Cyclamal, Cedramber, Iso E Super, Pine Needle Oil 85% Natural , Elemi oil, Linalyl acetate, Linalool

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                        | Product identifier   | %              | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|-----------------------------|--|----------------|--|
| Iso E Super                 | CAS-No.: 54464-57-2<br>EC-No.: 259-174-3<br>REACH-no: 01-2119489989-04                             | 1.458 – 2.916  | Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Aquatic Chronic 1, H410   |
| Benzyl benzoate             | CAS-No.: 120-51-4<br>EC-No.: 204-402-9<br>EC Index-No.: 607-085-00-9<br>REACH-no: 01-2119976371-33 | 0.671 – 1.342  | Acute Tox. 4 (Oral), H302<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411  |
| Cedarwood oil, Texas        | CAS-No.: 68990-83-0<br>EC-No.: 294-461-7;614-888-8   | 0.2025 – 0.405 | Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |
| Linalool                    | CAS-No.: 78-70-6<br>EC-No.: 201-134-4<br>EC Index-No.: 603-235-00-2<br>REACH-no: 01-2119474016-42  | 0.1485 – 0.297 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317   |
| Cedramber                   | CAS-No.: 19870-74-7<br>EC-No.: 243-384-7   | 0.144 – 0.288  | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410<br>Skin Sens. 1B, H317  |
| Cyclamal                    | CAS-No.: 103-95-7<br>EC-No.: 203-161-7<br>REACH-no: 01-2119970582-32                               | 0.1035 – 0.207 | Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411  |
| Pine Needle Oil 85% Natural | CAS-No.: 8002-09-3<br>EC-No.: n.a.   | 0.099 – 0.198  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411                          |
| Elemi oil                   | CAS-No.: 8023-89-0   | 0.0675 – 0.135 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| Linalyl acetate             | CAS-No.: 115-95-7<br>EC-No.: 204-116-4<br>REACH-no: 01-2119454789-19                               | 0.063 – 0.126  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317  |

Full text of H- and EUH-statements: see section 16

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.   |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
|-------------------------------------|--|

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

#### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
|----------------------|--|

##### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Collect spillage.   |
| Methods for cleaning up | : Take up liquid spill into absorbent material.                 |
| Other information       | : Dispose of materials or solid residues at an authorized site. |

#### 6.4. Reference to other sections

For further information refer to section 13.

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### 8.2.2. Personal protection equipment

###### Personal protective equipment symbol(s):



###### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety glasses

###### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Protective gloves

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                        |
|---|------------------------|
| Physical state                                  | : Liquid               |
| Colour  | : light yellow. amber. |
| Odour   | : characteristic.      |
| Odour threshold                                 | : No data available    |
| pH  | : No data available    |
| Relative evaporation rate (butylacetate=1)      | : No data available    |
| Melting point                                   | : No data available    |
| Freezing point                                  | : No data available    |
| Boiling point                                   | : No data available    |
| Flash point                                     | : > 93 °C              |
| Auto-ignition temperature                       | : No data available    |
| Decomposition temperature                       | : No data available    |
| Flammability (solid, gas)                       | : No data available    |
| Vapour pressure                                 | : No data available    |
| Relative vapour density at 20 °C                | : No data available    |
| Relative density                                | : No data available    |
| Solubility                                      | : No data available    |
| Partition coefficient n-octanol/water (Log Pow) | : No data available    |
| Viscosity, kinematic                            | : No data available    |
| Viscosity, dynamic                              | : No data available    |
| Explosive properties                            | : No data available    |
| Oxidising properties                            | : No data available    |
| Explosive limits                                | :                      |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Benzyl benzoate (120-51-4)

|                    |                       |
|--------------------|-----------------------|
| LD50 oral rat      | 500 mg/kg             |
| LD50 oral          | 1500 mg/kg bodyweight |
| LD50 dermal rabbit | 4000 mg/kg            |
| LD50 dermal        | 4000 mg/kg bodyweight |

#### Cyclamal (103-95-7)

|                 |                       |
|-----------------|-----------------------|
| LD50 oral rat   | 3810 mg/kg            |
| LD50 oral       | 3810 mg/kg bodyweight |
| LD50 dermal rat | > 5000 mg/kg          |

#### Elemi oil (8023-89-0)

|               |                       |
|---------------|-----------------------|
| LD50 oral rat | 3370 mg/kg            |
| LD50 oral     | 3370 mg/kg bodyweight |
| LD50 dermal   | 2500 mg/kg bodyweight |

#### Pine Needle Oil 85% Natural (8002-09-3)

|                       |                       |
|-----------------------|-----------------------|
| LD50 oral rat         | 3200 mg/kg            |
| LD50 oral             | 3200 mg/kg bodyweight |
| LD50 dermal rabbit    | 400 mg/kg             |
| LC50 Inhalation - Rat | > 3.79 mg/l/4h        |

#### Linalyl acetate (115-95-7)

|                    |              |
|--------------------|--------------|
| LD50 oral rat      | 14550 mg/kg  |
| LD50 dermal rabbit | > 5000 mg/kg |

#### Linalool (78-70-6)

|           |                       |
|-----------|-----------------------|
| LD50 oral | 2790 mg/kg bodyweight |
|-----------|-----------------------|

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

| Benzyl benzoate (120-51-4) |  |
|----------------------------|--|
| LC50 - Fish [1]            | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| NOEC (chronic)             | 0.168 mg/l   |

| Pine Needle Oil 85% Natural (8002-09-3) |  |
|---|--|
| EC50 - Crustacea [1]                    | 17 – 28 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through]) |

| Linalyl acetate (115-95-7) |   |
|----------------------------|---|
| LC50 - Fish [1]            | 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through]) |

| Linalool (78-70-6)   |   |
|----------------------|---|
| EC50 96h - Algae [1] | 88.3 mg/l (Species: Desmodemus subspicatus) |

#### 12.2. Persistence and degradability

| Benzyl benzoate (120-51-4)    |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

| Cedarwood oil, Texas (68990-83-0) |                  |
|-----------------------------------|------------------|
| Persistence and degradability     | Not established. |

#### 12.3. Bioaccumulative potential

| Benzyl benzoate (120-51-4)                      |                  |
|---|------------------|
| Partition coefficient n-octanol/water (Log Pow) | 4                |
| Bioaccumulative potential                       | Not established. |

| Cedarwood oil, Texas (68990-83-0) |                  |
|-----------------------------------|------------------|
| Bioaccumulative potential         | Not established. |

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1 UN number

|               |           |
|---------------|-----------|
| UN-No. (ADR)  | : UN 3082 |
| UN-No. (IMDG) | : UN 3082 |
| UN-No. (IATA) | : UN 3082 |
| UN-No. (ADN)  | : UN 3082 |
| UN-No. (RID)  | : UN 3082 |

#### 14.2. UN proper shipping name

|                                       |   |
|---------------------------------------|---|
| Proper Shipping Name (ADR)            | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.   |
| Proper Shipping Name (IMDG)           | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.   |
| Proper Shipping Name (IATA)           | : Environmentally hazardous substance, liquid, n.o.s.   |
| Proper Shipping Name (ADN)            | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.   |
| Proper Shipping Name (RID)            | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.   |
| Transport document description (ADR)  | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)              |
| Transport document description (IMDG) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT |
| Transport document description (IATA) | : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III                   |
| Transport document description (ADN)  | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III                   |
| Transport document description (RID)  | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III                   |

#### 14.3. Transport hazard class(es)

##### ADR

|                                  |     |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 9 |
| Danger labels (ADR)              | : 9 |



##### IMDG

|                                   |     |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 9 |
| Danger labels (IMDG)              | : 9 |



##### IATA

|                                   |     |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 9 |
| Danger labels (IATA)              | : 9 |



##### ADN


|                                  |     |
|----------------------------------|-----|
| Transport hazard class(es) (ADN) | : 9 |
| Danger labels (ADN)              | : 9 |



# Wood Sage & Sea Salt in DPG at 10%


## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### RID

Transport hazard class(es) (RID) : 9  
Danger labels (RID) : 9



### 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III


### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : M6  
Special provisions (ADR) : 274, 335, 375, 601  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : -  
EAC code : •3Z

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-F  
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29  
Tank codes for RID tanks (RID) : LGBV  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 90

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

| EU restriction list (REACH Annex XVII) |   |
|--|---|
| Reference code                         | Applicable on   |
| 3(a)                                   | Elemi oil   |
| 3(b)                                   | Wood Sage & Sea Salt #EU42977F in DPG at 10% ; Cyclamal ; Cedramber ; Iso E Super ; Cedarwood oil, Texas ; Pine Needle Oil 85% Natural ; Elemi oil ; Linalyl acetate ; Linalool ; Benzyl benzoate |

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### EU restriction list (REACH Annex XVII)

| Reference code | Applicable on  |
|----------------|--|
| 3(c)           | Wood Sage & Sea Salt #EU42977F in DPG at 10% ; Cyclamal ; Cedramber ; Iso E Super ; Cedarwood oil, Texas ; Pine Needle Oil 85% Natural ; Elemi oil ; Benzyl benzoate |
| 40.            | Elemi oil  |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

### 15.1.2. National regulations

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Cedarwood oil, Texas is listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

**Denmark**  
Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### Switzerland

Storage class (LK) : LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

|     |   |
|-----|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE | Acute Toxicity Estimate   |
| BCF | Bioconcentration factor   |
| BLV | Biological limit value  |
| BOD | Biochemical oxygen demand (BOD)   |
| COD | Chemical oxygen demand (COD)  |

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| DMEL                        | Derived Minimal Effect level   |
| DNEL                        | Derived-No Effect Level  |
| EC-No.                      | European Community number  |
| EC50                        | Median effective concentration   |
| EN                          | European Standard  |
| IARC                        | International Agency for Research on Cancer                                  |
| IATA                        | International Air Transport Association                                      |
| IMDG                        | International Maritime Dangerous Goods                                       |
| LC50                        | Median lethal concentration  |
| LD50                        | Median lethal dose   |
| LOAEL                       | Lowest Observed Adverse Effect Level   |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level   |
| NOEC                        | No-Observed Effect Concentration   |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit  |
| PBT                         | Persistent Bioaccumulative Toxic   |
| PNEC                        | Predicted No-Effect Concentration  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet  |
| STP                         | Sewage treatment plant   |
| ThOD                        | Theoretical oxygen demand (ThOD)   |
| TLM                         | Median Tolerance Limit   |
| VOC                         | Volatile Organic Compounds   |
| CAS-No.                     | Chemical Abstract Service number   |
| N.O.S.                      | Not Otherwise Specified  |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disrupting properties  |

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1                     | Hazardous to the aquatic environment — Acute Hazard, Category 1   |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Asp. Tox. 1                         | Aspiration hazard, Category 1                                     |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |
| Flam. Liq. 3                        | Flammable liquids, Category 3                                     |
| H226                                | Flammable liquid and vapour.                                      |
| H302                                | Harmful if swallowed.   |

# Wood Sage & Sea Salt in DPG at 10%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| H304                                | May be fatal if swallowed and enters airways.         |
| H315                                | Causes skin irritation.                               |
| H317                                | May cause an allergic skin reaction.                  |
| H319                                | Causes serious eye irritation.                        |
| H400                                | Very toxic to aquatic life.                           |
| H410                                | Very toxic to aquatic life with long lasting effects. |
| H411                                | Toxic to aquatic life with long lasting effects.      |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                 |
| Skin Sens. 1                        | Skin sensitisation, Category 1                        |
| Skin Sens. 1B                       | Skin sensitisation, category 1B                       |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.