

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: DEC 01, 2020

SAMPLE: ROVE REMEDIES UPLIFT (TINCTURE) // CLIENT: AUREUS DHS, LLC // BATCH: PASS



MATRIX: TINCTURE
 DENSITY: 0.9505 g/ml
 CATEGORY: OTHER
 SAMPLE ID: BCL-201125-142
 COLLECTED ON: NOV 25, 2020
 RECEIVED ON: NOV 25, 2020
 BATCH SIZE: 30 MILLILITERS
 SAMPLE SIZE: 30 MILLILITERS
 PACKAGE SIZE: 28.515 G

CANNABINOID OVERVIEW

TOTAL THC:	0 %
TOTAL CBD:	3.54153 %
TOTAL CANNABINOIDS:	6.85057 %



POTENCY
PASS



PEST
PASS



MYCO
PASS



METALS
PASS



FOREIGN
PASS

BCL-03: CANNABINOID POTENCY BY HPLC-UV // DEC 01, 2020

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.02728 %	0.2728 mg/g	0.0011/0.025	N/A	
CBCA	ND	ND	0.00315/0.025	N/A	
CBD	3.54153 %	35.4153 mg/g	0.00155/0.025	N/A	
CBDA	ND	ND	0.0008/0.025	N/A	
CBDV	0.01383 %	0.1383 mg/g	0.0012/0.025	N/A	
CBDVA	ND	ND	0.0008/0.025	N/A	
CBG	3.26793 %	32.6793 mg/g	0.00145/0.025	N/A	
CBGA	ND	ND	0.001/0.025	N/A	
CBN	ND	ND	0.0008/0.025	N/A	
Δ ⁸ -THC	ND	ND	0.0029/0.025	N/A	
Δ ⁹ -THC	ND	ND	0.0021/0.025	N/A	
THCA	ND	ND	0.0015/0.025	N/A	
THCV	ND	ND	0.00165/0.025	N/A	
THCVA	ND	ND	0.00115/0.025	N/A	
TOTAL THC **	ND	ND	N/A	N/A	
TOTAL CBD **	3.54153 %	35.4153 mg/g	N/A	N/A	
CBD/PKG	1009.87 mg		N/A	N/A	
Δ ⁹ -THC/PKG	ND		PASS		

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE	NT	NT		N/A
β-OCIMENE	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAIOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE *	NT	NT		N/A

* BEYOND SCOPE OF ACCREDITATION

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD

RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 DEC 01, 2020



BCL-13: PESTICIDE TESTING BY GC/MS // DEC 01, 2020

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	5 µg/g	ND	0.00463/0.06	PASS
CHLORDANE	Any amt	ND		PASS
CHLORDANE CIS		ND	0.0012/0.00744	N/A
CHLORDANE TRANS		ND	0.00085/0.00798	N/A
CHLORFENAPYR	Any amt	ND	0.01863/0.06	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORPYRIFOS	Any amt	ND	0.0087/0.06	PASS
DICHLORVOS	Any amt	ND	0.00168/0.06	PASS
METHYL PARATHION	Any amt	ND	0.00135/0.06	PASS
PENTACHLORONI-TROBENZENE	0.2 µg/g	ND	0.0107/0.06	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // DEC 01, 2020

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.3 µg/g	ND	0.00015/0.00776	PASS
ACEPHATE	5 µg/g	ND	0.00086/0.008	PASS
ACEQUINOCYL	4 µg/g	ND	0.00083/0.008	PASS
ACETAMIPRID	5 µg/g	ND	0.00007/0.008	PASS
ALDICARB	Any amt	ND	0.00025/0.04	PASS
AZOXYSTROBIN	40 µg/g	ND	0.00032/0.008	PASS
BIFENAZATE	5 µg/g	ND	0.00011/0.008	PASS
BIFENTHRIN	0.5 µg/g	ND	0.0003/0.04	PASS
BOSCALID	10 µg/g	ND	0.00034/0.008	PASS
CARBARYL	0.5 µg/g	ND	0.00018/0.008	PASS
CARBOFURAN	Any amt	ND	0.0004/0.008	PASS
CHLORANTRANIL-IPROLE	40 µg/g	ND	0.00009/0.008	PASS
CLOFENTEZINE	0.5 µg/g	ND	0.00013/0.04	PASS
COUMAPHOS	Any amt	ND	0.0004/0.008	PASS
CYFLUTHRIN	1 µg/g	ND	0.00802/0.1	PASS
CYPERMETHRIN	1 µg/g	ND	0.00254/0.04	PASS
DAMINOZIDE	Any amt	ND	0.00119/0.04	PASS
DIAZINON	0.2 µg/g	ND	0.00015/0.008	PASS
DIMETHOATE	Any amt	ND	0.00005/0.008	PASS
DIMETHOMORPH	20 µg/g	ND		PASS
DIMETHOMORPH I		ND	0.00011/0.00312	N/A
DIMETHOMORPH II		ND	0.00016/0.00488	N/A
ETHOPROPHOS	Any amt	ND	0.00034/0.008	PASS
ETOFENPROX	Any amt	ND	0.00022/0.008	PASS
ETOXAZOLE	1.5 µg/g	ND	0.00006/0.008	PASS
FENHEXAMID	10 µg/g	ND	0.00042/0.008	PASS
FENOXYCARB	Any amt	ND	0.0004/0.02	PASS
FENPYROXIMATE	2 µg/g	ND	0.00015/0.008	PASS
FIPRONIL	Any amt	ND	0.00008/0.02	PASS
FLONICAMID	2 µg/g	ND	0.00011/0.008	PASS
FLUDIOXONIL	30 µg/g	ND	0.00011/0.02	PASS
HEXYTHIAZOX	2 µg/g	ND	0.00015/0.008	PASS
IMAZALIL	Any amt	ND	0.0006/0.008	PASS
IMIDACLOPRID	3 µg/g	ND	0.00016/0.008	PASS
KRESOXIM-METHYL	1 µg/g	ND	0.00025/0.008	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
MALATHION	5 µg/g	ND	0.00026/0.008	PASS
METALAXYL	15 µg/g	ND	0.00021/0.008	PASS
METHIOCARB	Any amt	ND	0.00043/0.02	PASS
METHOMYL	0.1 µg/g	ND	0.00025/0.008	PASS
MEVINPHOS	Any amt	ND		PASS
MEVINPHOS I		ND	0.00025/0.0042	N/A
MEVINPHOS II		ND	0.00079/0.0158	N/A
MYCLOBUTANIL	9 µg/g	ND	0.00042/0.008	PASS
NALED	0.5 µg/g	ND	0.00017/0.008	PASS
OXAMYL	0.2 µg/g	ND	0.00031/0.008	PASS
PACLOBUTRAZOL	Any amt	ND	0.00034/0.008	PASS
PERMETHRIN	20 µg/g	ND		PASS
PERMETHRIN CIS		ND	0.00071/0.00328	N/A
PERMETHRIN TRANS		ND	0.00093/0.0118	N/A
PHOSMET	0.2 µg/g	ND	0.00014/0.008	PASS
PIPERONYLBUTO-XIDE	8 µg/g	ND	0.0002/0.008	PASS
PRALLETHRIN	0.4 µg/g	ND	0.00096/0.008	PASS
PROPICONAZOLE	20 µg/g	ND	0.00028/0.008	PASS
PROPOXUR	Any amt	ND	0.00036/0.008	PASS
PYRETHRINS	1 µg/g	ND	0.0002/0.02	PASS
PYRIDABEN	3 µg/g	ND	0.00017/0.008	PASS
SPINETORAM	3 µg/g	ND		PASS
SPINETORAM J		ND	0.00008/0.016	N/A
SPINETORAM L		ND	0.00002/0.0016	N/A
SPINOSAD	3 µg/g	ND		PASS
SPINOSAD A		ND	0.00007/0.0144	N/A
SPINOSAD D		ND	0.00004/0.002	N/A
SPIROMESIFEN	12 µg/g	ND	0.00027/0.008	PASS
SPIROTETRAMAT	13 µg/g	ND	0.00015/0.008	PASS
SPIROXAMINE	Any amt	ND	0.00018/0.008	PASS
TEBUCONAZOLE	2 µg/g	ND	0.00021/0.008	PASS
THIACLOPRID	Any amt	ND	0.00009/0.008	PASS
THIAMETHOXAM	4.5 µg/g	ND	0.00013/0.008	PASS
TRIFLOXYSTROB-IN	30 µg/g	ND	0.00005/0.008	PASS



BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // NOV 26, 2020

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
CINDERS	25 %	ND	PASS
DIRT	25 %	ND	PASS
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS	1 Unit	ND	PASS
MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
RODENT HAIR	1 Unit	ND	PASS
SAND	25 %	ND	PASS
SOIL	25 %	ND	PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // DEC 01, 2020

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // NOV 30, 2020

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	1.5 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.5 µg/g	ND	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	3 µg/g	ND	0.0001/0.01	PASS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

