





LINE LEADER

AV CART

SS-AVJ42-LKB



LINE LEADER

Contact Us:


www.standsteady.com

customerservice@standsteady.com


1-703-688-DESK (3375)

Made in Taiwan

PRODUCT OVERVIEW



CART COMPONENTS




A (X1)




BL (X1)



BR (X1)



C (X1)




D (X1)




E (X2)




F (X2)



G (X1)



H (X1)




I (X1)

HARDWARE




1A (X4)



1B (X4)



1C (X4)




1D (X2)



1E (X2)

STEP 1: ATTACH KEYBOARD TRAY BRACKETS

Attach keyboard brackets (BL & BR) to upper cart assembly (A) using 1A (x4).




REQUIRED HARDWARE



1A
QTY.4


STEP 2: SLIDE KEYBOARD TRAY INTO BRACKETS

Slide Keyboard Tray (C) into Brackets




STEP 3: ATTACH CASTERS

Flip lower cart assembly (D) upside down.
Install Casters (E/F) using rubber mallet.




STEP 4: ALIGN CART COMPONENTS

Rest parts A&D on their side. Slide together until the holes on the legs are aligned at the desired height.




STEP 5: SECURE CART COMPONENTS

Secure parts A & D using 1B & 1C (x4)



REQUIRED HARDWARE



1B
QTY.4




1C
QTY.4

REQUIRED TOOLS



STEP 6: CHOOSE LOCATION

Power Strip can be installed in multiple places on the cart.



REQUIRED HARDWARE






1D
QTY.2



1E
QTY.2

STEP 7: ATTACH POWER STRIP

Stand up Cart . Secure parts G & H in desired location using 1D & 1E (x2)



*NOTE : Secure bracket/power strip from back side using 1E (x2)