StrongArm Installed Optio	ons			
Name	Order Code		L	ist Price (USD)
Arm, Aluminum, Oval w/Kill Switch, 10 ft	SA-5-40			602.00
10 ft oval aluminum oval arm fo bumper.	r operators with kill sv	vitch built after June 2017	7. Includes LED light strip with UV stabiliz	zed cover and
Est Ship Weight: 17	Shipping Dimensions: 7"w x 144"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Aluminum, Oval w/Kill Switch, 12 ft	SA-5-42			686.00
12 ft oval aluminum oval arm fo bumper.	r operators with kill sv	vitch built after June 2017	7. Includes LED light strip with UV stabiliz	zed cover and
Est Ship Weight: 21	Shipping Dimensions: 7"w x 168"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Aluminum, Oval w/Kill Switch, 14 ft	SA-5-44			719.00
14 ft oval aluminum oval arm fo bumper.	r operators with kill sv	vitch built after June 2017	7. Includes LED light strip with UV stabiliz	zed cover and
Est Ship Weight: 24	Shipping Dimensions: 7"w x 192"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, DOT Mount, Aluminum, 10 ft	SA-5-71			6,524.00
Barrier arm with breakaway bra	cket and 2 counterwei	ghts, aluminum, 2 x 5 inc	h - 10 ft length (requires StrongArm 28)	
Est Ship Weight: 17	Shipping Dimensions: 7"w x 144"d x 9"h	Class: 60	Add on weight: 318 lb	
Arm, DOT Mount, Aluminum, 12 ft	SA-5-73			6,608.00
Barrier arm with breakaway bra	cket and 2 counterwei	ghts, aluminum, 2 x 5 inc	h - 12 ft length (requires StrongArm 28)	
Est Ship Weight: 21	Shipping Dimensions: 7"w x 168"d x 9"h	Class: 60	Add on weight: 318 lb	
Arm, DOT Mount, Aluminum, 14 ft	SA-5-75			6,691.00
Barrier arm with breakaway bra	cket and 2 counterwei	ghts, aluminum, 2 x 5 inc	h - 14 ft length (requires StrongArm 28)	
Est Ship Weight: 24	Shipping Dimensions: 7"w x 192"d x 9"h	Class: 60	Add on weight: 318 lb	
Arm, DOT Mount, Aluminum, 16 ft	SA-5-77			6,774.00
Barrier arm with breakaway bra	cket and 2 counterwei	ghts, aluminum, 2 x 5 inc	h - 16 ft length (requires StrongArm 28)	
Est Ship Weight: 27	Shipping Dimensions: 7"w x 216"d x 9"h	Class: 60	Add on weight: 370 lb	
Arm, DOT Mount, Aluminum, 18 ft	SA-5-79			6,857.00
Barrier arm with breakaway bra	cket and 2 counterwei	ghts, aluminum, 2 x 5 inc	h - 18 ft length (requires StrongArm 28)	
Est Ship Weight: 31	Shipping Dimensions: 7"w x 240"d x 9"h	Class: 60	Add on weight: 370 lb	

Arm, DOT Mount, Aluminum, 20 ft	SA-5-81			7,623.00
Barrier arm with breakaway brac	cket and 4 counterweig	ghts, aluminum, 2 x 5 inch - :	20 ft length (requires StrongArm 28)	
Est Ship Weight: 34	Shipping Dimensions: 7"w x 264"d x 9"h	Class: 60	Add on weight: 370 lb	
Arm, DOT Mount, Aluminum, 22 ft	SA-5-83			7,822.00
Barrier arm with breakaway bra	cket and 6 counterweig	ghts, aluminum, 2 x 5 inch - 2	22 ft length (requires StrongArm 28)	
Est Ship Weight: 38	Shipping Dimensions: 7"w x 288"d x 9"h	Class: 60	Add on weight: 422 lb	
Arm, DOT Mount, Aluminum, 24 ft	SA-5-85			8,420.00
Barrier arm with breakaway bra	cket and 8 counterweig	ghts, aluminum, 2 x 5 inch - 2	24 ft length (requires StrongArm 28)	
Est Ship Weight: 41	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 422 lb	
Arm, DOT Mount, Aluminum/ Fiberglass, 26 ft	SA-5-88			8,554.00
Barrier arm with breakaway brac	cket and 12 counterwe	ights, aluminum, 2 x 5 inch ·	- 26 ft length (requires StrongArm 28)	
Est Ship Weight: 46	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 474 lb	
Arm, DOT Mount, Aluminum/ Fiberglass, 28 ft	SA-5-89			9,136.00
Barrier arm with breakaway bra	cket and 14 counterwe	ights, aluminum, 2 x 5 inch ·	- 28 ft length (requires StrongArm 28)	
Est Ship Weight: 48	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 474 lb	
Arm, Side Mount, Aluminum, 10 ft	SA-5-01			702.00
Barrier arm with side mount bra	cket and clamps, alum	ninum, 2 x 5 - 10 ft length (St	rongArm 20, 28, 36)	
Est Ship Weight: 17	Shipping Dimensions: 7"w x 144"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Aluminum, 12 ft	SA-5-02			785.00
Barrier arm with side mount bra	cket and clamps, alum	ninum, 2 x 5 inch - 12 ft lengt	h (StrongArm 20, 28, 36)	
Est Ship Weight: 20	Shipping Dimensions: 7"w x 168"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Aluminum, 14 ft	SA-5-03			853.00
Barrier arm with side mount bra	cket and clamps, alum	ninum, 2 x 5 inch - 14 ft lengt	h (StrongArm 20, 28, 36).	
Est Ship Weight: 24	Shipping Dimensions: 7"w x 192"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Aluminum, 16 ft	SA-5-04			970.00
Barrier arm with side mount bra	cket and clamps, alum	ninum, 2 x 5 inch - 16 ft lengt	h (requires StrongArm 20 or larger).	
Est Ship Weight: 27	Shipping Dimensions: 7"w x 216"d x 9"h	Class: 60	Add on weight: 13 lb	



Arm, Side Mount, Aluminum, 18 ft	SA-5-05			1,053.00
Barrier arm with side mount bra	acket and clamps, alum	ninum, 2 x 5 inch - 18 ft lengt	h (requires StrongArm 20 or larger).	
Est Ship Weight: 31	Shipping Dimensions: 7"w x 240"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Fiberglass, 10 ft	SA-5-06			853.00
Barrier arm with side mount bra	acket and clamps, fiber	glass, 1-3/4 x 4-3/4 inch - 10	ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 12	Shipping Dimensions: 7"w x 144"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Fiberglass, 12 ft	SA-5-07			985.00
Barrier arm with side mount bra	acket and clamps, fiber	glass, 1-3/4 x 4-3/4 inch - 12	ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 14	Shipping Dimensions: 7"w x 168"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Fiberglass, 14 ft	SA-5-08			1,300.00
Barrier arm with side mount bra	acket and clamps, fiber	glass, 1-3/4 x 4-3/4 inch - 14	ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 17	Shipping Dimensions: 7"w x 192"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Fiberglass, 16 ft	SA-5-09			1,368.00
Barrier arm with side mount bra	acket and clamps, fiber	glass, 1-3/4 x 4-3/4 inch - 16	ft length (requires StrongArm 20 or larg	er).
Est Ship Weight: 19	Shipping Dimensions: 7"w x 216"d x 9"h	Class: 60	Add on weight: 13 lb	
Arm, Side Mount, Wood, 10 ft	SA-5-11			668.00
Barrier arm with side mount bra	acket and clamps, woo	d, 1 x 6 inch - 10 ft length (St	trongArm 20, 28, 36).	
Est Ship Weight: 11	Shipping Dimensions: 7"w x 144"d x 9"h	Class: 100	Add on weight: 13 lb	
Arm, Side Mount, Wood, 12 ft	SA-5-12			686.00
Barrier arm with side mount bra	acket and clamps, woo	d, 1 x 6 inch - 12 ft length (St	trongArm 20, 28, 36).	
Est Ship Weight: 13	Shipping Dimensions: 7"w x 168"d x 9"h	Class: 100	Add on weight: 13 lb	
Arm, Side Mount, Wood, 14 ft	SA-5-13			702.00
Barrier arm with side mount bra	acket and clamps, woo	d, 1 x 6 inch - 14 ft length (St	trongArm 20, 28, 36).	
Est Ship Weight: 15	Shipping Dimensions: 7"w x 192"d x 9"h	Class: 100	Add on weight: 13 lb	
Arm, Side Mounts, Double Wood, 14 ft	SA-5-14			1,184.00
Barrier arms with two side mou	nt brackets and clamp	s, double wood, 1 x 6 inch -	14 ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 30	Shipping	Class: 100	Add on weight	
Est only Weight. 50	Dimensions: 7"w x 168"d x 9"h	Class. 100	Add on weight: 17 lb	

Installed Options

|--|

	o /-			
Arm, Yoke Mount, Aluminum, 10 ft	SA-5-15			1,616.00
Barrier arm with center yok	e mount and bracket, alum	ninum, 2 x 5 inch - 10	ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 17	Shipping Dimensions: 7"w x 144"d x 9"h	Class: 60	Add on weight: 104 lb	
Arm, Yoke Mount, Aluminum, 12 ft	SA-5-16			1,900.00
Barrier arm with center yok	e mount and bracket, alum	ninum, 2 x 5 inch - 12	ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 20	Shipping Dimensions: 7"w x 168"d x 9"h	Class: 60	Add on weight: 104 lb	
Arm, Yoke Mount, Aluminum, 14 ft	SA-5-17			2,134.00
Barrier arm with center yok	e mount and bracket, alum	ninum, 2 x 5 inch - 14	ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 24	Shipping Dimensions: 7"w x 192"d x 9"h	Class: 60	Add on weight: 104 lb	
Arm, Yoke Mount, Aluminum, 16 ft	SA-5-18			2,365.00
Barrier arm with center yok	e mount and bracket, alum	ninum, 2 x 5 inch - 16	ft length (requires StrongArm 20 or larger).	
Est Ship Weight: 27	Shipping Dimensions: 7"w x 216"d x 9"h	Class: 60	Add on weight: 104 lb	
Arm, Yoke Mount, Aluminum, 18 ft	SA-5-19			2,615.00
Barrier arm with center yok	e mount and bracket, alum	ninum, 2 x 5 inch - 18	ft length (requires StrongArm 20 or larger).	
Est Ship Weight: 31	Shipping Dimensions: 7"w x 240"d x 9"h	Class: 60	Add on weight: 104 lb	
Arm, Yoke Mount, Aluminum, 20 ft	SA-5-20			2,850.00
Barrier arm with center yok larger)	e mount, bracket and 2 co	unterweights, alumin	um, 2 x 5 inch - 20 ft length (requires StrongA	rm 20 or
Est Ship Weight: 34	Shipping Dimensions: 7"w x 264"d x 9"h	Class: 60	Add on weight: 154 lb	
Arm, Yoke Mount, Aluminum, 22 ft	SA-5-21			3,098.00
Barrier arm with center yok	e mount, bracket and 4 co	unterweights, alumin	um, 2 x 5 inch - 22 ft length (requires StrongA	rm 28 or 36)
Est Ship Weight: 37	Shipping Dimensions: 7"w x 288"d x 9"h	Class: 60	Add on weight: 204 lb	
Arm, Yoke Mount, Aluminum, 24 ft	SA-5-22			3,313.00
Barrier arm with center yok	e mount, bracket and 6 co	unterweights, alumin	um, 2 x 5 inch - 24 ft length (requires StrongA	rm 28 or 36)
Est Ship Weight: 41	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 254 lb	
Arm, Yoke Mount, Aluminum/Fiberglass, 26	SA-5-23 ft			4,227.00
Barrier arm with center yok	e mount, bracket and 10 c	ounterweights, alumi	num/fiberglass, 26 ft length (requires StrongA	rm 28 or 36).
Est Ship Weight: 46	Shipping Dimensions: 7"w x 312"d x 9"b	Class: 60	Add on weight: 354 lb	

312"d x 9"h

Arm, Yoke Mount, Aluminum/Fiberglass, 28 ft	SA-5-24			4,727.00
Barrier arm with center yoke mo	ount, bracket and 12 c	ounterweights, alumi	num/fiberglass, 28 ft length (requires StrongAri	n 28 or 36).
Est Ship Weight: 48	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 404 Ib	
Arm, Yoke Mount, Aluminum/Fiberglass, 30 ft	SA-5-25			6,906.00
Barrier arm with center yoke mo arm stabilizer kit. (requires Stro		ounterweights, alum	num/fiberglass, 30 ft length. Includes cable ten	sioner and
Est Ship Weight: 50	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 533 lb	
Arm, Yoke Mount, Aluminum/Fiberglass, 32 ft	SA-5-26			7,305.00
Barrier arm with center yoke mo arm stabilizer kit. (requires Stro		ounterweights, alum	num/fiberglass, 32 ft length. Includes cable ten	sioner and
Est Ship Weight: 54	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 583 lb	
Arm, Yoke Mount, Aluminum/Fiberglass, 34 ft	SA-5-27			8,037.00
Barrier arm with center yoke mo arm stabilizer kit. (requires Stro		ounterweights, alum	num/fiberglass, 34 ft length. Includes cable ten	sioner and
Est Ship Weight: 55	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 683 lb	
Arm, Yoke Mount, Aluminum/Fiberglass, 36 ft	SA-5-28			8,671.00
Barrier arm with center yoke mo arm stabilizer kit. (requires Stro		ounterweights, alum	num/fiberglass, 36 ft length. Includes cable ten	sioner and
Est Ship Weight: 58	Shipping Dimensions: 7"w x 312"d x 9"h	Class: 60	Add on weight: 733 lb	
Arm, Yoke Mount, Fiberglass, 10 ft	SA-5-29			1,867.00
Barrier arm with center yoke mo	ount and bracket, fiber	glass, 1-3/4 x 4-3/4 ir	nch - 10 ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 12	Shipping Dimensions: 7"w x 144"d x 9"h	Class: 60	Add on weight: 104 Ib	
Arm, Yoke Mount, Fiberglass, 12 ft	SA-5-30			1,934.00
Barrier arm with center yoke mo	ount and bracket, fiber	glass, 1-3/4 x 4-3/4 ir	nch - 12 ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 14	Shipping Dimensions: 7"w x 168"d x 9"h	Class: 60	Add on weight: 104 lb	
Arm, Yoke Mount, Fiberglass, 14 ft	SA-5-31			1,968.00
Barrier arm with center yoke mo	ount and bracket, fiber	glass, 1-3/4 x 4-3/4 ir	nch - 14 ft length (StrongArm 20, 28, 36).	
Est Ship Weight: 17	Shipping Dimensions: 7"w x 192"d x 9"h	Class: 60	Add on weight: 104 lb	

Installed Options



Arm, Yoke Mount, Fiberglass, 16 ft	SA-5-32		2,0	031.00
• • • • • • • • • • • • • • • • • • •	ount and bracket, fibe	rglass, 1-3/4"" x 4-3/4 inc	ch - 16 ft length (requires StrongArm 20 or larger).	
Est Ship Weight: 19	Shipping Dimensions: 7"w x 216"d x 9"h	Class: 60	Add on weight: 104 lb	
Buzzer Option	SA-7-01			186.00
Piezo alarm buzzer. Buzzer com	nes standard on Stron	gArm 36		
	Call for quote	Class: Call for quote		
Chassis, Galvanized with Stainless Steel Cover	SA-4-02		2,4	481.00
Chassis, hot dipped galvanized Chassis is unpainted hot dippe			nts, often in Department of Transportation applicati steel.	ions.
	Call for quote	Class: Call for quote		
Color, Custom, StrongArm	SA-4-01		1,0	033.00
Custom color chassis and cove spray test and exhibits excellen			urable, textured finish coat. Passes a 1,000 hour sa ors available.	alt
	Call for quote	Class: Call for quote		
Crate, Export Shipping, DC Power Supply	DC-B-01			319.00
Certified heat treated wood craft	te for export shipping,	DC Power Supply		
	Call for quote	Class: Call for quote		
Crate, Export Shipping, StrongArm	SA-B-01			436.00
Certified heat treated wood crat	te for export shipping,	StrongArm		
	Call for quote	Class: Call for quote		
Flashing Light Kit, StrongArm	SA-8-05		-	751.00
Includes 1 light, order MX00119	7 for extra lights, max	4		
	Call for quote	Class: Call for quote		
Heater, 115VAC, StrongArm 115VAC Heater and thermostat	SA-6-00		6	686.00
	Call for quote	Class: Call for quote		
Heater, 230VAC, StrongArm	SA-6-01		6	686.00
230VAC Heater and thermostat				
	Call for quote	Class: Call for quote		
Heater, 460VAC, StrongArm	SA-6-02		-	719.0
460VAC Heater and thermostat				
	Call for quote	Class: Call for quote		
Motor, Electric, 50Hz, StrongArm	SA-2-80		3	385.00
50Hz motor option. Longer lead	l time may apply.			
	Call for quote	Class: Call for quote		
Radio Receiver, Single Channel, Open, StrongArm	SA-9-00		2	289.00
Single channel receiver and coa	ax antenna. wired for	open control only.		

Single channel receiver and coax antenna, wired for open control only.

Call for quote Class: Call for quote



Parts & Accessories

Optional accessories



Oval Aluminum Arm (10, 12, 14 ft)











Flashing Light Kit



Clock Timer



Push Button Station, 2 or 3 Button







HyNet[™] Gateway

FTTT

Photo Eye Kits

Radio Receivers & Transmitters

Hy5B™ Vehicle Detector

Hy8Relay™



Replacement	Parts	and	Accessori	es
Replacement	Parts	and	Accessori	es

Part Name / Description	Part Number	List Price (USD)
Arm Assembly, Aluminum, Oval, 10 ft	MX4182-10	444.00
	tors with kill switch built after June 2017. Includes LED light strip with UV stabilized cover and bumper. S	
Arm Assembly, Aluminum, Oval, 12 ft	MX4182-12	485.00
• · · · · · ·	tors with kill switch built after June 2017. Includes LED light strip with UV stabilized cover and bumper. S	
Arm Assembly, Aluminum, Oval, 14 ft	MX4182-14	518.00
14 ft oval aluminum oval arm for opera StrongArm 14F operators	tors with kill switch built after June 2017. Includes LED light strip with UV stabilized cover and bumper. S	StrongArmPark DC and
Arm Sleeve, StrongArmDOT 28	MX3346	122.00
Arm sleeve for StrongArmDOT 28		
Arm, Replacement, Aluminum, Rectangular, 10 ft	MX001001	383.00
2 x 5 inch rectangular aluminum arm re	eplacement, 10 ft length Note: Arm only. Mounting hardware not included.	
Arm, Replacement, Aluminum, Rectangular, 12 ft	MX001002	463.00
2 x 5 inch rectangular aluminum arm re	eplacement, 12 ft length Note: Arm only. Mounting hardware not included.	
Arm, Replacement, Aluminum, Rectangular, 14 ft	MX001003	543.00
2 x 5 inch rectangular aluminum arm re	eplacement, 14 ft length Note: Arm only. Mounting hardware not included.	
Arm, Replacement, Aluminum, Rectangular, 16 ft	MX001004	623.00
2 x 5 inch rectangular aluminum arm re	eplacement, 16 ft length Note: Arm only. Mounting hardware not included.	
Arm, Replacement, Aluminum, Rectangular, 18 ft	MX001005	704.00
2 x 5 inch rectangular aluminum arm re	eplacement, 18 ft length Note: Arm only. Mounting hardware not included.	
Arm, Replacement, Aluminum, Rectangular, 20 ft	MX001006	783.00
2 x 5 inch rectangular aluminum arm re	eplacement, 20 ft length Note: Arm only. Mounting hardware and 2 counterweights not included.	
Arm, Replacement, Aluminum, Rectangular, 22 ft	MX001007	863.00
2 x 5 inch rectangular aluminum arm re	eplacement, 22 ft length Note: Arm only. Mounting hardware and 4 counterweights not included.	
Arm, Replacement, Aluminum, Rectangular, 24 ft	MX001008	943.00

2 x 5 inch rectangular aluminum arm replacement, 24 ft length Note: Arm only. Mounting hardware and 6 counterweights not included.