

# X-REF HELPS YOU FIND WHAT YOU NEED

A reference number is placed on all products to make it easy to find what accessories will fit your product.



CH0028

UNIVERS



# UNIVERSAL

POWERED BY  
**McCULLOCH**





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

AEG		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
KES35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KES36	#N/A	-	-	FLO001	-
KS1500 el	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS30 el	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS35 el	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
KS35 el	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-

AL-KO		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
K2000/35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
K2200/40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KB35/35	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB35/35	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB350	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB350	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB3500	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB3500	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB3501	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB3501	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB4000	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB4000	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB4001	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB4001	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB450	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB450	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB4500	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB4500	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KB4501	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
KB4501	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
KE 40-16/11	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KE1000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KE1400/35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KE1600/35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KE1600/40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KE1750/40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KE3000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KE3500	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KE3500Vario	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KE4000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KE4000Vario	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
KE40-18	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-

Aldi		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
EKS 1650 King Craft	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1700 Top Craft	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Alpina		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
330	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
330	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
330	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
330	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
380	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
380	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
380	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
380	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
432	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
432	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
432	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
432	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
438	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
438	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
438	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
438	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
540	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
540	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
540i	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
540i	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
550	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
550	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
600	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
600i	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
A-40E	Bar Length - 12 inch/30cm	-	-	FLO010	-
A-40E	Bar Length - 14 inch/35cm	-	-	FLO010	-
A-40E	Bar Length - 16 inch/40cm	-	-	FLO010	-
A-40E	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
E120	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E120	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
E120	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
E130	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E130	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
E130	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
E150	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E150	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
E150	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
Electric	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
Electric	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Electric	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
Elettra 160	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
Elettra 160	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
Elettra 160	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
Elettra 170	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
Elettra 170	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
Elettra 170	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
Energy 1.6	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
Energy 1.6	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
Energy 1.6	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
Energy 1.8	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
Energy 1.8	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
Energy 1.8	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
Euor-35	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Alpina		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
Euor-35	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
Euor-35	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
Euor-35	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
Euro-40	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
Euro-40	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
Euro-40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
Euro-40	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
Euro-45	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
Euro-45	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
Euro-45	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
Euro-45	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
KS1400B	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
KS1400B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS1400B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS1500B	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
KS1500B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS1500B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
P34	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
P34	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
P34	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P34	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
P360	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
P360	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
P360	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P360	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
P370	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
P370	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P370	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
P370	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
P370	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0035	-	FLO010	-
P370	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
P390	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
P390	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
P390	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P390	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
P400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P400	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P41	Bar Length - 12 inch/30cm	-	-	FLO010	-
P41	Bar Length - 14 inch/35cm	-	-	FLO010	-
P41	Bar Length - 16 inch/40cm	-	-	FLO010	-
P41	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
P410	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P410	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0035	-	FLO010	-
P45	Bar Length - 12 inch/30cm	-	-	FLO010	-
P45	Bar Length - 14 inch/35cm	-	-	FLO010	-
P45	Bar Length - 16 inch/40cm	-	-	FLO010	-
P45	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
P450	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P450	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P460	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P460	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Alpina		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
P510	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P510	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P6500	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P700	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P750	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P800	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
PR350	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
PR350	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
PR350	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
PR350	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PR350	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
Prof-41	Bar Length - 12 inch/30cm	-	-	FLO010	-
Prof-41	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
Prof-41	Bar Length - 14 inch/35cm	-	-	FLO010	-
Prof-41	Bar Length - 16 inch/40cm	-	-	FLO010	-
Prof-41	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
Prof-41	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
Prof-45	Bar Length - 12 inch/30cm	-	-	FLO010	-
Prof-45	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
Prof-45	Bar Length - 14 inch/35cm	-	-	FLO010	-
Prof-45	Bar Length - 16 inch/40cm	-	-	FLO010	-
Prof-45	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
Prof-45	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
Prof-65	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
Prof-66	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
Prof-700	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
Prof-800	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
300	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
A14E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A14E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A14E	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A10E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A10E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A10E	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
E100	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
E100	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
E100	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A12E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A12E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A12E	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
E1.8	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
E1.6	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
P34S	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-

Black & Decker		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
CS30	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
CS30	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CS30	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CS30	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Black & Decker

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
CS35	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
CS35	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CS35	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CS35	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DN301	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
DN302	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
DN302	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DN400	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
DN400	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
DN400	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
DN400	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DN401	Bar Length - 10 inch/25cm	-	-	FLO001	-
DN401	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
DN401	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
DN401	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DN402	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
DN402	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
DN402	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
DN402	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DN404	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
DN404	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
DN404	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
DN404	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DN412	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
DN412	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
DN412	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
DN412	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DN416	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
DN416	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
DN416	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
DN416	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK110	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK120	12 inch/30cm 49 links 3/8 inch 1.3mm	CH0019	-	FLO001	-
GK130	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK1430	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK1435	12 inch/30cm 49 links 3/8 inch 1.3mm	CH0019	-	FLO001	-
GK1440	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK1440	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK1440	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK1440	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK1630	Bar Length - 12 inch/30cm	-	-	-	-
GK1630	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK1630T	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK1630T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK1630T	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK1630T	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK1635T	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK1635T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK1635T	12 inch/30cm 49 links 3/8 inch 1.3mm	CH0019	-	FLO001	-
GK1635T	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK1640T	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK1640T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK1640T	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Black & Decker

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
GK1640T	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK1730	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
GK1935T	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
GK2040T	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK310	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK310	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK310	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK310	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK320	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK320	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK320	12 inch/30cm 49 links 3/8 inch 1.3mm	CH0019	-	FLO001	-
GK320	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK321	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK321	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK321	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK321	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK322	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK322	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK322	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK322	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK330	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK330	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK330	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK330	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK35	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK35	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK35	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK35	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK425	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK425	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK425	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK425	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK430	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK430	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK430	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK430	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK435	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK435	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK435	12 inch/30cm 49 links 3/8 inch 1.3mm	CH0019	-	FLO001	-
GK435	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK439	Bar Length - 12 inch/30cm	-	-	-	-
GK440	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK440	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK440	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK440	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK535	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK535	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK535	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK535	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
GK540	10 inch/25cm 39 links 3/8 inch 1.3mm	CH0010	-	FLO001	-
GK540	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
GK540	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
GK540	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-





# Chainsaws

CHO - Chains  
BR0 - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Black & Decker

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
GK300	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FL0001	-
GK30	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FL0001	-
GK331	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FL0001	-
GK31	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FL0001	-
DN402B	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FL0001	-
DN404B	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FL0001	-
Pro40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FL0001	-

## Bonus

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
KSB 35	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FL0001	-
KSE 2000 S	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FL0001	-

## Bosch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
1586.7	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FL0001	-
1586.7	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FL0001	-
1586.7	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
1586.8	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FL0001	-
1586.8	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FL0001	-
1586.8	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
AKE17-30	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FL0003	-
AKE17-35	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BR0005	FL0003	-
AKE18-30S	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FL0003	-
AKE18-35S	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BR0005	FL0003	-
AKE30	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FL0001	-
AKE30	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FL0003	-
AKE30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FL0001	-
AKE30	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
AKE35	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FL0001	-
AKE35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FL0001	-
AKE35	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BR0005	FL0003	-
AKE35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
AKE40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FL0001	-
AKE40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FL0001	-
AKE40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
GKE35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FL0001	-
GKE35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FL0001	-
GKE35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
GKE40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FL0001	-
GKE40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FL0001	-
GKE40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
PKE25	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FL0001	-
PKE25	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FL0001	-
PKE25	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FL0001	-
PKE25	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FL0001	-
PKE30	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FL0001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Bosch		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
PKE30	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKE30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKE30	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKE35	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FLO001	-
PKE35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKE35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKE35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKE40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKE40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKE40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 300	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
EKS 1535	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
AKE 35-19 PRO	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
AKE 35-18S	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
AKE 30-18S	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FLO001	-
AKE 30-17S	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FLO001	-
1350	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1350	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
1350	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1540	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
AES 35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
AES 35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
AES 35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
AKE 40-17S	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
AKE 40-18S	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
AKE 40-19 PRO	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
AKE 35-17S	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
PKE10	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKE10	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKE10	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
AKE 30 LI	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO001	-
AKE 35-19S	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
AKE 40 s/40 cm	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-

Castor		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
330	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
330	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
330	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
330	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
380	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
380	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
380	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
380	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
423	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
423	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
423	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
423	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
438	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
438	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Castor

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
438	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
438	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
C40	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
C40	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
C40E	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
C40E	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP34S	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CP34S	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
CP34S	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
CP34S	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
CP370	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
CP370	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0035	-	FLO010	-
CP400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP400	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP41	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP41	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP410	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
CP410	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0035	-	FLO010	-
CP45	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP45	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP450	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP450	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP460	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP460	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP510	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP510	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP540	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP540	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP540i	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP540i	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP-55	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP550	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CP550	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CP-56	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP600	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP600i	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP-65	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP650	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP-66	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP700	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP750	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CP800	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
CX35	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CX35	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
CX35	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
CX35	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
CX40	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CX40	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
CX40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
CX40	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
CX45	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-



# Chainsaws

CHO - Chains  
BR0 - Bars

FLO - Filing equipment  
SGO - Spark plugs

Castor		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
CX45	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
CX45	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BR0037	FLO001	-
CX45	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
Elettra 160	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BR0009	FLO001	-
Elettra 160	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0021	FLO001	-
Elettra 160	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
Elettra 170	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BR0009	FLO001	-
Elettra 170	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0021	FLO001	-
Elettra 170	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
High-Tech 1.6	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BR0009	FLO001	-
High-Tech 1.6	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0021	FLO001	-
High-Tech 1.6	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
High-Tech 1.8	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BR0009	FLO001	-
High-Tech 1.8	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0021	FLO001	-
High-Tech 1.8	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-

CMI		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
45-40	Bar Length - 14 inch/35cm	-	-	-	-
C-EKS-1800/35	Bar Length - 14 inch/35cm	-	-	-	-
CB-KS 37/35	Bar Length - 14 inch/35cm	-	-	-	-

Dolmar		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
109	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
109	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO010	-
109	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BR0067	FLO005	-
109	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
109	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BR0055	FLO010	-
109HS	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
110i	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
111	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
111	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
111	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
111	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO010	-
111	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BR0067	FLO005	-
111	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
111	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BR0055	FLO010	-
111	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-
112	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
112	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
112	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BR0067	FLO005	-
112	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
112	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-
113	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
113	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
113	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Dolmar

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
114	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
114	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
114	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
115	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
115	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
115	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
115H	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
115i	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
115i	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
115i	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
115i	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
115i	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
115i	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
116	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
116	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
116	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
117	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
117	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
119	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
119	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
120	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
120	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
120Si	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
120Si	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
122	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
123	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
1231	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
1231	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
133	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
143	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
144	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
152	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
153	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
219	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
219	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
CA	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
ES-152A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
ES-152A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-152A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-1600	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
ES-1600	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
ES-162A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
ES-162A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-162A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES172A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
ES172A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES172A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-2035A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
ES-2135A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
ES-31	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES-31	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES-31	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
ES-31A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Dolmar

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
ES-33A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES-36	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES-36	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES-36	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
ES40	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES40	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES40	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
PS-330	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PS-330	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-330	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-3300TH	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PS-3300TH	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-3300TH	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-34	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
PS-34	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
PS-34	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
PS-340	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PS-340	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-340	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-341	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PS-341	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-341	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-344	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PS-344	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-344	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-350	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-350	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
PS-350	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
PS-400	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PS-400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-400	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-401	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PS-401	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-401	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-410	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
PS-420	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
PS-420	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
PS-420	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
PS-43	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-43	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
PS-460	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
PS-4600	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
PS-500	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
PS-5000	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
PS-52	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-52	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
PS-6000i	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-6000i	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
PS-6000ih	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-6000ih	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
PS-6400	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-6400	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
PS-6400	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Dolmar

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
PS-6400HS	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
PS-6800i	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-6800i	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
PS-6800ih	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-6800ih	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
PS-7300	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-7300	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
PS-7300	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
PS-7900	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
PS-7900	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
PS-7900	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
PS9000	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
PS9010	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
100s	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
100s	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
100s	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
101	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
101	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
102	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
102	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
102	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
103	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
103	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
103	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
104	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
104	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
104	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
105	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
105	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
105	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
108	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
108	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
108	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
116si	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-
116si	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	-	-	-
122s	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
122s	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	-	-
120super	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	-	-	-
120super	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-
120super	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	-	-	-
118	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-
122sl	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
122sl	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	-	-
275	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
275	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
275	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-160A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-160A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-160A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-161A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-161A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-161A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
166 (1,6mm)	#N/A	-	-	-	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Dolmar		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
295	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
295	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
295	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
270	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
270	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
270	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
CA113 (1,5mm)	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
CA113 (1,5mm)	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	-	-
CT (1,6mm)	#N/A	-	-	-	-
ES1600	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES1600	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES1600	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
144A (1,6mm)	#N/A	-	-	-	-
ES-140	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-140	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-140	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES160	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES160	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES160	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-151A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-151A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-151A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
CC-S (1,6mm)	#N/A	-	-	-	-
133 super	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
133 super	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	-	-
DD (1,6mm)	#N/A	-	-	-	-
152 (1,6mm)	#N/A	-	-	-	-
CC (1,6mm)	#N/A	-	-	-	-
CA113 (1,6mm)	#N/A	-	-	-	-
153 (1,6mm)	#N/A	-	-	-	-
201	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
201	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
ES-171A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-171A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-171A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-2040A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-2040A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-2040A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-2040A	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	-	FLO001	-
ES-36A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES-36A	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES-36A	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
ES3035A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES3035A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES3035A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-2045A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-2045A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-2045A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-2045A	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	-	FLO001	-
ES-1800	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO001	-
ES-1800	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
ES-35	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Dolmar

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
ES-35	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-3	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-3	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-3	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-32A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES-32A	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES-32A	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
ES-2030A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-2030A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-2030A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-2030A	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	-	FLO001	-
ES-30	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-30	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-37A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES-37A	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES-37A	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
PS-3400TH	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-3400TH	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-3400TH	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-6A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-6A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-6A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-34 (1,3mm)	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-34 (1,3mm)	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-39	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-39	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-39	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-342	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-342	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-342	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-3 (1,1mm)	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
PS-3 (1,1mm)	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
PS-33	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-33	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-33	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-41 (1,3mm)	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-41 (1,3mm)	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-390	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-390	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-390	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
ES-40A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
ES-40A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-40A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-36	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
PS-36	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
PD	#N/A	-	-	-	-
ES-4A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
ES-4A	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES-4A	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
ES-5A	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
ES-5A	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
ES-41A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Dolmar		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
ES-41A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ES-41A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-45 (1,3mm)	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
PS-45 (1,3mm)	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PS-45 (1,3mm)	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
PS-222 TH/25	Bar Length - 8 inch/25 cm	-	-	-	-
PS-32 C TLC/40 cm	Bar Length - 16 inch/40cm	-	-	-	-
ES-173 A/40 cm	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	-	-
PS-32 C/35	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	-	-	-
PS-420 SC/45	Bar length - 18 inch/45 cm	-	-	-	-

Dynamac		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
30F	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
30F	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
30F	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
35F	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
35F	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
35F	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DY15E	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FLO003	-
DY17E	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
DY17E	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
DY17E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
DY36	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DY36	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DY36	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
DY41	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
DY41	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DY41	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
DY41	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-

Echo		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
(ES,WES)	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
E140/155	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
E140/155	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
E140/155	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS2000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS2000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS2000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-2100	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS2600	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS2600	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS2600	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-2800	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-2800	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-2800	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Echo

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
CS-280E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-280E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-280E	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-285EVL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-285EVL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-285EVL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-2900	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-2900	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-2900	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-290EVL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-290EVL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-290EVL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS3000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS3000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS3000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-300EVL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-300EVL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-300EVL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-301	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-301	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-301	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-302	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-302	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-302	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS3050	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS3050	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS3050	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-3050	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-3050	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-3050	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-315	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-315	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-315	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-320EVL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-320EVL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-320EVL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-328	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-328	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-328	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-330EVL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-330EVL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-330EVL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS3400	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS3400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS3400	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-3400	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-3400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-3400	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-3450	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-3450	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-3450	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-3500	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-3500	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Echo

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
CS-3500	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-3500	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-350T	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-3600	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-3600	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-3600	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS-3600	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS-3600	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-3600	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS-3600	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-3600	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-360EV	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-360EV	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-360EV	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS360EVL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS360EVL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS360EVL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS3700	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS3700	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS3700	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS3700	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS3700	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-3900	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-3900	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS-3900	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS-3900	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS-3900	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-4000	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-4000	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-4000	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS-4000	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS-4000	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-4000	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS-4000	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-4000	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-400EVL	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-400EVL	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-400EVL	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS-400EVL	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS-400EVL	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-400EVL	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS-400EVL	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-400EVL	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-4010	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-4010	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-4010	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS4200	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS4200	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS4200	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS4200	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS4200	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-4200	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-4200	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Echo

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
CS-4200	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-4400	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS-4400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-4400	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-4400	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS-4400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS-4400	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-4400	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS-4400	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS-4400	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CS-4400	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-4400	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-440EVL	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-440EVL	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-440EVL	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-440EVLH	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-440EVLH	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS-440EVLH	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS-440EVLH	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS-440EVLH	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-4500	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-4500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-4500	Bar Length - 14 inch/35cm	-	-	FLO010	-
CS-4500	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0045	BRO052	FLO010	-
CS-4500	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-4500	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CS-4500	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-4500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-4600	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-4600	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-4600	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-4610	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-4610	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-4610	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-5000	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
CS-5000	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-5000	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
CS-5000	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
CS-5000	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
CS-5000	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-510	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-5100	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
CS-5500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-5501	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
CS-5501	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
CS-5501	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-6700	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
CS-6700	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
CS-6700	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CS-6701	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
CS-6701	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
CS-8000	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
CS-8000	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-



# Chainsaws

CHO - Chains  
BR0 - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Echo

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
ECS150	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
ECS150	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
ECS150	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FLO001	-
ECS1850FT	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
ECS1850FT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
ECS1850FT	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FLO001	-
CS-2700ES	14 inch/35cm 53 links 3/8 inch 1.3mm	CH0023	-	FLO001	-
CS-8001	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	-	-
CS-280EG	14 inch/35cm 53 links 3/8 inch 1.3mm	CH0023	-	FLO001	-
CS-1850FT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
CS-1850FT	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FLO001	-
CS-3700ES	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS-3700ES	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS-1550FT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
CS-1550FT	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FLO001	-
CS-4601	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS-4601	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
E140/155	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
E140/155	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
E140/155	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BR0037	FLO001	-

## Efco

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
114E	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
114E	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
114E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
115E	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FLO003	-
116E	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
116E	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
116E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
117E	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
117E	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
117E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
131	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
131	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
131	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BR0037	FLO001	-
134	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
134	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
134	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
135	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
135	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
135	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
136	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
136	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
136	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
138	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
138	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO010	-
138	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BR0058	FLO010	-
138	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BR0055	FLO010	-
140	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Efco

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
140	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
140	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
141	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
141	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
141	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
141	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
142	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
142	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
142	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
146	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
146	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
146	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
147	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
147	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
147	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
151	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
151	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
151	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
156	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
156	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
156	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
162	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
162	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
162	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
170	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
170	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
171	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
171	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
180	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
180	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
181	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
181	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
119E	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
119E	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-

## Einhell

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
PKS45/1AV	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
PKS50/1AV	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
PKS50/1AV	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
PKS45/1AV	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
PKS45/1AV	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
PKS50/1AV	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
PES30/2	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES34/2	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES34/2	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES30/2	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES30/2	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES34/2	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES34/3	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Einhell		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
PES35/3	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES40/3	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES40/3	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES35/3	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES34/3	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES34/3	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES35/3	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES40/3	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
40A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
40A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
40A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
41	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
41	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
41	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
EKS25	Bar Length - 10 inch/25cm	-	-	FLO001	-
EKS25	12 inch/30cm 47 links 3/8 inch 1.3mm	CH0017	-	FLO001	-
EKS25	14 inch/35cm 54 links 3/8 inch 1.3mm	CH0024	BRO031	FLO001	-
EKS25	16 inch/40cm 58 links 3/8 inch 1.3mm	CH0029	-	FLO001	-
EKS35	Bar Length - 10 inch/25cm	-	-	FLO001	-
EKS35	12 inch/30cm 47 links 3/8 inch 1.3mm	CH0017	-	FLO001	-
EKS35	14 inch/35cm 54 links 3/8 inch 1.3mm	CH0024	BRO031	FLO001	-
EKS35	16 inch/40cm 58 links 3/8 inch 1.3mm	CH0029	-	FLO001	-
KSE1435	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE1435	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE1435	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KSE1635	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE1635	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE1635	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KSE1640	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE1640	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE1640	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KSE2000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE2000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE2000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
MKS30	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
MKS30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
MKS30	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
MKS40AV	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
MKS40AV	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
MKS40AV	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
PE2TS	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PE2TS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PE2TS	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PE3TS	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PE3TS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PE3TS	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES1540	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES1540	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES1540	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES1640	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES1640	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES1640	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Einhell

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
PES35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS1635	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKS1635	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKS1635	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS1840	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKS1840	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKS1840	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS1AV	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKS1AV	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKS1AV	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKS35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKS35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKS40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKS40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
Prof1	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
Prof1	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Prof1	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
MKS 42/45	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
PES30/2	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES30/2	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES30/2	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES40/3	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES40/3	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES40/3	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES40/1AV	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES40/1AV	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES40/1AV	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES35/3	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES35/3	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES35/3	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
MKS 38/41	16 inch/40cm 54 links 3/8 inch 1.3mm	CH0025	-	FLO001	-
KSE3000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE3000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE3000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES34/3	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES34/3	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES34/3	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KSE4000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE4000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE4000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS 35/1AV	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
MKS 34	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE2040WK	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE2040WK	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE2040WK	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS 2040WK	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKS 2040WK	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKS 2040WK	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES2000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES2000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Einhell		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
PES2000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS45/1AV	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
PKS45/1AV	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
PKS45/1AV	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
PES4000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES4000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES4000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
MKS 35/35	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
MKS 38/45	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
PES3000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES3000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES3000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PEKS 20400W	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PEKS 20400W	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PEKS 20400W	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES34/2	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES34/2	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES34/2	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES1840	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES1840	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES1840	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PES1435	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PES1435	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PES1435	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS50/1AV	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
PKS50/1AV	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
PKS50/1AV	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-

Farm und Garten		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
150EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
160EL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
160EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
165EL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
165EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
170EL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
170EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
180EL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
180EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
360P	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
360P	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
370P	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
370P	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
390P	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
390P	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
P349	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
P349	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-



## Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

### Flora Best

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
BKS 4614	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
BKS 4615	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
BKS 546E	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-

### Fluerelle

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
KS1435	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
KS1640	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KS1640	Bar Length - 18 inch/45cm	-	-	FLO001	-
KS1845	Bar Length - 18 inch/45cm	-	-	FLO001	-
KSB2035	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
KSB2035	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KSB2040	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KSB2640	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
KSB2640	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KSE1640	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KSE1640	Bar Length - 18 inch/45cm	-	-	FLO001	-
KSE1845	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KSE1845	Bar Length - 18 inch/45cm	-	-	FLO001	-
KSE2040-1	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KSE2040-1	Bar Length - 18 inch/45cm	-	-	FLO001	-

### Flymo

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
Woodshark 2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
Woodshark 2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
Woodshark 400	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-

### Gardena

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
CSI 4020-X	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
CST 3518	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CST 3519-X	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-

### Grizzly

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
EKS 1700-40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
EKS 2500/5 (QT)	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
7Profi	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
8Pro	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
BKS 35-14	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Grizzly		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
BKS 35-14	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
BKS 38-14	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
BKS 38-14	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
BKS 38-16	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
BKS 38-16	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
EKS 1700	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
EKS 1800	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
EKS 1800-40	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
EKS 2000/6 QT	Bar Length - 8inch/20cm	-	-	-	-
EKS 2000/8 QT	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
EKS 2000/QT	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
EKS 2000/QT	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
EKS 2200 QT	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
EKS 2500 QT	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
EKS 600T	Bar Length - 8inch/20cm	-	-	-	-
EKS Elettra 170	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
EKS1600	12 inch/30cm 49 links 3/8 inch 1.3mm	CH0019	-	FLO001	-
EKS1800-40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
EKS1800-40intenz	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
EKS2000	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
EKS2000QT	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
EKS400i	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
Farmer MKS360	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
FKS 2200/08	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
KSE400TL	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
KSH 600	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FLO001	-
KSI 2000	Bar Length - 20 inch/50cm	-	-	FLO001	-
P390	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
Parkside EKS1700	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
Parkside PKS40/3	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
ParksideEKS1650	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
Peugeot EKS1740	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
PKS 35	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
PKS 360	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
PKS 390	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
Pks 40	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
Topcraft TKS1	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-
TopcraftEKS1	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO001	-

Gude		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
KS 450 B	Bar Length - 20 inch/50cm	-	-	-	-
KS 400 BW	Bar Length - 20 inch/50cm	-	-	-	-
KS 401 E	Bar Length - 20 inch/50cm	-	-	-	-
KS 402 P	Bar Length - 20 inch/50cm	-	-	-	-
KS 500 B	Bar Length - 20 inch/50cm	-	-	-	-
KS 501 B	Bar Length - 20 inch/50cm	-	-	-	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Herkules

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
18/41	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
36/35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
39/41	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
41/41	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
41/41 AB 2003	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
49/46	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	-	-
49/46	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	-	-
KSE 1540	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	-	-
MKS S21/40	16 inch/40cm 54 links 3/8 inch 1.3mm	CH0025	-	-	-
P 352	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
P 372	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	-	-	-
PKS 1840	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-

## Homelite

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
150	Bar Length - 12 inch/30cm	-	-	FLO010	-
150	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
150	Bar Length - 14 inch/35cm	-	-	FLO010	-
150	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
150	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
150	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
192	Bar Length - 10 inch/25cm	-	-	FLO001	-
192	Bar Length - 12 inch/30cm	-	-	FLO001	-
192	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
192	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
200	Bar Length - 10 inch/25cm	-	-	FLO001	-
200	Bar Length - 12 inch/30cm	-	-	FLO001	-
200	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
200	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
205	Bar Length - 10 inch/25cm	-	-	FLO001	-
205	Bar Length - 12 inch/30cm	-	-	FLO001	-
205	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
205	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
240SL	Bar Length - 10 inch/25cm	-	-	FLO001	-
240SL	Bar Length - 12 inch/30cm	-	-	FLO001	-
240SL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
240SL	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
245SL	Bar Length - 10 inch/25cm	-	-	FLO001	-
245SL	Bar Length - 12 inch/30cm	-	-	FLO001	-
245SL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
245SL	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
290	Bar Length - 12 inch/30cm	-	-	FLO001	-
Super2/2CC	Bar Length - 10 inch/25cm	-	-	FLO001	-
Super2/2CC	Bar Length - 12 inch/30cm	-	-	FLO001	-
Super2/2CC	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Super2/2CC	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
30	Bar Length - 12 inch/30cm	-	-	FLO010	-
30	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
30	Bar Length - 14 inch/35cm	-	-	FLO010	-
30	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Homelite		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
30	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
30	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
33	Bar Length - 10 inch/25cm	-	-	FLO001	-
33	Bar Length - 12 inch/30cm	-	-	FLO001	-
33	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
33	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
3350B	Bar Length - 10 inch/25cm	-	-	FLO001	-
3350B	Bar Length - 12 inch/30cm	-	-	FLO001	-
3350B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
3350B	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
340 MINI	Bar Length - 12 inch/30cm	-	-	FLO001	-
3850B	Bar Length - 12 inch/30cm	-	-	FLO010	-
3850B	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
3850B	Bar Length - 14 inch/35cm	-	-	FLO010	-
3850B	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
3850B	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
3850B	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
415B	Bar Length - 12 inch/30cm	-	-	FLO010	-
415B	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
415B	Bar Length - 14 inch/35cm	-	-	FLO010	-
415B	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
415B	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
415B	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
4550B	Bar Length - 12 inch/30cm	-	-	FLO010	-
4550B	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
4550B	Bar Length - 14 inch/35cm	-	-	FLO010	-
4550B	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
4550B	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
4550B	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
Bandit	Bar Length - 10 inch/25cm	-	-	FLO001	-
Bandit	Bar Length - 12 inch/30cm	-	-	FLO001	-
Bandit	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Bandit	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
CC	Bar Length - 10 inch/25cm	-	-	FLO001	-
CC	Bar Length - 12 inch/30cm	-	-	FLO001	-
CC	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CC	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
CSP3314	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
CSP4016C	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
CSP4513	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
EL14	Bar Length - 10 inch/25cm	-	-	FLO001	-
EL14	Bar Length - 12 inch/30cm	-	-	FLO001	-
EL14	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EL14	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
Electric	Bar Length - 10 inch/25cm	-	-	FLO001	-
Electric	Bar Length - 12 inch/30cm	-	-	FLO001	-
Electric	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Electric	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
Electric XL	12 inch/30cm 49 links 3/8 inch 1.3mm	CH0019	-	FLO001	-
EX250	Bar Length - 12 inch/30cm	-	-	FLO010	-
EX250	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
EX250	Bar Length - 14 inch/35cm	-	-	FLO010	-
EX250	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Homelite

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
EX250	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
EX250	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
EZ	Bar Length - 12 inch/30cm	-	-	FLO010	-
EZ	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
EZ	Bar Length - 14 inch/35cm	-	-	FLO010	-
EZ	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
EZ	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
EZ	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
EZAuto	Bar Length - 12 inch/30cm	-	-	FLO010	-
EZAuto	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
EZAuto	Bar Length - 14 inch/35cm	-	-	FLO010	-
EZAuto	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
EZAuto	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
EZAuto	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
LX30	Bar Length - 10 inch/25cm	-	-	FLO001	-
LX30	Bar Length - 12 inch/30cm	-	-	FLO001	-
LX30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
LX30	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
Mini	Bar Length - 12 inch/30cm	-	-	FLO010	-
Mini	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
Mini	Bar Length - 14 inch/35cm	-	-	FLO010	-
Mini	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
Mini	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
Mini	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
Mokkimini	Bar Length - 12 inch/30cm	-	-	FLO001	-
Sabre 31	Bar Length - 10 inch/25cm	-	-	FLO001	-
Sabre 31	Bar Length - 12 inch/30cm	-	-	FLO001	-
Sabre 31	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Sabre 31	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
SUPER2	Bar Length - 12 inch/30cm	-	-	FLO001	-
Super2SL	Bar Length - 10 inch/25cm	-	-	FLO001	-
Super2SL	Bar Length - 12 inch/30cm	-	-	FLO001	-
Super2SL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Super2SL	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
Superezauto	Bar Length - 12 inch/30cm	-	-	FLO010	-
Superezauto	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
Superezauto	Bar Length - 14 inch/35cm	-	-	FLO010	-
Superezauto	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
Superezauto	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
Superezauto	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
Superxmini	Bar Length - 12 inch/30cm	-	-	FLO010	-
Superxmini	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
Superxmini	Bar Length - 14 inch/35cm	-	-	FLO010	-
Superxmini	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
Superxmini	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
Superxmini	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
VI-123	Bar Length - 12 inch/30cm	-	-	FLO010	-
VI-123	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
VI-123	Bar Length - 14 inch/35cm	-	-	FLO010	-
VI-123	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
VI-123	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
VI-123	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
VI-125	Bar Length - 12 inch/30cm	-	-	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Homelite		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
VI-125	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
VI-125	Bar Length - 14 inch/35cm	-	-	FLO010	-
VI-125	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
VI-125	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
VI-125	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
VISupermini	Bar Length - 12 inch/30cm	-	-	FLO010	-
VISupermini	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
VISupermini	Bar Length - 14 inch/35cm	-	-	FLO010	-
VISupermini	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
VISupermini	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
VISupermini	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
XL	Bar Length - 10 inch/25cm	-	-	FLO001	-
XL	Bar Length - 12 inch/30cm	-	-	FLO001	-
XL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
XL	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
XL-10	Bar Length - 10 inch/25cm	-	-	FLO001	-
XL-10	Bar Length - 12 inch/30cm	-	-	FLO001	-
XL-10	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
XL-10	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
XL100Series	Bar Length - 12 inch/30cm	-	-	FLO010	-
XL100Series	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
XL100Series	Bar Length - 14 inch/35cm	-	-	FLO010	-
XL100Series	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
XL100Series	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
XL100Series	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
XL2	Bar Length - 10 inch/25cm	-	-	FLO001	-
XL2	Bar Length - 12 inch/30cm	-	-	FLO001	-
XL2	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
XL2	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
XL250	Bar Length - 12 inch/30cm	-	-	FLO010	-
XL250	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
XL250	Bar Length - 14 inch/35cm	-	-	FLO010	-
XL250	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
XL250	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
XL250	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
XL2Super	Bar Length - 10 inch/25cm	-	-	FLO001	-
XL2Super	Bar Length - 12 inch/30cm	-	-	FLO001	-
XL2Super	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
XL2Super	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-
XL76	Bar Length - 12 inch/30cm	-	-	FLO010	-
XL76	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
XL76	Bar Length - 14 inch/35cm	-	-	FLO010	-
XL76	16 inch/40cm 67 links 0.325 inch 1.3mm	CH0049	-	FLO010	-
XL76	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
XL76	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
XLTI	Bar Length - 10 inch/25cm	-	-	FLO001	-
XLTI	Bar Length - 12 inch/30cm	-	-	FLO001	-
XLTI	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
XLTI	16 inch/40cm 59 links 3/8 inch 1.3mm	CH0030	-	FLO001	-





# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Husqvarna		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
133	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
133	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
133	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
136	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
136	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
136	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
136	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
136	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
136	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
136	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
136	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
136	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
137	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
141	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
141	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
141	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
141	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
141	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
141	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
141	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
141	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
141	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
154	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
154	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
154	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
154	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
154	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
154	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
162	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
162	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
162	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
162	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
181	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
181	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
181	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
181	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2100	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2100	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2100	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2100	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
234	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
234	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
234	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
238	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
238	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
238	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
242	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
242	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
242	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
242	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
242	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
242	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
242XP	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Husqvarna

Xref1y	Xref2y	Xref3y	Xref4y
--------	--------	--------	--------

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
242XP	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
242XP	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
242XP	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
242XP	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
242XP	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
246	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
246	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
246	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
246	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
246	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
246	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
250PS	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FLO001	-
254	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
254	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
254	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
254	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
254	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
254	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
254	16 inch/40cm 60 links 3/8 inch 1.3mm	CH0036	BRO058	FLO010	-
254	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
254	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
257	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
257	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
257	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
257	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
257	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
257	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
262	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
262	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
262	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
262	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
262	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
262	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
266	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
266	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
266	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
266	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
268	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
268	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
268	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
268	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
272	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
272	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
272	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
272	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
281	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
281	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
281	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
281	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
285	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
285	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
285	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
285	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Husqvarna		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
288	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
288	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
288	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
288	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
298	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
298	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
298	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
298	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
3120	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
3120	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
3120	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
3120	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
315E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
315E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
315E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
316E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
316E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
316E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
317	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
318E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
318E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
318E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
321	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
325P4X	10 inch/25cm 40 links 3/8 inch 1.3mm	CH0011	-	FLO001	-
33	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
33	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
33	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
33	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
33	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
33	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
33	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
33	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
33	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
333	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
333	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
333	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
334	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
334	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
334	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
334T	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
335XPT	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
335XPT	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
335XPT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
335XPT	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
336	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
336	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
338XPT	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
339XP	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
340	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
340	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
340	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
340	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
340	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Husqvarna

Xref1y	Xref2y	Xref3y	Xref4y
--------	--------	--------	--------

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
340	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
340(e)	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
345	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
345	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
345	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
345	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
345	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
345	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
345(e)	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
346	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
346	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
346	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
346XP	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
346XP	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
346XP	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
346XP	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
346XP	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
346XP	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
346XP (XPG, XPG E-Tech)	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
350	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
350	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
350	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
350	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
350	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
350	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
351	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
351	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
351	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
353 (G, G E-Tech)	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
357	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
357	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
357	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
357	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
357	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
357	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
357XP (XPG, XPG E-Tech)	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
357XP (XPG, XPG E-Tech)	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
359	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
359	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
359	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
359	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
359	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
359	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
36	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
36	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
36	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
36	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
36	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
36	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
36	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
36	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
36	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
362	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Husqvarna		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
362	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
362	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
362	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
362	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
362	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
363	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
363	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
363	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
365	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
365	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
365	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
365	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
371	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
371	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
371	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
371	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
372	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
372	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
372	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
372	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
380	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
380	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
380	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
380	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
385	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
385	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
385	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
385	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
394	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
394	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
394	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
394	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
395	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
395	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
395	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
395	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
40	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
40	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
40	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
40	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
40	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
40	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
41	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
41	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
41	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
41	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
41	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
41	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
41	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
41	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
41	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
42	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
42	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Husqvarna

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
42	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
42	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
42	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
42	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
44	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
44	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
44	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
44	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
44	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
44	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
444	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
444	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
444	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
45	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
45	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
45	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
45	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
45	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
45	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
455 Rancher	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
455 Rancher	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
480	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
480	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
480	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
480	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
49	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
49	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
49	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
49	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
49	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
49	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
50	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
50	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
50	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
50	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
50	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
50	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
51	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
51	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
51	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
51	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
51	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
51	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
55	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
55	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
55	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
55	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
55	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
55	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
61	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
61	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
61	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
61	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Husqvarna

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
61	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
61	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
61	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
65	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
65	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
65	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
65	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
66	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
66	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
66	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
66	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
77	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
77	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
77	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
77	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
E1400	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
E1400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
E1400	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
E1400	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
E1400	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
E1400	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
E1400	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
E1600	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
E1600	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
E1600	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
E1600	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
E1600	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
E1600	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
EL1200	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
EL1200	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
EL1200	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
EL1200	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
EL1200	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
EL1200	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
EL16	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
EL16	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
EL16	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
EL16	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
EL16	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
EL16	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
E-TECH	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
E-TECH	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
E-TECH	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
351/G	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
351/G	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
351/G	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
Husky32	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
Husky32	12 inch/30cm 47 links 3/8 inch 1.3mm	CH0017	-	FLO001	-
Husky32	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
Husky32	14 inch/35cm 53 links 3/8 inch 1.3mm	CH0023	BRO031	FLO001	-
Husky32	16 inch/40cm 58 links 3/8 inch 1.3mm	CH0029	-	FLO001	-
Husky34	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
Husky34	12 inch/30cm 47 links 3/8 inch 1.3mm	CH0017	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Husqvarna

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
Husky34	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
Husky34	14 inch/35cm 53 links 3/8 inch 1.3mm	CH0023	BRO031	FLO001	-
Husky34	16 inch/40cm 58 links 3/8 inch 1.3mm	CH0029	-	FLO001	-
Husky35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
Husky35	12 inch/30cm 47 links 3/8 inch 1.3mm	CH0017	-	FLO001	-
Husky35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
Husky35	14 inch/35cm 53 links 3/8 inch 1.3mm	CH0023	BRO031	FLO001	-
Husky35	16 inch/40cm 58 links 3/8 inch 1.3mm	CH0029	-	FLO001	-
Husky38	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
Husky38	12 inch/30cm 47 links 3/8 inch 1.3mm	CH0017	-	FLO001	-
Husky38	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
Husky38	14 inch/35cm 53 links 3/8 inch 1.3mm	CH0023	BRO031	FLO001	-
Husky38	16 inch/40cm 58 links 3/8 inch 1.3mm	CH0029	-	FLO001	-

## Ikra

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
KS 1400-T/30	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1200-B/30	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1200-B/30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1400-T/30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1400-T/30	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1200-B/30	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
KS 1400-T/30	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1500-T/35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1500-T/35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
35	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
KS 1500-T/35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1500-T/35	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
35	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1600-TS/40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1400-B/40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1400-B/40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1600-TS/40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1600-TS/40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1400-B/40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
KS 1600-TS/40	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
40	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
45	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
TF/S-40/45	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
TF/S-40/45	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
45	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
45	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
TF/S-40/45	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
TF/S-40/45	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
45	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Ikra		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
EKS 1600-34	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1600-34	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EKS 1600-34	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1600-34	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
EKS 1600-40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1600-40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EKS 1600-40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1600-40	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
EKS 1700	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1700	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EKS 1700	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1700	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
EKS 1800-40DL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1800-40DL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EKS 1800-40DL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1800-40DL	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
EKS 1800-40KS	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1800-40KS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EKS 1800-40KS	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1800-40KS	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
KS 2000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 2000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 2000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 2000	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
KSB3940	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
A 104A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A 104A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A 104A	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A 104S	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A 104S	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A 104S	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A 204S/B	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A 204S/B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A 204S/B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A 205/B	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A 205/B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A 205/B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A 205B-40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
BKS 4135	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
BKS 4135	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
BKS 4135	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
BKS 4141	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
BKS 5146	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
EKS 1600	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1600	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO026	FLO001	-
EKS 1600	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO037	FLO001	-
EKS 1650	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1650	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EKS 1650	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1650	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EKS 1800	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 1800	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO026	FLO001	-
EKS 1800	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO037	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Ikra		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
EKS 30	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EKS 35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EKS 40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
FA 12	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
FA 12	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
FA 12	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
FA 14	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
FA 14	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
FA 14	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
H 014A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
H 014S	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
H 014S	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
H 014S	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 12	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 12	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 12	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1200	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1200	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1200	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1200B	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1200B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1200B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1200-B/30	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1200-B/30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1200-B/30	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
KS 1250	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1250	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1250	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 12A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1300Shark	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
KS 14	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 14	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 14	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1400A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1400A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1400A	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1400-B/40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1400-B/40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1400-B/40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
KS 1400-T/30	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1400-T/30	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1400-T/30	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1400-T/30	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
KS 1400TS	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1400TS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1400TS	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 14A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1500B-40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
KS 1500-T/35	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1500-T/35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1500-T/35	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1500-T/35	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
KS 1500TS	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Ikra		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
KS 1500TS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1500TS	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1600	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1600	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1600	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1600T	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1600T	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1600T	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1600TF	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1600TF	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1600TF	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1600-TS/40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1600-TS/40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1600-TS/40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1600-TS/40	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
KS 1640	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1640	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1640	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1700DL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1700DL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1700DL	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1800TF	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1800TF	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1800TF	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 1800TS	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 1800TS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 1800TS	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 2000TF	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 2000TF	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 2000TF	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 2000TS	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 2000TS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 2000TS	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KS 400	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KS 400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KS 400	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
KSE 2000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
KSE 2000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
KSE 2000	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
MKS 35	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
MKS 40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PKS 40	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PKS 40	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PKS 40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
PKS 45	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
SEK 618	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
Shark	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
Shark	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Shark	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
TF/S-40/45	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
TF/S-40/45	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
TF/S-40/45	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
TF/S-40/45	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Jonsered		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
2012	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2012	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2012	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2014	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2014	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2014	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2014	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2014	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2015	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2015	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2015	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2016	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2016	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2016	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2016EL	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2016EL	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2033	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
2033	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
2033	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
2035	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
2035	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2035	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
2036	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2036	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2036	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2036	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2036	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2040	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2040	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2040	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2040	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2040	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2041	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2041	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2041	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2045	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2045	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2045	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2045	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2045	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2050	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2050	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2050	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2051	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2051	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2051	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2051	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2051	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2054	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2054	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2054	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2054	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2054	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Jonsered		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
2055	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
2055	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2055	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2055	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2055	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2063	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2063	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2065	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2065	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2065	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2065	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2071	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2071	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2071	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2071	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2077	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2077	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2077	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2077	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2083	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2083	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2083	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2083	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2094	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2094	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2094	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2094	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2095	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2095	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2095	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2095	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2115EL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
2115EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2115EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
2117 EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2118EL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
2118EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2118EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	-
2121EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2135T	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FLO003	-
2137	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2137	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2137	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2137	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2138	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2141	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2141	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2141	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2141 (S)	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2145	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO064	FLO010	-
2145	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2145	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2145 (S)	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Jonsered		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
2147 (C,WH,CWH)	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2149	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2149	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2149	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2150	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2150	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2150	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2152	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2152	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2152	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2152 (°C)	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2153 (WH, CWH)	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2156	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2159	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2159	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
2159	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2159	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2159	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2159	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2159 (C,W,CWH)	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2163	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2163	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2163	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2163	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2163	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2165	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2165	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
2165	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2165	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2165	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2165	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2165	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
2171	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2171	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2171	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2171	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2186	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
2186	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
2186	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
2186	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
2255	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
261	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO025	FLO001	-
261	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
261	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
361	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
361	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
361	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
365	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
365	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO025	FLO001	-
365	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
370	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
370	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
370	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Jonsered		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
380	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
380	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
380	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
410	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
410	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
410	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
420	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
420	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
420	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
435	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
435	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
435	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
45	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
45	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
45	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
451	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
451	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
451	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
451EVS	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
451EVS	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
451EVS	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
452	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
452	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
452	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
455	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
455	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
455	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
455	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
455	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
45E	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
45E	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
45E	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
490	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
490	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
490	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
49SP	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
49SP	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
49SP	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
50	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
50	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
50	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
51	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
51	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
51	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
510	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
510	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
510	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
520	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
520	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
520	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
525	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
525	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
525	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Jonsered		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
535	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
535	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
535	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
535	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
535	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
590	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
590	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
590	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
60	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
60	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
601	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
601	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
62	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
62	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
621	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
621	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
625	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
625	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
625	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
625	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
630	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
630	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
630	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
630	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
630 Super	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
630 Super	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
630 Super	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
630 Super	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
66	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
66	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
670	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
670	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
670	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
670	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
670 Champ	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
670 Champ	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
670 Champ	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
670 Champ	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
70	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
70	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
75	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
75	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
751	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
751	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
80	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
80	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
801	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
801	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
820	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
820	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
820	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
820	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
830	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Jonsered		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
830	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
830	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
830	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
90	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
90	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
910E	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
910E	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
920	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
920	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
920	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
920	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
930	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
930	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
930	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
930	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
Babysaw M36	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
Babysaw M36	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO025	FLO001	-
Babysaw M36	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
Babysaw M36	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
EL1200	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
EL1200	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
EL1200	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
EL14	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
EL14	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
EL14	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
EL14	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
EL14	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
M361	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
M361	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO025	FLO001	-
M361	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
M361	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-

Landi		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
do it ++ garden	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-

Lidl		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
CS 2115 EL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS 2115 EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS 2115 EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
CS 2120 EL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS 2120 EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS 2120 EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
CS 2137	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
CS 2137	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
CS 2137	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-



# Chainsaws

CHO - Chains  
BR0 - Bars

FLO - Filing equipment  
SGO - Spark plugs

Lidl		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
CS 2141	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2141	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2145	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2145	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2147	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2147	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2150	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2150	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2152	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2152	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2156	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2156	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2156 (3/8")	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-
CS 2159	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2159	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2159 (3/8")	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-
CS 2163	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO001	-
CS 2163	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CS 2163 (3/8")	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-
CS 2165 (3/8")	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-
CS 2171 (3/8")	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	-	-	-

LUX		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
A-AS 18Li/20	Bar Length - 8 inch/20 cm	-	-	-	-
A-KS 18Li/20	Bar Length - 8 inch/20 cm	-	-	-	-
B-KS 40/40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	-	-
BKS-45/45 MM	Bar Length - 18 inch/45cm	-	-	-	-
E-AA 710/20	Bar Length - 8 inch/20 cm	-	-	-	-
E-KS 2400/40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	-	-
EKS-L 2200/40	Bar Length - 16 inch/40 cm	-	-	-	-
B-KS 46-45	Bar Length - 18 inch/45 cm	-	-	-	-
PS-420 SC/45	Bar Length - 18 inch/45cm	-	-	-	-

Makita		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
DCS34	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
DCS340	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DCS340	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
DCS340	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
DCS340	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
DCS340	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BR0036	FLO001	-
DCS340	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-
DCS3400TH	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DCS341	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DCS341	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BR0026	FLO001	-
DCS341	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BR0036	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Makita

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
DCS350	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DCS350	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS350	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS380	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DCS380	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS380	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS390	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DCS390	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS390	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS400	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DCS400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS400	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS401	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
DCS401	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS401	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS410	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
DCS410	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DCS410	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
DCS411	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
DCS411	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DCS411	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
DCS430	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS430	15 inch/38cm 64 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS430	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS4300i	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS4300i	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
DCS4300i	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS4300i	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS4300i	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
DCS431	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS4600S	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS4610-35	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS4610-40	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
DCS500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS5001	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS520	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS520	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
DCS520	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS520	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS520	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
DCS5200i	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
DCS5200i	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
DCS5200i	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS5200i	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS5200i	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
DCS6000i	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS6000i	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS6400	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
DCS6400	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
DCS6401	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
DCS6800i	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS6800i	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS7300	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Makita

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
DCS7300	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
DCS7900	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
DCS7900	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
DCS9000	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS9010	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
UC3000	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
UC3000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3000	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC3010A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
UC3020	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
UC3020A	12 inch/30cm 46 links 3/8 inch 1.1mm	CH0003	-	FLO003	-
UC3500	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
UC3500	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3500	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC3503A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
UC3520A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3530A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC4000A	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
UC4000A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC4000A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC4020A	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
UC4030A	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
UC4030AK	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
DCS33	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DCS33	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3001A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC3001A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3001A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DES380	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DES380	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
DCS431 (0,325")	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DCS431 (0,325")	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
DCS52	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS52	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
DCS330TH	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DCS330TH	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3510A	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BRO005	FLO003	-
DCS4300i (0,325")	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DCS4300i (0,325")	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
DES350	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DES350	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DES350	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC4001A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC4001A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC4001A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS330s	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DCS330s	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS330s	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS330	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DCS330	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS330	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS520i	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS520i	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Makita

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
DCS344	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DCS344	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS344	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DES400	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DES400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DES400	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS43	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
DCS43	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
UC4000	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC4000	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC4000	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS5200i (0,325")	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DCS5200i (0,325")	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
UC3500A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC3500A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3500A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS342	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
DCS342	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
DCS342	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC3003A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC3003A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3003A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC3501A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC3501A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3501A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC3000A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC3000A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC3000A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
UC4003A	12 inch/30cm 46 links 3/8 inch 1.3mm	CH0016	-	FLO001	-
UC4003A	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
UC4003A	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	-
DCS430 (0,325")	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
DCS430 (0,325")	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
UC4010A	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
006	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
006	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SG0002
050	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SG0002
050	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
050	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SG0002
10	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
10	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SG0002
10	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
10	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SG0002
10	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SG0002
1000	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
10-10	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
1030	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
1030	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SG0002
1030	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
1030	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SG0002
1030	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SG0002
1035	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
1035	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SG0002
1035	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
1035	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SG0002
1035	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SG0002
1-10	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
12	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
12	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SG0002
12	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
12	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SG0002
12	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SG0002
14	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
14	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SG0002
14	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
14	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SG0002
14	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SG0002
16E	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
16E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SG0002
16E	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
16E	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SG0002
16E	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SG0002
2-10	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
300	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SG0002
300	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
300	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SG0002
3-10	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
3214	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
3214	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
3214	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
3214	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
3214	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
3216	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
3216	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
3216	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
3216	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
3216	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
330	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
330	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
330	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
330	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
330	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
340	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
340	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
340	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
340	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
340	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
3516	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
3516	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
3516	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
3516	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
3516	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
3518	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
3518	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
3518	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
3518	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
3518	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
364	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
400P	14 inch/35cm 56 links 0.325 inch 1.3mm	CH0042	-	FLO010	SGO002
400P	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0046	-	FLO010	SGO002
400P	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
4-10	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
4600	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	SGO002
4600	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
4700	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	SGO002
4700	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
474	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
474	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
474	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
474	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
474	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
484	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
484	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
484	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
484	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
484	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
4900	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	SGO002
4900	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
5000	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	SGO002
5000	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
55	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
555	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
60	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
610	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
6-10	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
650	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
655	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
70	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
700	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
7-10	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
730	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
735	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
735	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
735	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
735	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
735	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
80	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
800	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
805	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
838	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
850	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
955	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
C180	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## McCulloch

Xref1y	Xref2y	Xref3y	Xref4y
--------	--------	--------	--------

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
C180	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
C180	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
C180	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
C180	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
California	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
California	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
California	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
California	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
California	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
California	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
California Kit (Intenz)	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO070	FLO001	SGO002
California Kit (Intenz)	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
CP55	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
CP70	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
CP70L	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
CS 330	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
CS 340	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO078	FLO001	SGO002
CS 340	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	SGO002
CS 360	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
CS 360	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
CS 360T	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO078	FLO001	SGO002
CS 360T	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
CS 380	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO078	FLO001	SGO002
CS 380	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	SGO002
CS 400	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
CS 400T	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
CS 400T	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
CS 410 ELITE	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO075	FLO019	SGO002
CS 410 ELITE	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO076	FLO019	SGO002
CS 410 ELITE	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO077	FLO019	SGO002
CS 450 ELITE	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO076	FLO019	SGO002
CS 450 ELITE	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO077	FLO019	SGO002
CS 450 ELITE	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO075	FLO019	SGO002
Dakota 442	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
Datona 1000	14 inch/35cm 56 links 0.325 inch 1.3mm	CH0042	-	FLO010	SGO002
Datona 1000	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0046	-	FLO010	SGO002
Datona 1000	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
Day 900	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Day 900	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
Day 900	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
Day 900	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Day 900	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
DE50	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
E Promac 2200	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
E Promac 2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
Eagerbeaver	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Eagerbeaver	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
Eagerbeaver	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
Eagerbeaver	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Eagerbeaver	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
EL 1750-14	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 1650	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 1750	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
Electramac 1816	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 2140	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 2140	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 22	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	SGO002
Electramac 230	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	SGO002
Electramac 235	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 235	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 24	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 240	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 26	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 312	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	SGO002
Electramac 312 schuko	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	SGO002
Electramac 312S	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	SGO002
Electramac 314	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 314 schuko	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 314S	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 316	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 316 schuko	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 316S	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 330	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	SGO002
Electramac 330 schuko	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	SGO002
Electramac 335	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 335 schuko	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 335 schuko	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 340	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 340 schuko	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 340 schuko	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 340 super	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 414	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac 416	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac 422	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac ES275	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac ES280	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electramac ES330TL	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	SGO002
Electramac ES335TL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Electramac ES340TL	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electromac (all models)	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Electromac 1640	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Electromac 1650	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ES1816	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ES335	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Euromac 312	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	SGO002
Euromac 314	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Euromac 316	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Euromac ES314 schuko	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Euromac ES316 schuko	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Inline 1650	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	SGO002
Inline 1800T	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Inline 1800T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
M 1	Bar Length - 10 inch/25cm	-	-	FLO001	SGO002
M 1	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	SGO002
M 1	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
M 1	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	SGO002



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
M 2	Bar Length - 10 inch/25cm	-	-	FLO001	SGO002
M 2	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	SGO002
M 2	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
M 2	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	SGO002
M 4	Bar Length - 10 inch/25cm	-	-	FLO001	SGO002
M 4	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	SGO002
M 4	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
M 4	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	SGO002
M 6	Bar Length - 10 inch/25cm	-	-	FLO001	SGO002
M 6	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	SGO002
M 6	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
M 6	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	SGO002
M2040E	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
M3414	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
M3616	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
M3816	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
M4218	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
M4620	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	SGO002
Mac 120	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Mac 120	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
Mac 120	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
Mac 120	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
Mac 120	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 120	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Mac 130	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Mac 130	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
Mac 130	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
Mac 130	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 130	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
Mac 20X	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
MAC 20X POWER	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	BRO077	FLO010	SGO002
Mac 3-14XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 3-16XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 325	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 335	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 335	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
Mac 338	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 338	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO036	FLO001	SGO002
Mac 340	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
Mac 4-10XT	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 4-18XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 4-18XT	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
MAC 4-20XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 4-20XT	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 4-20XTC	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
Mac 435	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 435	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
Mac 436	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 438	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 438	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO036	FLO001	SGO002
Mac 442 - 531024274	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
Mac 444	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
Mac 538	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
Mac 538	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 538	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
Mac 538E	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac 539E	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac 539E	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 539E	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Mac 540	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 540	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Mac 540e	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 540e	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 540e	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 542E (Intenz)	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO070	FLO001	SGO002
Mac 542E (Intenz)	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
Mac 545 (Intenz)	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO070	FLO001	SGO002
Mac 545 (Intenz)	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
Mac 738	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 738	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 7-38	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 740	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 740	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 742	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 7-42	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
Mac 833	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac 835	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac 836	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac 836	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
Mac 838	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Mac 838	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
Mac 842	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 842	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
Mac 8-42 TL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
Mac 8-42 TL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
Mac 8-42 x series TL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
Mac 930	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Mac 930	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
Mac 930	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac 930	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
Mac 930	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Mac 935	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Mac 935	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
Mac 935	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac 935	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
Mac 935	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Mac 940	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Mac 940	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
Mac 940	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
Mac 940	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Mac 940	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
Mac 950	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SGO002
Mac 950	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
Mac 950	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
Mac 960	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SGO002
Mac 960	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
Mac 960	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
Mac 970	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SGO002
Mac 970	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
Mac 970	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
Mac Cat 839	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac Cat 839	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
Mac Cat 839	16 inch/40cm 54 links 3/8 inch 1.3mm	CH0025	BRO031	FLO001	SGO002
Mac Cat 839	16 inch/40cm 54 links 3/8 inch 1.3mm	CH0025	BRO031	FLO001	SGO002
Mac Cat 839	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Mac Cat 839	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
Mac S26	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
MAC2214AV	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
MAC2316AV	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
MAC2416AVT	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
MAC2618CAV	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
MAC2818AV	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
MAC335	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
MAC340	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
MAC3414	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
MAC3616	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
MAC3816	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
MAC416	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
MAC4218	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
MAC4618	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
MAC538	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
MAC542E	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO070	FLO001	SGO002
MACAT440	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
MACAT441	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
MacCat 435	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
MacCat 436	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
MacCat 438	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SGO002
MacCat 440	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
MacCat 440	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
MacCat 441 TL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO072	FLO001	SGO002
MacCat 441 TL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
MacCat 442 TL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SGO002
MacCat 442 TL	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SGO002
Minimac	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
Minimac	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
Minimac	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
Minimac	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
PN3616	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
PN3616	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
PN3816	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
PN3816	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO036	FLO001	SGO002
PowerMac 1600	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
PowerMac Plus 1750T	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	SGO002
PowerMac Plus 1800	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
Powermac Plus 1800	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
PowerMac Plus 1840T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ProMac 1042	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SGO002
ProMac 10-42	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SGO002
ProMac 10-42	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SGO002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
ProMac 10-42	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
ProMac 10-46	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
ProMac 10-46	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SG0002
ProMac 10-46	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
ProMac 1049	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	SG0002
ProMac 10-51	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
ProMac 10-51	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SG0002
ProMac 10-51	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
ProMac 1900	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
ProMac 2200	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
ProMac 2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 310	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 310	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
ProMac 310	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
ProMac 310	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 310	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 320	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 320	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
ProMac 320	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
ProMac 320	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 320	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 33	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	SG0002
ProMac 36	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 36	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
ProMac 36	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
ProMac 36	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 36	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 360	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 360	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
ProMac 360	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
ProMac 360	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 360	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 364	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 364	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
ProMac 364	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
ProMac 364	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 364	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 364	18 inch/45cm 64 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 370	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 370	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
ProMac 370	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
ProMac 370	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 370	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 38	14 inch/35cm 56 links 0.325 inch 1.3mm	CH0042	-	FLO010	SG0002
ProMac 38	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0046	-	FLO010	SG0002
ProMac 38	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
ProMac 380	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 380	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SG0002
ProMac 380	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SG0002
ProMac 380	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
ProMac 380	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
ProMac 394	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
ProMac 394	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SG0002
ProMac 394	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
ProMac 394	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
ProMac 394	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
ProMac 40	14 inch/35cm 56 links 0.325 inch 1.3mm	CH0042	-	FLO010	SGO002
ProMac 40	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0046	-	FLO010	SGO002
ProMac 40	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
ProMac 400	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 400	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 400	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 400	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 400	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 46	14 inch/35cm 56 links 0.325 inch 1.3mm	CH0042	-	FLO010	SGO002
ProMac 46	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0046	-	FLO010	SGO002
ProMac 46	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
PROMAC 46	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SGO002
ProMac 470	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 470	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 470	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 470	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 470	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 474	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 474	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 474	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 474	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 474	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 480	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 480	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 480	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 480	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 480	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 484	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 484	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 484	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 484	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 484	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 486	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 486	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 486	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 486	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 486	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 494	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 494	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
ProMac 494	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
ProMac 494	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
ProMac 494	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
ProMac 51	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SGO002
ProMac 51	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
ProMac 51	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 510	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 510	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 510	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 510	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 510	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 54	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
ProMac 54	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 54	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	FLO005	SGO002
ProMac 55	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SGO002
ProMac 55	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
ProMac 55	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 6	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 6	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 6	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 6	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 6	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 60	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SGO002
ProMac 60	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
ProMac 60	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 61	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
ProMac 61	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 61	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 61	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	FLO005	SGO002
ProMac 70	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	SGO002
ProMac 70	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
ProMac 70	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 72	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002
ProMac 72	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	SGO002
ProMac 72	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	FLO005	SGO002
ProMac 730	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 730	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 730	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 730	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 730	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 734	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 734	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 734	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 734	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 734	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 735	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 735	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 735	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 735	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 735	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac 740	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
ProMac 740	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	SGO002
ProMac 740	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	SGO002
ProMac 740	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac 740	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SGO002
ProMac E1900	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ProMac E1900	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
ProMac E2200	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
ProMac E2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SGO002
14A/S	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SGO002
14A/S	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	SGO002
14A/S	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SGO002
14A/S	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SGO002
14A/S	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SGO002
SP60	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SGO002



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## McCulloch

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
SP81	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
Timberbear 849	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	SG0002
Timberbear 849	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
Titan 35	14 inch/35cm 56 links 0.325 inch 1.3mm	CH0042	-	FLO010	SG0002
Titan 35	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0046	-	FLO010	SG0002
Titan 35	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
Titan 40	14 inch/35cm 56 links 0.325 inch 1.3mm	CH0042	-	FLO010	SG0002
Titan 40	16 inch/40cm 64 links 0.325 inch 1.3mm	CH0046	-	FLO010	SG0002
Titan 40	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
Titan 41	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	SG0002
Titan 41	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
Titan 46	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	SG0002
Titan 46	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
Titan 50	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
Titan 57	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	SG0002
Titanium 2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
Titanium 3500	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
Titanium 4000	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
Titanium 420	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
Titanium 420	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	SG0002
Titanium 420	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SG0002
Titanium 460 (Intenz)	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO071	FLO001	SG0002
Titanium 735	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
Titanium 740	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
Xtreme 3.0	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SG0002
Xtreme 3.0	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO034	FLO001	SG0002
Xtreme 3.0	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO074	FLO001	SG0002
Xtreme 3.0 - 965193201	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	SG0002
Xtreme 3.0 - 965193202	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO010	SG0002
Xtreme 3.0 - 965193204	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	SG0002
Xtreme 3.2	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	SG0002
Xtreme 3.4	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SG0002
Xtreme 3.4	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	SG0002
BKS 4615	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
Inline 2200T	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	SG0002
14A/S	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO012	FLO001	SG0002
14A/S	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
14A/S	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	SG0002
14A/S	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	BRO047	FLO001	SG0002
ProMac E1900	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	SG0002
ProMac E1900	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	SG0002
CSE1835	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
CSE1935S	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
CSE1935SI	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
CSE2040	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
CSE2040S	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
CSE2040SI	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002





# Chainsaws

CHO - Chains  
BR0 - Bars

FLO - Filing equipment  
SGO - Spark plugs

MEP		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
PC 3514	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FL0001	-
PC 4016T	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FL0001	-

Metabo		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
KT 1441	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FL0001	-

MTD		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
ECS 18/35	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	-	-	-
ECS 20/40	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	-	-
GCS 25/30T	Bar Length - 12 inch/30cm	-	-	-	-
GCS 38/35	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	-	-	-
GCS 46/40	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	-	-
GCS 50/45	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	-	-

OBI		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
2115	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FL0001	-
1300-35KS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FL0001	-
1400-40KS	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FL0001	-

O.K.		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
EKS 1840	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FL0001	-

OL		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
BKS 3514	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FL0001	-
BKS 4516	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FL0001	-
BKS 4615	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FL0001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Oleo-Mac

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
233	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
233	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
233	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
234	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
234	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
234	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
240	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
240	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
240	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
244	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
244	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
244	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
250a	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
250a	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
251	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
251	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
251 Super	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
251 Super	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
251b	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
251b	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
252	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
252	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
254	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
254	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
261	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
261	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
264	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
264	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
271	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
271	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
272	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
272	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
284	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
284	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
335	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
335	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
335	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
340	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
340	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
340	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
350	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
350	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
350 Super	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
350 Super	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
355	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
355	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
460	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
460	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
480	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
480	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
481	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
481	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
482	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Oleo-Mac

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
482	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
484	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
930	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
930	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
930	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
931	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
931	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
931	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
935DX	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
935DX	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
935X	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
935X	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
935X	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
938	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
938	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
938	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
938	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
938	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
938	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
938	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
941	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
941	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
941	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
941	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
942	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
942	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
942	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
942	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
942	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
942	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
942	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
945	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
945	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
945	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
945	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
945	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
945	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
945	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
946	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
946	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
946	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
946	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
947	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
947	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
947	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
950	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
950	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
950	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
950	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
950	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
950 Super	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
950 Super	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
950 Super	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Oleo-Mac

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
950A	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
950A	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
950A	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
951	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
951	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
951	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
951	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
951	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
952	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
952	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
952	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
956	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
956	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
956	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
956	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
956	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
962	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
962	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
962	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
962	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
962	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
970	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
970	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
971	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
971	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
980	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
980	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
981	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
981	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
E140F	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
E140F	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
E140F	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
E160F	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
E160F	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
E160F	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
E1700	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
E1700	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
E1700	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
E1900	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
E1900	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
E1900	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
E200	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
E200	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
E300	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
E300	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
E300 F	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
E300 F	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
E300 F	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
EL500	12 inch/30cm 45 links 3/8 inch 1.1mm	CH0002	-	FLO003	-
SCS 33-30P	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
SCS 33-30P	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
241	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
241	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Oleo-Mac

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
241	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
936	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
936	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
936	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
935D	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
935D	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
935D	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
940C	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
940C	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
940C	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
OM-E170F	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
OM-E170F	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
OM-E170F	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
OM-E200	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
OM-E200	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
OM-E200	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-

## Olympyk

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
250a	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
250a	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
251	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
251	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
251 Super	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
251 Super	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
251b	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
251b	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
252	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
252	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
254	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
254	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
261	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
261	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
264	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
264	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
271	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
271	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
272	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
272	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
284	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
284	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
350	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
350	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
350 Super	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
350 Super	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
355	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
355	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
460	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
460	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
480	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Olympyk		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
480	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
481	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
481	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
482	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
482	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
484	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
484	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
938	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
938	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
938	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
942	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
942	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
942	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
945	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
945	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
945	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
947	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
947	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
947	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
950	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
950	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
950	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
950 Super	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
950 Super	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
950 Super	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
950A	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
950A	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
950A	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
951	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
951	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
951	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
952	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
952	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
952	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
956	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
956	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
956	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
956	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
956	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
962	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
962	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
962	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
962	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
962	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
970	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
970	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
971	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
971	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
980	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
980	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
981	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
981	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
E300	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-



# Chainsaws

CHO - Chains  
BR0 - Bars

FLO - Filing equipment  
SGO - Spark plugs

Olympyk		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
E300	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BR0068	FLO005	-
E300 F	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
E300 F	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
E300 F	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-

Other		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
1435	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0023	FLO001	-
EL1641	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BR0031	FLO001	-
ES2014	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0023	FLO001	-
ESR1816	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BR0031	FLO001	-
ESV1914	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0023	FLO001	-

Partner		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
100	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BR0067	FLO005	-
100	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
100	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
1200	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
12-EL	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
12-EL	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
12-EL	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-
1400	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
1400	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO010	-
1400EL	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
1400EL	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
1400EL	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-
1435	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
1435EL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
1436	14 inch/35cm 52 links 3/8 inch 1.1mm	CH0005	BR0005	FLO003	-
1450	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
1450	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
1450	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
1450	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO010	-
1450	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1450	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BR0055	FLO010	-
1450	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-
1500	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BR0049	FLO010	-
1500	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BR0052	FLO010	-
1500EL	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BR0064	FLO010	-
1500EL	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BR0065	FLO010	-
1500EL	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BR0066	FLO010	-
1535	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0023	FLO001	-
1535 ELP	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
1535EL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
1540	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BR0023	FLO001	-
1540	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BR0031	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Partner		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
1540	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1550	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
1550	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
1550EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1570	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1580	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1601	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
1601	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
1601	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1602	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
1602	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
1602	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1612	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
1612	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
1612	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1613	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
1613	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
1613	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1614	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
1614	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
1614	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1616	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
1616	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
1616	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1618	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
1618	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO025	FLO001	-
1618	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1640	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1640 ELP	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
1641	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
1641E	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
1650	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
1650	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
1650	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
1650	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
1650	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
1740	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1740	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1750ELP	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
1835	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
1835	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
1835EL	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
1840	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
1840	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
1840	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1850	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
1850	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
1850EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1916+	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1950EL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
1950EL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
20X	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
20X POWER	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SGO002





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Partner

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
20X POWER	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
2114	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
2114	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
2116	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
2140	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
33	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	-
330	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
330	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
330	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
330	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
335	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
335	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
335	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
335	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
33XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
340	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
340	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
340	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
340	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
345	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
345	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
345	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
345	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
350	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
350	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
350	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
350	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
350	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
350 Chrome	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
351	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
351	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
351	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
351	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
351 CCS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
351 Chrome	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
351XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
352	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
352	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
352	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
352	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
352 CCS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
352 Chrome	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
360	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
360	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
360	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
360	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
360	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
360	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
360	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
365	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
365	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
365	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
365	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Partner		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
365	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
365	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
365	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
370	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
370	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
370	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
370	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
371	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
371	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
371	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
371	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
371 Chrome	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
382 CCS	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
390	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
390	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
390	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
390	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
391	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
391	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO072	FLO001	-
391	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	-
391	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
395	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
395	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
395	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
395	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
400	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
400	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
400	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
400	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	BRO055	FLO010	-
400	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
401	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO072	FLO001	-
401	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	-
405	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
405	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
405	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
405	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
405	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
405	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
410	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
410	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
410	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
410	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
410	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
410	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
411	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
411	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
411	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
4-18XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
420	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
420	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
420	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
420	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Partner

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
4200	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
4200	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
4-20XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
421 TL	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
422	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	-
422 CCS	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
450	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
450	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
450	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
46	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
460	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
460	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
460	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
460	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
460	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
460	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
4600	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
4600	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
461	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
462	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
462	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
462	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
465	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
465	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
465	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
470	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
470	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
470	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
4700	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
4700	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
4900	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
4900	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
495	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
495	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
495	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
500	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
500	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
5000	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
5000	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
5000	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
510	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
510	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
510	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
510	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
510	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
510	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
511	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
511	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
5200	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Partner

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
5200	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
5300	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SGO002
540	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
540	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
540	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
540	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
540	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
540	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
540H	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
542	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
542	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
542	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
543	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
543	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
543	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
545	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
545	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
545	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
545	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
545	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
545	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
55	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
55	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
55	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
550	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
5500	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
5500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
5500	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
5500	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
5500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
605	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
65	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
65	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
65	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
650	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
650	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
650	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
660	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
660	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
70	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
70	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
70	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
7000	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
7000	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
7000	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
710	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
710	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
720	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	FLO005	-
738	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
738	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	-
740	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SGO002
740	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO031	FLO001	-
7700	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Partner

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
7700	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
842 Combi TL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO072	FLO001	-
842 TL	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
842 TL	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
842 TL	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
ES 18	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
ES 18	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ES 1900	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
ES 1916	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ES 2116	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ES 2200	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
ES 2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ES18	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
F-65	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
F-65	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
F-65	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
Formula 400	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Formula 55	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
Formula 60	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
Formula 60	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
Formula 60 +	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
Formula 60 PLUS	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	-
Formula 60E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
Formula 60E	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	SG0002
Minifarmersaw	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
Minifarmersaw	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
Minifarmersaw	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P1535	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
P1640	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
P1740	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
P1750	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
P1950	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
P2114	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
P33	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	-
P33	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P33XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P340S	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P350	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
P350S	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P350XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
P350XT CHROME	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
P350XT CHROME	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P351	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
P351XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P351XT CHROME	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
P352	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P352XT CHROME	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
P371	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P371XT CHROME	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
P391	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P401	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P411	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P418XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Partner

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
P4-18XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
P4200	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P420XT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P420XT	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P422	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO073	FLO001	-
P436 CHROME	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
P438 CHROME	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
P439 CHROME	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
P442XT CHROME	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P4600	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P461	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P462	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P4700	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
P4700	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SG0002
P4700	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	SG0002
P4900	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P5000 - 965193421	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
P5000 - 965193422	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SG0002
P5000 - 965193423	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	SG0002
P5100	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P511	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
P511	Bar Length - 15 inch/38cm	-	-	-	SG0002
P511	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	SG0002
P516	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P518	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
P520	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P5300	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	SG0002
P5300	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	SG0002
P5300	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0037	-	FLO010	SG0002
P543	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
P616	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P620	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P620T	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
P718T	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P718T	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
P719	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P719	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
P720	20 inch/50cm 72 links 3/8 inch 1.5mm	CH0059	-	FLO005	-
P722 T	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
P738	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
P738	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P740	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
P740	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P742	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P840	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P842	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002
P842	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
P842	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SG0002
P842 CC	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
P842 CC	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SG0002
PES18-16	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Pioneer		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
1072	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
1072	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
1072	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
1073	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
1073	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
1073	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
1074	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
1074	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
1074	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
970	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
970	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
970	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
Farmilite	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
Farmsawll	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
Farmsaw-S	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P21	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P21	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
P21	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P25	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P25	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
P25	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P25	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P26	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P26	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
P26	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P28	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P28	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
P28	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P28S	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
P28S	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
P28S	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
P38SS	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P40	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P41	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P41S	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P42HP	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P42S	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P50	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P51	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P51S	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P52S	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P60	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P61	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P61S	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
P62S	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

## Poulan

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
1400E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1616	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1635	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
1816	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
1840	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
200 Series	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2050AWWT	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
2150	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
2150+	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
2150AV	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
2250	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
2250	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
2375AWWT	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
245	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
2450	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
2450	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
2550	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
2550	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
300 Series	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
306	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
3400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
360	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
361	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
3700	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
375	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
3800	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
400 Series	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
4000	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
4200	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
4400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
4900	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
5200	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
5400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
835	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
ES 2200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ES 530	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO012	FLO001	-
ES 535	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
ES 640	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ES 840	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
ES400	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
HB 1500	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
P3416	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PN 3312	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PN 3312	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PN 4016	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PN 621	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO001	-
PN3312	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	BRO014	FLO001	-
PN3314	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PN3616	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PN3816	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PN4218	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SG0002
PN4620	20 inch/50cm 78 links 0.325 inch 1.3mm	CH0051	-	FLO010	-
Woodshark 2275	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	SG0002





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Poulan Pro		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
2250	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
2450	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
2550	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
260	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
4016	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
4016	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002
Pln Pro 260	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	SG0002
PP 3414	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PP 3414	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
PP3616	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
PP3641	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PP3816	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
PP3841	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
PP4018	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
PP4246	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
PP4618	18 inch/45cm 62 links 3/8 inch 1.3mm	CH0032	BRO048	FLO001	-
PP5118	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-

Qualcast		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
PC40	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	SG0002

Ryobi		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
35B	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
35B	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
35B	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CS1530	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CS1535	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CS1540	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CS36C	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CS36C	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CS36C	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CS41	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CS41	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CS41	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CSE330	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CSE330	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CSE330	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CSE385CB	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CSE385CB	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CSE385CB	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CSE5145	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CSE5650	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
CSN410	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
ECW1835	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
ECW1935	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Ryobi		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
ECW2040	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	BRO037	FLO001	-
HC31	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
HC31	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
HC31	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
HC36	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
HC36	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
HC36	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
HC41	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
HC41	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
HC41	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
PCN3335	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
PCN4040	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
PCN4545	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
CSE3330	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CSE3330	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CSE3330	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
HCS31	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
HCS31	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
HCS31	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CS384CB	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CS384CB	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CS384CB	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
CS385CB	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
CS385CB	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
CS385CB	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
HCS36	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	-	FLO001	-
HCS36	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	-	FLO001	-
HCS36	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-

Shindaiwa		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
140	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
140	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
140	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
150E	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
150E	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
150E	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
160	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
160	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
160	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
300S	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
300S	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
300S	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
305	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
305	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
305	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
305AVZ	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
305AVZ	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
305AVZ	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
340	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Shindaiwa

Xref1y	Xref2y	Xref3y	Xref4y
--------	--------	--------	--------

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
340	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
340	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
345	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
345	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
345	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
346	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
346	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
346	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
350	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
350	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
350	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
355	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
355	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
355	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
357	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
357	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
357	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
360	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
360	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
360	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
360	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
360	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
360	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
360	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
360	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
366	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
366	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
366	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
366	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
366	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
377	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
377	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
377	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
377	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
377	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
400	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
400	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
400	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
400	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
400	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
405	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
410	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
410	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
410	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
411	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
411	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
411	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
415	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
415	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
416	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
416	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
416	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
416	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Shindaiwa

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
416	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
420	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
420	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
420	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
420	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
420	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
450	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
450	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
450	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
450	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
450	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
451	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
451	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
451	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
451	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
451	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
460	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
461	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
462	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
465	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0036	BRO058	FLO010	-
465	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
470	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
488	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
488	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
488	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
488	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
488	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
490	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
490	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
490	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
495	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
495	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
495	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
500	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
500	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
500	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
500	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
500	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
500	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
510	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
510	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
510	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
510	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
510	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
510	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
511	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0033	BRO049	FLO010	-
511	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
511	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
538	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
538	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
538	18 inch/45cm 60 links 3/8 inch 1.3mm	CH0031	-	FLO001	-
560	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
560	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Shindaiwa

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
560	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
560	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
560	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
575	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
575	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
575	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
577	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
577	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
577	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
580	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
580	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
580	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
580	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
580	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
680	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
680	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
680	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
695	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
695	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
695	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
757	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
757	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
757	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
757C	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
757C	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
757C	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
A090B	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A090B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A090B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A100C	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A100C	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A100C	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A102	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A102	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A102	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A103	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A103	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A103	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A104P	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A104P	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A104P	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A105B	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A105B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A105B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A107	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A107	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A107	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A110	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A110	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A110	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A110P	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A110P	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A110P	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Shindaiwa

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
A113	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A113	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A113	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A113L	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A113L	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A113L	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A113P	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A113P	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A113P	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A117P	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A117P	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A117P	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A150B	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A150B	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A150B	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A180	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
A180	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
A180	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
A180B	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
A180B	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
A180B	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
A180B	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
A180B	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
EYB120	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EYB120	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EYB120	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EYB150	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EYB150	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EYB150	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
EYB180	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
EYB180	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
EYB180	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
YB1091	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
YB1091	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
YB1091	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
YB291	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
YB291	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
YB291	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
YB301	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
YB301	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
YB301	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
YB377	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
YB377	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
YB377	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
YB377	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
YB377	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
YB391	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
YB391	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
YB391	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
YB395	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
YB395	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
YB395	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
YB401	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

## Shindaiwa

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
YB401	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
YB401	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
YB491	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
YB491	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
YB491	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
YB495	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
YB495	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
YB495	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
YB495	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
YB495	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
YB501	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
YB501	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
YB501	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
YB501	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
YB501	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
YB601	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
YB601	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
YB601	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
YB601	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
YB601	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
YB691	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
YB691	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
YB691	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
YB691	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
YB691	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
YB701	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
YB701	13 inch/33cm 56 links 0.325 inch 1.5mm	CH0052	BRO064	FLO010	-
YB701	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
YB701	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
YB701	18 inch/45cm 72 links 0.325 inch 1.5mm	CH0054	BRO066	FLO010	-
YB801	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
YB801	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
YB801	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
YB901	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
YB901	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
YB901	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
1600ES	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
440	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO010	-
440	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
SBA-P230	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-

## Skil

Model	Description	Xref1y	Xref2y	Xref3y	Xref4y
1603H	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1604H	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1607	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1601HE	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1601HE	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1601HE	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1602HE	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Skill		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
1602HE	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1602HE	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1600HE	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1600HE	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1600HE	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1606H	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1606H	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1606H	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1610U	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1610U	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1610U	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1612U	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1612U	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1612U	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1616U	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1616U	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1616U	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1620U	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1620U	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1620U	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1634U	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1634U	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1634U	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1636U	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1636U	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1636U	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-
1712U	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
1712U	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	-	FLO001	-
1712U	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	-	FLO001	-

Solo		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
662	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
662	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
662	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
662	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
667	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
667	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
667	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
667	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
670	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
670	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
670	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
670	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
680	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
680	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
680	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
680	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
690	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
690	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-





# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Solo		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
690	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
690	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
694	15 inch/38cm 56 links 3/8 inch 1.5mm	CH0055	BRO067	FLO005	-
694	16 inch/40cm 60 links 3/8 inch 1.5mm	CH0056	-	FLO005	-
694	17 inch/42cm 64 links 3/8 inch 1.5mm	CH0057	-	FLO005	-
694	18 inch/45cm 68 links 3/8 inch 1.5mm	CH0058	BRO068	FLO005	-
614	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
614	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
614	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
620	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
620	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
620	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
633	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
633	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
633	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
636	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
636	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
636	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
637	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
637	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
637	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
639	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO001	-
639	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
640	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
640	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
640	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
643	12 inch/30cm 45 links 3/8 inch 1.3mm	CH0015	-	FLO001	-
643	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
643	16 inch/40cm 57 links 3/8 inch 1.3mm	CH0028	BRO037	FLO001	-
644	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO001	-
644	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
645	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO001	-
645	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-
650SP	15 inch/38cm 64 links 0.325 inch 1.3mm	CH0034	BRO052	FLO001	-
650SP	18 inch/45cm 72 links 0.325 inch 1.3mm	CH0050	-	FLO010	-

Stiga		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
SE180	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
SE190	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
SE200Q	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
SP338	16 inch/40cm 56 links 3/8 inch 1.3mm	CH0027	-	FLO001	-
SP340	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO021	FLO001	-
SP355	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO021	FLO001	-
SP370	13 inch/33cm 56 links 0.325 inch 1.3mm	CH0041	BRO049	FLO010	-
SP410	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
SP460	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-
SP510	16 inch/40cm 66 links 0.325 inch 1.3mm	CH0048	BRO058	FLO010	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Stihl		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
019T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
019T	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
019T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
020T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
020T	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
020T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
021C	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
021C	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
021C	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
023C	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
023C	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
023C	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
025C	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
025C	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
025C	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
10	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
10	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
10	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
11	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
11	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
11	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
9	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
9	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
9	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E180/CQT	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E180/CQT	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E180/CQT	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E10	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E10	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E10	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E14	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E14	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E14	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E160	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E160	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E160	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
EL40	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
EL40	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
HT70	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
HT70	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
HT75	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
HT75	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
MS170	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS180 (C Ergo Start)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO001	-
MS190	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MS190	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
MS190T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS190T	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO021	FLO001	-
MS190T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS192CE	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS192T	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MS200T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS200T	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Stihl		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
MS200T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS210	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS230 (C Ergo Start)	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
MS250 (C, C Ergo Start)	Bar Length - 13 inch/33cm	-	-	-	-
MS250E	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
MS260 (C, VVH)	Bar Length - 13 inch/33cm	-	-	-	-
MS280 (CQS)	Bar Length - 13 inch/33cm	-	-	-	-
MS361 VVH	Bar Length - 13 inch/33cm	-	-	-	-
MS460 VVH	Bar Length - 15 inch/38cm	-	-	-	-
MSE 140 C (BQ)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MSE 160 C (BQ)	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
MSE 200 C (BQ)	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	-	FLO001	-
MSE 220 CQ	15 inch/38cm 64 links 0.325 inch 1.5mm	CH0053	BRO065	FLO010	-
019 (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
019 (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
019 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
009 (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
009 (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
009 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
018 (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
018 (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
018 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
017 (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
017 (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
017 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
023L (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
023L (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
023L (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
024 (1,6mm)	#N/A	-	-	-	-
026 (1,6mm)	#N/A	-	-	-	-
028 (1,6mm)	#N/A	-	-	-	-
029 (1,6mm)	#N/A	-	-	-	-
034 (1,6mm)	#N/A	-	-	-	-
036 (1,6mm)	#N/A	-	-	-	-
038 (1,6mm)	#N/A	-	-	-	-
039 (1,6mm)	#N/A	-	-	-	-
044 (1,6mm)	#N/A	-	-	-	-
046 (1,6mm)	#N/A	-	-	-	-
064 (1,6mm)	#N/A	-	-	-	-
066 (1,6mm)	#N/A	-	-	-	-
15	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
15	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
15	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
18	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
18	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
18	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
20	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
20	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
20	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
21	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
21	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
21	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
23	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-



# Chainsaws

CHO - Chains  
BRO - Bars

FLO - Filing equipment  
SGO - Spark plugs

Stihl		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
23	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
23	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
23L	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
23L	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
23L	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
25	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
25	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
25	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E140	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E140	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E140	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E180	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E180	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E180	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E180/CQT	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E180/CQT	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E180/CQT	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E220C	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E220C	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E220C	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E220	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E220	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E220	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
E180C	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
E180C	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
E180C	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
HT70 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
MS 250	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS 250	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MS 250	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS 180	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS 180	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MS 180	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS 181	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS 181	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MS 181	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS 200	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS 200	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MS 200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS 170 (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MS 170 (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
MS 170 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
MS 190T (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MS 190T (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
MS 190T (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
MS 190T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS 190T	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MS 190T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
HT75 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
MS 180 (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MS 180 (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
MS 180 (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
MS 192T	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-



# Chainsaws

CHO - Chains

BRO - Bars

FLO - Filing equipment

SGO - Spark plugs

Stihl		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
MS 192T	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MS 192T	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS 230	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MS 230	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MS 230	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS192 T (1,1mm)	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MS192 T (1,1mm)	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
MS192 T (1,1mm)	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
MS440 (1,6mm)	#N/A	-	-	-	-
MS270 (1,6mm)	#N/A	-	-	-	-
MS310 (1,6mm)	#N/A	-	-	-	-
MS280 (1,6mm)	#N/A	-	-	-	-
MS441 (1,6mm)	#N/A	-	-	-	-
MS341 (1,6mm)	#N/A	-	-	-	-
MS340 (1,6mm)	#N/A	-	-	-	-
MS290 (1,6mm)	#N/A	-	-	-	-
MS260 (1,6mm)	#N/A	-	-	-	-
MS361 (1,6mm)	#N/A	-	-	-	-
MS390 (1,6mm)	#N/A	-	-	-	-
MS240 (1,6mm)	#N/A	-	-	-	-
MS360 (1,6mm)	#N/A	-	-	-	-
MS460 (1,6mm)	#N/A	-	-	-	-
MSE 160	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MSE 160	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MSE 160	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MSE 140	12 inch/30cm 44 links 3/8 inch 1.1mm	CH0001	-	FLO003	-
MSE 140	14 inch/35cm 50 links 3/8 inch 1.1mm	CH0004	BRO004	FLO003	-
MSE 140	16 inch/40cm 56 links 3/8 inch 1.1mm	CH0006	-	FLO003	-
MS640 (1,6mm)	#N/A	-	-	-	-
MS650 (1,6mm)	#N/A	-	-	-	-
MSE 180	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MSE 180	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MSE 180	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-
MS660 (1,6mm)	#N/A	-	-	-	-
MSE 200	12 inch/30cm 44 links 3/8 inch 1.3mm	CH0014	BRO009	FLO001	-
MSE 200	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO021	FLO001	-
MSE 200	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	-	FLO001	-

Talon		Xref1y	Xref2y	Xref3y	Xref4y
Model	Description				
A311014	14 inch/35cm 52 links 3/8 inch 1.3mm	CH0022	BRO026	FLO001	-
AC211114	14 inch/35cm 50 links 3/8 inch 1.3mm	CH0021	BRO023	FLO001	-
AC211116	16 inch/40cm 55 links 3/8 inch 1.3mm	CH0026	BRO031	FLO001	-
AC3100	14 inch/35cm 49 links 3/8 inch 1.3mm	CH0020	BRO023	FLO001	-
AC31A116-35S	16 inch/40cm 54 links 3/8 inch 1.3mm	CH0025	BRO031	FLO001	-

**Julie Blades - Product Manager**

julie.blades@husqvarna.co.uk

**Josefin Levander - Product Manager**

josefin.levander@husqvarna.se

**Sam Humphries - Assistant Product Manager**

sam.humphries@husqvarna.co.uk

**WWW.UOA.CC**

**UNIVERSAL**

POWERED BY  
 **McCULLOCH**