

DWMU.E165703 - Conduit and Cable Hardware

Note: We are enhancing our systems and you may notice missing/outdated data. During this interim period, please refer to your Certificate of Compliance or contact our Customer Service at <https://www.ul.com/about/locations>.

Conduit and Cable Hardware

ERICO INTERNATIONAL CORPORATION

34600 SOLON RD
SOLON, OH 44139-2631 United States

E165703

Trademark and/or Tradename: "CADDY®", "ERICO®", "nVent", "nVent CADDY",



Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): 4QTI, 4QTI24, 4QTI4, 4QTI58, 4QTI912, 4QTIAFAB3, 4QTIB, 4QTIBC, 4QTIBSF, 4QTIGBSF, 4QTIO, 812M24, ABGBSF, RBMX4Z34

"C" and "Z" purlin clips, Model(s): 122, 1224T1, 1226A, 1226T1, 122708, 123, 12316M, 12320M, 1236M, 123812M, AF14, AF144T, AF144TI, AF146A, AF146T, AF146TI, AF14708, AF14M10TI, PH10M, PH4, PH6, PH6M, PH8M, PHSW10M, PHSW4, PHSW6, PHSW6M, PHSW8M, VF14, VF144T, VF144TI, VF146A, VF146T, VF146TI, VF14708, VF14M10TI

"C" and "Z" urlin clips, Model(s): 1226T

Beam clamp cable hook supports, Model(s): CATHP-1318, CATHP-1318SM, CATHP-24, CATHP-24SM, CATHP-58, CATHP-58SM, CATHP-912, CATHP-912SM, CATHP-BC, CATHP-BC200, CATHP-BC200B, CATHP-BCB

Beam clamp supports, Model(s): CRLB37EG, CRLB50EG, CRLBM10EG, CRLBM12EG, CRLBM8EG

Bridging clips, Model(s): 16EM1318, 16M, 16M1318, 16M24SM, 16M4I, 16M58SM, 16M912SM, 24M58SM, 24M912, 24M912SM, 6M58SM, HRL-1.5-A

Bridle rings, Model(s): 2BR12, 2BR20, 2BR32, 2BR8, 2BRT12, 2BRT20, 2BRT32, 2BRT8, 4BRT20, 4BRT20WS, 4BRT32, 4BRT32WS, 4BRT64

Cable clips, Model(s): FXC20

Cable conduit, tubing and tray supports, Model(s): SLDwLzS (b)

Cable hangers, Model(s): MCS-100, MCS10024, MCS1004Z, MCS10058, MCS1006Z, MCS1008Z, MCS100912, MCS100AF14, MCS100BC200, MCS100VF14, MCS-101, MCS10124, MCS1014Z, MCS10158, MCS1016Z, MCS101912, MCS101AF14, MCS101BC200, MCS101VF14, MCS-50, MCS5024, MCS504Z, MCS5058, MCS506Z, MCS50912, MCS50AF14, MCS50BC200, MCS50VF14

Cable hook supports, Model(s): CATHP-A4, CATHP-A6, CATHP-AF14, CATHP-AN, CATHP-ESC, CATHP-S4, CATHP-TM, CATHP-VF14

Cable hooks, Model(s): -1318SM, -8Z34, CAT-16HP (e), CAT-32HP (e), CAT-48HP (e), CAT-64HP (e)

Cable support clips, Model(s): CER4, CJ6STS, MAC2VF14

Cable support systems, Model(s): CATTRAX25, CT128, CT128RS

Cable supports, Model(s): CAT 425, CAT 42524SM, CAT 42558SM, CAT 425912SM, CAT 425A6, CAT 425AF14, CAT 425BC, CAT 425BC200, CAT 425VF14, CAT 425WM, CAT 425WMCD1B, CAT100CMLN, CAT121318, CAT121318SM, CAT128Z34, CAT12BCB, CAT12CD1B (d), CAT64 (d), CAT6424 (d), CAT6424SM (d), CAT644Z34 (d), CAT6458 (d), CAT6458SM (d), CAT646Z34 (d), CAT64912 (d), CAT64912SM (d), CAT64AB (d), CAT64AF14 (d), CAT64AFAB3 (d), CAT64AFAB4 (d), CAT64AFAB6 (d), CAT64BC (d), CAT64BC200 (d), CAT64BC200B (d), CAT64BCB (d), CAT64CD1B (d), CAT64TS (d), CAT64VF14 (d), CATHB (d), CATTS1318SM, CATTS8Z34, CATTSBCB, CJ6, CJ6IN, CJ6S, PCS1

Cable, conduit, tubing and tray supports, Model(s): SLDtYmLnHp (c), SLDwLz (a), SLDwLzT (a), SLDwQTx (a), SLDwYHx (a), SLDwYHxLz (a), SLDwYx (a), SLDwYxLz (a)

Conduit and beam clamps, Model(s): 200RS375, BC, BC16M, BC16MSM, BC200, BC200CD0B8, BC200CD1B, BC200CD2.5B, BC200CD2B, BC200CD3B, BC200CD4B, BC200CD5B, BC20M, BC20MSM, BC24M, BC24MSM, BC32M, BC32MSM, BC400, BC6M, BC6MSM, BC812M, BC812MSM, BCISN10M, BCISN375, STCB6

Conduit and cable support brackets, Model(s): AFAB3, AFAB4, AFAB6

Conduit and cable supports, Model(s): 1616M (e), 1620M (e), 1624M (e), 166M (e), 16812M (e), 181950, 181960, 181961, 181970, 181971, 20M, 20M24SM, 20M4I, 24M, 24M24SM, 24M4I, 32M, 32M24SM, 32M4I, 32M58SM, 32M912SM, 449, 4Z3416M, 4Z34812M, 6M, 6M24SM, 6M4I, 6Z3416M, 6Z34812M, 781, 812M, CAT100CM, CAT12, CAT1224, CAT1224SM, CAT124Z34, CAT1258, CAT1258SM, CAT126Z34, CAT12912, CAT12912SM, CAT12AB, CAT12AF14, CAT12BC, CAT12BC200, CAT12BC200B, CAT12CD1B, CAT12TS, CAT12VF14, CAT16HPTS, CAT200CM, CAT200CMLN, CAT21, CAT2124, CAT2124SM, CAT214Z34, CAT21528, CAT2158, CAT2158SM, CAT216Z34, CAT21912, CAT21912SM, CAT21AB, CAT21AF14, CAT21AFAB3, CAT21AFAB4, CAT21AFAB6, CAT21BC, CAT21BC200, CAT21BC200B, CAT21BCB, CAT21CD1B, CAT21VF14, CAT300CM, CAT300CMLN, CAT32, CAT3224, CAT3224SM, CAT324Z34, CAT32528, CAT3258, CAT3258SM, CAT326Z34, CAT32912, CAT32912SM, CAT32AB, CAT32AF14, CAT32AFAB3, CAT32AFAB4, CAT32AFAB6, CAT32BC, CAT32BC200, CAT32BC200B, CAT32BCB, CAT32CD1B, CAT32VF14, CATHBA, CATHP-4Z34, CATHP-6Z34, CATHP-8Z34, CATHP-CD0B, CATHP-CD1B, CATHP-CD2.5B, CATHP-CD2B, CATTS

Conduit clips, Model(s): 12D1.5L, 16D1.5L, 20D1.5L, 812EM1318, 812M1318, 812M24SM, 812M41, 812M58SM, 812M912SM, 8D1.5L, CD0B, CD0BSS, CD1B, CD1BSS, CD2.5B, CD2.5BSS, CD2B, CD2BSS, CD3B, CD3BSS, CD4B, CD4BSS, CD5B, K12, K16, K20, K8, KX, WMX3, WMX6

Conduit hangers, Model(s): CD0, CD0SS, CD1, CD1SS, CD2, CD2.5, CD2SS, CD3, CD3SS, CD4, CD4SS, CD5, CD5BSS, CD5SS

Conduit supports, Model(s): 16MB18, 16MB1824, 16MB1858, 16MB186, 16MB18912, 16MB18A, 6MB18, 6MB1824, 6MB1858, 6MB186, 6MB18912, 6MB18A, 812MB18, 812MB1824, 812MB1858, 812MB186, 812MB18912, 812MB18A, 812MB18S, B184T1

Conduit to metal studs, Model(s): 16MF, 350812M, 350816M, 6MF, 812MF, FB6M, FB812M

Conduit to strut hangers, Model(s): RIGD0050, RIGD0050AL, RIGD0050CG, RIGD0050EG, RIGD0050HD, RIGD0050S4, RIGD0075, RIGD0100, RIGD0100AL, RIGD0100CG, RIGD0100EG, RIGD0100HD, RIGD0100S4, RIGD0125, RIGD0125AL, RIGD0125CG, RIGD0125EG, RIGD0125HD, RIGD0125S4, RIGD0150, RIGD0150AL, RIGD0150CG, RIGD0150EG, RIGD0150HD, RIGD0150S4, RIGD0200, RIGD0200AL, RIGD0200CG, RIGD0200EG, RIGD0200HD, RIGD0200S4, RIGD0250, RIGD0250AL, RIGD0250CG, RIGD0250EG, RIGD0250HD,

RIGD0250S4, RIGD0300, RIGD0300AL, RIGD0300CG, RIGD0300EG, RIGD0300HD, RIGD0300S4, RIGD0350, RIGD0350AL, RIGD0350CG, RIGD0350EG, RIGD0350HD, RIGD0350S4, RIGD0400, RIGD0400AL, RIGD0400CG, RIGD0400EG, RIGD0400HD, RIGD0400S4, RIGD075AL, RIGD075CG, RIGD075EG, RIGD075HD, RIGD075S4, SCH12, SCH12B, SCH16, SCH16B, SCH20, SCH20B, SCH24B, SCH32B, SCH40B, SCH48B, SCH56B, SCH64B, SCH6B, SCH72B, SCH8, SCH8B, SK125I, SK125IAL, SK125IALA, SK125IG, SK125ISS, SK165I, SK165IAL, SK165IALA, SK165IG, SK165ISS, SK205I, SK205IAL, SK205IALA, SK205IG, SK205ISS, SK245I, SK245IAL, SK245IALA, SK245IG, SK245ISS, SK325I, SK325IAL, SK325IALA, SK325IG, SK325ISS, SK405I, SK405IAL, SK405IALA, SK405IG, SK405ISS, SK485I, SK485IAL, SK485IALA, SK485IG, SK485ISS, SK565I, SK565IAL, SK565IALA, SK565IG, SK565ISS, SK645I, SK645IAL, SK645IALA, SK645IG, SK645ISS, SK85I, SK85IAL, SK85IALA, SK85IG, SK85ISS

Flange clips, Model(s): 2H4, 4H1318, 4H24, 4H58, 4H912, CM1318, EM1318, EM1318SM, M1318, M1318S, M-2-4, M-2-4-S, M-5-8, M-5-8-S, M-9-12, M-9-12-S

Flexible metal conduit clips, Model(s): MAC2, MAC2123, MAC21318, MAC224, MAC224SM, MAC22FB, MAC24Z34, MAC258, MAC258SM, MAC26Z34, MAC2912, MAC2912SM, MAC2A0, MAC2AT, MAC2BC, MAC2T, RBMX, RBMX24, RBMX58, RBMX912, RBMXAB, RBMXAF14, RBMXAO, RBMXATS, RBMXBC, RBMXDH2, RBMXVF14

Lathers channel hangers, Model(s): 2B15LS, 4B15L, 4B15LS, 4B2LS

Metal deck conduit supports, Model(s): AOL

Multi-function clips, Model(s): 4Z34, 4Z4S, 6Z34, 6Z4S, 8Z34, 8Z34812M, 8Z4S

Multipurpose beam clips, Model(s): 2FMP28

Nail brackets, Model(s): CNB812N

Nail protection plates, Model(s): 304B2

Non-metallic NMX cable support clips, Model(s): RMX, RMX24, RMX4Z34, RMX58, RMX912, RMXAB, RMXAF14, RMXAO, RMXATS, RMXBC, RMXDH2, RMXVF14

Pedestal clamps, Model(s): MBNUPCJ240, MBNUPCJ82, UPCJ

Power fastened hangers, Model(s): DBXXSFCAT32HPC(i), DBXXSFCAT64HPC(i), DR4SFXX(h), DR4STXX(h), DR4TSFXX(h), DR4TSTXX(h)

Purlin clips, Model(s): 6A, VF14, VF144TI, VF146TI, VF14708

Rod and wire hangers, Model(s): 4T, 4TI, 4TI24, 4TI58, 4TI912, 4TIB, 4TIO, 6A24, 6A58, 6A912, 6AB, 6AO, 6T, 6TA24, 6TA58, 6TA912, 6TB, 6TI, 6TI24, 6TI58, 6TI912, 6TIB, 6TIO, 6TO, 708, 70824, 70858, 708912, 708AB, 708AO, AB, AB375, AO, AO375, DH2, DH4TI, DH6A, DH6T, DH6T1, DH708

Strut clips, Model(s): ESC-4, SNM

Strut Supports, Model(s): SLS2C50, SLS2LyDH, SLS3C50, SLSxLy(f), SLSxLyWA6 (f)

Strut Supports, Model(s): SLS2LySE, may be followed by -250, -375, -M10, or -M8

Vertical cable hangers, Model(s): CAT600R, CAT600WM

Wedge hangers, Model(s): 4-T-W, 6-W

Wire Supports, Model(s): SLK2, SLK2C200, SLK2C50, SLKzL34H24, SLKzL34H58, SLKzLyAB, SLKzLyDH, SLKzLySEs #

- (where z is 15 or 2; y is any number from 1 to 50; s is M6, M8, M10, 250 or 375)

(a) - W = 15, 2 or 3 (15 = 1.5mm, 2 = 2mm); z = 05 thru 50 (05 thru 50 = 0.5m thru 50m); x = 100 thru 3000 (100 thru 3000 = 100mm thru 3000mm). All may be followed by BP or TP.

(b) - W = 15 (15 = 1.5mm); z = 05 thru 50 (05 thru 50 = 0.5m thru 50m). All may be followed by BP or TP.

(c) - T = 15, 2, 3 (15 = 1.5mm cable, 2 = 2mm cable, 3 = 3mm cable); m = 100 to 999mm length, or 1MO to 3MO (1 meter increment with 10 cm increments); n = 050 (50 mm), or 1 to 50 (1 meter increments); p = no suffix is steel, or s = stainless steel. All may be followed by BP or TP.

(d) - May be followed by SS or G.

(e) - May be preceded by 6, 812, 16, 20, 24 or 32.

(f) - where x is 2 or 3

(g) - may include optional suffix to indicate color, may be followed by - BC, -AB, -24, -58, -912, -24SM, -58SM, -912SM, -1318, -4Z34, -6Z34, -BCB, -BC200,-BC200B, -AFAB3, -AFAB4, -AFAB6, -VF14, -AF14, -123, -ESC, -or CD1B.

(h) - where XX may be any two digit number from 12 to 72.

(i) - where XX may any two digit number from 12 to 51.

* - May include optional suffix to indicate color.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"