



Material:

- The steel meets or exceeds the physical properties of ASTM A1011 GR 33, except with SS, ST & AL finishes.

Finishes:

- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Unistrut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1 or SC3
- **Everdur (E EG):** TBD
- **Stainless Steel, Type 304 (SS):** ASTM A240, Type 304 *
- **Stainless Steel, Type 316 (ST):** ASTM A240, Type 316 *
- **Aluminum (AL):** TBD

* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Material & Finish Combinations:

Material / Finish	Part Number Suffix	Pipe Clamp Material / Finish	Fasteners (Screw & Nut) Material / Finish	Example
Electro-galvanized	EG	EG	EG	P1109EG
Hot-dipped galvanized	HG	HG	SS	P1109HG
Unistrut Defender	DF	DF	DF	P1109DF
Stainless Steel Type 304	SS	SS	SS	P1109SS
Stainless Steel Type 316	ST	ST	SS	P1109ST
Aluminum	AL	AL	AL	P1109AL
Copper Coated	CC	CC	CC	P1109CC
Everdur	EEG	EG	E	P1109EEG

Part No.	Conduit Size	O.D. Size	Ga. (Thickness)	Finish	Product Weight / Piece (lbs)
P1109	3/8"	0.675"	16 (1.5)	EG	0.1
P1109	3/8"	0.675"	16 (1.5)	HG	0.106
P1109	3/8"	0.675"	16 (1.5)	SS	0.1
P1109	3/8"	0.675"	16 (1.5)	ST	0.1
P1109	3/8"	0.675"	16 (1.5)	AL	0.03
P1109AS	3/8"	0.675"	16 (1.5)	EG	0.1
P1111	1/2"	0.840"	16 (1.5)	EG	0.11
P1111	1/2"	0.840"	16 (1.5)	HG	0.117
P1111	1/2"	0.840"	16 (1.5)	ZD	0.11
P1111	1/2"	0.840"	16 (1.5)	SS	0.11
P1111	1/2"	0.840"	16 (1.5)	ST	0.11
P1111	1/2"	0.840"	16 (1.5)	AL	0.037
P1111AS	1/2"	0.840"	16 (1.5)	EG	0.11
P1111AS	1/2"	0.840"	16 (1.5)	ZD	0.11
P1111AS	1/2"	0.840"	16 (1.5)	AL	0.04
P1112	3/4"	1.050"	14 (1.9)	EG	0.15
P1112	3/4"	1.050"	14 (1.9)	DF	0.159
P1112	3/4"	1.050"	14 (1.9)	HG	0.159
P1112	3/4"	1.050"	14 (1.9)	ZD	0.15
P1112	3/4"	1.050"	14 (1.9)	SS	0.15
P1112	3/4"	1.050"	14 (1.9)	ST	0.15
P1112	3/4"	1.050"	14 (1.9)	AL	0.05
P1112AS	3/4"	1.050"	14 (1.9)	EG	0.15
P1112AS	3/4"	1.050"	14 (1.9)	ZD	0.15
P1112AS	3/4"	1.050"	14 (1.9)	AL	0.05
P1113	1"	1.315"	14 (1.9)	EG	0.17
P1113	1"	1.315"	14 (1.9)	DF	0.18
P1113	1"	1.315"	14 (1.9)	HG	0.18
P1113	1"	1.315"	14 (1.9)	ZD	0.17
P1113	1"	1.315"	14 (1.9)	SS	0.17
P1113	1"	1.315"	14 (1.9)	ST	0.17
P1113	1"	1.315"	14 (1.9)	AL	0.057
P1113AS	1"	1.315"	14 (1.9)	EG	0.17
P1113AS	1"	1.315"	14 (1.9)	HG	0.17
P1113AS	1"	1.315"	14 (1.9)	ZD	0.17
P1113AS	1"	1.315"	14 (1.9)	AL	0.06
P1114	1-1/4"	1.660"	14 (1.9)	EG	0.19
P1114	1-1/4"	1.660"	14 (1.9)	DF	0.201
P1114	1-1/4"	1.660"	14 (1.9)	HG	0.201
P1114	1-1/4"	1.660"	14 (1.9)	ZD	0.19
P1114	1-1/4"	1.660"	14 (1.9)	SS	0.19
P1114	1-1/4"	1.660"	14 (1.9)	ST	0.19
P1114	1-1/4"	1.660"	14 (1.9)	AL	0.063
P1114AS	1-1/4"	1.660"	14 (1.9)	EG	0.19
P1114AS	1-1/4"	1.660"	14 (1.9)	ZD	0.19
P1114AS	1-1/4"	1.660"	14 (1.9)	AL	0.07
P1115	1-1/2"	1.900"	12 (2.7)	EG	0.29

P1115	1-1/2"	1.900"	12 (2.7)	DF	0.307
P1115	1-1/2"	1.900"	12 (2.7)	HG	0.307
P1115	1-1/2"	1.900"	12 (2.7)	ZD	0.29
P1115	1-1/2"	1.900"	12 (2.7)	SS	0.29
P1115	1-1/2"	1.900"	12 (2.7)	ST	0.29
P1115	1-1/2"	1.900"	12 (2.7)	AL	0.097
P1115AS	1-1/2"	1.900"	12 (2.7)	EG	0.29
P1115AS	1-1/2"	1.900"	12 (2.7)	HG	0.29
P1115AS	1-1/2"	1.900"	12 (2.7)	ZD	0.29
P1115AS	1-1/2"	1.900"	12 (2.7)	AL	0.1
P1117	2"	2.375"	12 (2.7)	EG	0.34
P1117	2"	2.375"	12 (2.7)	DF	0.36
P1117	2"	2.375"	12 (2.7)	HG	0.36
P1117	2"	2.375"	12 (2.7)	ZD	0.34
P1117	2"	2.375"	12 (2.7)	SS	0.34
P1117	2"	2.375"	12 (2.7)	ST	0.34
P1117	2"	2.375"	12 (2.7)	AL	0.113
P1117AS	2"	2.375"	12 (2.7)	EG	0.34
P1117AS	2"	2.375"	12 (2.7)	HG	0.34
P1117AS	2"	2.375"	12 (2.7)	ZD	0.34
P1117AS	2"	2.375"	12 (2.7)	AL	0.12
P1118	2-1/2"	2.875"	12 (2.7)	EG	0.4
P1118	2-1/2"	2.875"	12 (2.7)	DF	0.424
P1118	2-1/2"	2.875"	12 (2.7)	HG	0.424
P1118	2-1/2"	2.875"	12 (2.7)	ZD	0.4
P1118	2-1/2"	2.875"	12 (2.7)	SS	0.4
P1118	2-1/2"	2.875"	12 (2.7)	ST	0.4
P1118	2-1/2"	2.875"	12 (2.7)	AL	0.133
P1118AS	2-1/2"	2.875"	12 (2.7)	EG	0.41
P1118AS	2-1/2"	2.875"	12 (2.7)	ZD	0.4
P1118AS	2-1/2"	2.875"	12 (2.7)	AL	0.14
P1119	3"	3.500"	12 (2.7)	EG	0.47
P1119	3"	3.500"	12 (2.7)	DF	0.498
P1119	3"	3.500"	12 (2.7)	HG	0.498
P1119	3"	3.500"	12 (2.7)	ZD	0.47
P1119	3"	3.500"	12 (2.7)	SS	0.47
P1119	3"	3.500"	12 (2.7)	ST	0.47
P1119	3"	3.500"	12 (2.7)	AL	0.157
P1119AS	3"	3.500"	12 (2.7)	EG	0.47
P1119AS	3"	3.500"	12 (2.7)	ZD	0.47
P1119AS	3"	3.500"	12 (2.7)	AL	0.16
P1120	3-1/2"	4.000"	11 (3.0)	EG	0.62
P1120	3-1/2"	4.000"	11 (3.0)	HG	0.657
P1120	3-1/2"	4.000"	11 (3.0)	ZD	0.62
P1120	3-1/2"	4.000"	11 (3.0)	SS	0.62
P1120	3-1/2"	4.000"	11 (3.0)	ST	0.62
P1120	3-1/2"	4.000"	11 (3.0)	AL	0.207
P1120AS	3-1/2"	4.000"	11 (3.0)	EG	0.62
P1120AS	3-1/2"	4.000"	11 (3.0)	ZD	0.62
P1120AS	3-1/2"	4.000"	11 (3.0)	AL	0.21
P1121	4"	4.500"	11 (3.0)	EG	0.67
P1121	4"	4.500"	11 (3.0)	HG	0.71
P1121	4"	4.500"	11 (3.0)	ZD	0.67
P1121	4"	4.500"	11 (3.0)	SS	0.67
P1121	4"	4.500"	11 (3.0)	ST	0.67
P1121	4"	4.500"	11 (3.0)	AL	0.223
P1121AS	4"	4.500"	11 (3.0)	EG	0.67
P1121AS	4"	4.500"	11 (3.0)	ZD	0.67
P1121AS	4"	4.500"	11 (3.0)	AL	0.223
P1123	5"	5.563"	11 (3.0)	EG	0.8
P1123	5"	5.563"	11 (3.0)	HG	0.848
P1123	5"	5.563"	11 (3.0)	SS	0.8

P1123AS	5"	5.563"	11 (3.0)	EG	0.8
P1123AS	5"	5.563"	11 (3.0)	ZD	0.8
P1124	6"	6.625"	10 (3.4)	EG	1.02
P1124	6"	6.625"	10 (3.4)	HG	1.081
P1124	6"	6.625"	10 (3.4)	SS	1.02
P1124	6"	6.625"	10 (3.4)	AL	0.35
P1124AS	6"	6.625"	10 (3.4)	EG	1.02
P1124AS	6"	6.625"	10 (3.4)	ZD	1.02
P1126	8"	8.625"	10 (3.4)	EG	1.3
P1126	8"	8.625"	10 (3.4)	HG	1.378
P1126	8"	8.625"	10 (3.4)	SS	1.3
P1126	8"	8.625"	10 (3.4)	AL	0.4
P1126AS	8"	8.625"	10 (3.4)	EG	1.3
P1126AS	8"	8.625"	10 (3.4)	ZD	1.3

Project:	<input type="text" value="ppe"/>		
Architect / Engineer:	<input type="text" value="Gonzalo Aranda"/>		
Date:	<input type="text" value="24/07/2022"/>	Phone:	<input type="text" value="569 58062771"/>
Contractor:	<input type="text" value="jemo"/>		
Address:	<input type="text" value="av presidente frei montalva"/>		
Notes:	<input type="text" value="ppe"/>		

Approval Stamp: