



Materials & Finishes - Standard:

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Unistrut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1 or SC3
- **Plain (PL):** No finish

Materials & Finishes - Special Metals:

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 *
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 *
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 *

* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	Nom. Pipe Size	A	Finish	Product Weight / Piece (lbs)
P2542	12" (305)	12" (305)	HG	5.321
P2542	12" (305)	12" (305)	GR	5.02
P2542	12" (305)	12" (305)	SS	5.02
P2543	18" (457)	18" (457)	HG	7.335
P2543	18" (457)	18" (457)	GR	6.92
P2543	18" (457)	18" (457)	SS	6.92
P2544	24" (610)	24" (610)	HG	9.349
P2544	24" (610)	24" (610)	GR	8.82
P2544	24" (610)	24" (610)	SS	8.82
P2545	30" (762)	30" (762)	HG	11.363
P2545	30" (762)	30" (762)	GR	10.72
P2545	30" (762)	30" (762)	SS	10.72
P2546	36" (914)	36" (914)	HG	13.377
P2546	36" (914)	36" (914)	GR	12.62
P2546	36" (914)	36" (914)	SS	12.62

Project:	PPE		
Architect / Engineer:	GONZALO ARANDA		
Date:	22/07/2022	Phone:	
Contractor:	JEMO		
Address:	gal@jemo.cl		
Notes:			

Approval Stamp: