

BV-BCAM2 4G2K HIGH DEFINITION BODYCAM

System

SOC Chip 8-core 64-bit 2.3G CPU

 System
 Android 12

 RAM
 2GB + 32GB

Camera

Image resolution64 MegapixelSensorOV6489Field of View140° degreesCamera LensScratch-resistantImage FormatJPEGFront camera12 MegapixelRear camera5 Megapixel

Video

Compression H.265/H.264

Recording Resolution 2048 x 1080, 1920x1080p, 1280x720p, 720x480

Dual-stream Support

Display 2.4 inches IPS HD Touchscreen

One-touch recording Yes

Pre and post recording Yes

Video input External USB Camera (optional)

Audio

Audio High-quality, built-in microphone

 Compression
 Opus, MP3

 Speaker
 Built-in

 Audio PA
 Class K

Network

GSM: B2/3/5/8 WCDMA: B1/2/5/8

Frequency Band TDS: B34/39

FDD_LTE: B1.B2.B3.B4.B5.B7.B8.B28A/B

TDD_LTE: B38/39/40/41

Sim-card Slot Built-in, Nano-Sim Card

Wi-Fi Built-in, 802.11 a/b/g/n 2.4G+5GHz

GPS Built-in, GPS/BDS/GLONASS

G/M-Sensor Built-in

BT Bluetooth 4.0 LE

NFC Optional

System should be able to get SOS alarm if personnel are in

danger

Protocol ONVIF

Encryption AES 128 o AES 256

Night Vision

SOS Alarm

Night View 1 white LED, 4 IR LED; >=3M
White balance Auto White balance

Laser light Support















Description

- Android system, 12nm process, octa-core 2.3GHz speed processor
- H.265/H.264 encoding compression, support dual stream
- Support 2K, 1080P, 720P and other resolutions Built-in 4G, Wi-Fi, Bluetooth communication, GPS or Beidou positioning
- Support cluster voice dispatch, video call, file upload, central storage, etc.
- 2.4-inch HD IPS touch screen, dual front and rear cameras IP68 protection level, 160g light weight
- Replaceable battery design, single battery 3050mAh, can record for 11 hours (1080P/30FPS)



BV-BCAM2 4G

2K HIGH DEFINITION BODYCAM

Interface

Shortcut Button PTT/Power/Video/Audio/Snapshot/SOS/FN/M keys

SIM 1 x Nano-Sim Card slot

Type-C 1 x Type-c

USB 1 x Micro

Fingerprint recognition Support (Optional)
1. Charging

USB Interface Function 2. OTG devices (including USB cameras)

USB Interface Function 2. OTG devices (including USB cameras 3. Software Upgrade/COPY Data


Type Removable
Capacity 3050mAh replaceable battery, 11 hours of continuous work
Continuous Electricity Built-in 60 mAh small battery, battery replacement and
System continuous power

BCMS

Bodycam Management System
Support facial recognition on device side and platform side,
which can be developed according to requirement (optional on 5G model)

General	
OTG	Support
Storage Capacity	Standard 64G storage (optional up to 256GB)
Watermark	OSD
Ingress Protection	IP68
Military Standard	MIL-STD-810G
Shock Resistance	2 Meters
Weight	160g (without clip)
Dimensions	91mm×57mm×25mm
Operating temperature	-20°C~60°C
Operating humidity	40% to 90%













Accessories



Single docking station (Charge at the same time Bodycam + Battery)



Battery the 3.8V (3050mAh / 11 hours)



Holding clip



Cable & power adapter