

CLA-424-108; 128 OPAL KING BED

CARACOLE CLASSIC

ASSEMBLY INSTRUCTIONS

TWO (2) PEOPLE AND PHILIP'S SCREWDRIVER REQUIRED







UNPACK ALL PARTS AND CHECK AGAINST PARTS LIST ON THIS INSTRUCTION SHEET BEFORE DISCARDING PACKING AND CARTON!!


- (1) Connect the side rails and headboard / footboard by bolt (F).
- (2) Assemble the side rails and headboard / footboard using the curved washer (A), flat washer (B), lock washer (C), and nut (D) tighten with wrench provided (E) , as shown in Diagram A.
- (3) Unscrew the headboard slat by wrench provided (H) as shown in diagram B. Then attach the center support rail on cleat of headboard & footboard, using Philips screw driver to tighten the screw (G) as shown in Diagram C.
- (4) Attach the headboard slat to headboard cleat using bolt (I), tighten with wrench provided (H) as shown in diagram D. Then attached the other bed slats on the center support rail and cleat of side rails then using Philips' screw driver to tighten the screw (G) as shown in Diagram E.

*** NOTE KEEP THIS SHEET ***

In the unlikely event that you would need a replacement part for your furniture, please contact your local authorized Caracole International dealer. If you need replacement hardware quickly, it could be purchased from your local hardware store.

CLA-424-128H/F/R KING BED		
Part Description	Part No.	QTY
Headboard (1)	CLA-424-128-H	1
Footboard (2)	CLA-424-128-F	1
Side Rail (3)	CLA-424-128-R	2
Center Support Rail (4)	CLA-424-128-R-30290	2
Slat (5)	CLA-424-128-F-3067	12
RTA Hardware(6)	CLA-424-128-R-3001	1
RTA Hardware(7)	CLA-424-128-H-3001	1
RTA Hardware(8)	CLA-424-128-F-3001	1
Headboard Slat	CLA-424-128-H-3067	1

RTA Hardware For Side Rail (6)			
NO.		Flat Washer(5/16")	Q'ty
A		Curved Washer	8
B		Flat Washer(5/16")	8
C		Lock Washer(5/16")	8
D		Nut (5/16")	8
E		Wrench	1
F		Bolt (5/16"X95MM)	8

RTA Hardware Headboard of KG Bed (7)			
NO.		Hardware List	Q'ty
H		Wrench	1

RTA Hardware Footboard of KG Bed (8)			
NO.		Hardware List	Q'ty
G		Screw(32MM)	78




Diagram A




Diagram B




Diagram C




Diagram D




Diagram E




Diagram E




Diagram A/B/D

Diagram C




Diagram E

BED MATTRESS DIAGRAM

3 of 3

BEDDING SPECIFICATIONS

CLA-424-128 Dimension of the true mattress opening: 62" x 82"; 78" x 82"

Bed slats: 78.1" x 3" x 0.86"

Side rail width: 2.56"

Height from the floor to bottom of the side rail: 0"

Height from the floor to top of slat: 12"

Height from the top of slats to top of side rail: 1.7"

Height from the top of side rail to bottom of headboard pad: 0"

Be sure to adhere to these BEDDING SPECIFICATIONS in order to avoid the possibility of faling or entrapment THESE SPECIFICATIONS MUST BE STRICTLY ADHERE TO!

